



**Supplementary Figure S1.** Distinct regulation of individual lipid species in rat plasma at three time points. (A) principal component analysis (PCA) plot of all lipid species at day 1 post-irradiation. (B-D) PCA and volcano plot of all lipid species at day 1 post-irradiation between 5 Gy vs. 0 Gy, 10 Gy vs. 0 Gy, 10 Gy vs. 5 Gy, respectively. (E) PCA plot of all lipid species at day 7 post-irradiation. (F-H) PCA and volcano plot of all lipid species at day 7 post-irradiation between 5 Gy vs. 0 Gy, 10 Gy vs. 0 Gy, 10 Gy vs. 5 Gy, respectively. (I) PCA and volcano plot of all lipid species at day 14 post-irradiation between 5 Gy vs. 0 Gy. In each volcano plot, red dots represent lipids with false discovery rate (FDR) < 0.05 and fold change (FC) > 2, blue dots for lipids with FDR < 0.05 and FC < 0.5.

**Supplementary Table S1.** Distinctly regulated individual lipids ( $\mu\text{g/ml}$ , mean  $\pm$  SEM) in rat plasma following exposure to 5 Gy irradiation at 1 d.

Differential lipids (4 $\uparrow$ , 35 $\downarrow$ )	Retention Time(min)	0 Gy (n=5) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	5 Gy (n=5) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	FC	log2(FC)	FDR	$-\log_{10}(\text{FDR})$
DG(16:0/18:2)	8.10	0.06 $\pm$ 0.01	0.02 $\pm$ 0.00	0.30	-1.76	3.89E-02	1.41
DG(16:0/20:4)	8.23	5.31 $\pm$ 0.79	1.68 $\pm$ 0.15	0.48	-1.07	3.89E-02	1.41
DG(18:3/18:0)	7.59	4.75 $\pm$ 0.53	2.26 $\pm$ 0.20	0.32	-1.66	3.89E-02	1.41
LPC(17:1)	1.59	0.41 $\pm$ 0.04	0.20 $\pm$ 0.01	0.50	-1.01	3.89E-02	1.41
LPC(20:3)	1.62	4.09 $\pm$ 0.47	1.42 $\pm$ 0.10	0.35	-1.53	3.42E-02	1.47
LPC(20:5)	1.33	0.65 $\pm$ 0.10	0.23 $\pm$ 0.01	0.36	-1.46	3.89E-02	1.41
PE(18:0/22:5)	7.90	0.07 $\pm$ 0.01	0.03 $\pm$ 0.00	0.41	-1.29	4.55E-02	1.34
SM(d18:2/18:2)	4.95	0.02 $\pm$ 0.00	0.06 $\pm$ 0.00	2.23	1.16	3.42E-02	1.47
SM(d18:3/20:1)	6.01	0.02 $\pm$ 0.00	0.04 $\pm$ 0.00	2.42	1.27	3.89E-02	1.41
TG48:4(18:2)	11.06	0.04 $\pm$ 0.01	0.01 $\pm$ 0.00	0.32	-1.64	3.89E-02	1.41
TG54:8(22:6)	11.19	0.02 $\pm$ 0.00	0.01 $\pm$ 0.00	0.26	-1.97	3.96E-02	1.40
TG51:3(18:2)	12.08	0.88 $\pm$ 0.16	0.19 $\pm$ 0.03	0.21	-2.23	3.89E-02	1.41
TG51:4(18:2)	11.72	0.74 $\pm$ 0.11	0.22 $\pm$ 0.04	0.29	-1.76	3.89E-02	1.41
TG51:5(18:3)	11.35	0.02 $\pm$ 0.00	0.01 $\pm$ 0.00	0.31	-1.69	3.89E-02	1.41
TG51:5(18:2)	11.35	0.04 $\pm$ 0.01	0.01 $\pm$ 0.00	0.30	-1.75	3.89E-02	1.41
TG54:7(22:6)	11.50	0.25 $\pm$ 0.03	0.12 $\pm$ 0.01	0.47	-1.08	4.10E-02	1.39
TG52:3(18:2)	12.28	42.3 $\pm$ 7.14	10.64 $\pm$ 1.60	0.25	-1.99	3.89E-02	1.41
TG56:5(22:4)	12.46	1.59 $\pm$ 0.22	0.61 $\pm$ 0.11	0.38	-1.38	3.89E-02	1.41
TG52:4(18:2)	11.93	38.66 $\pm$ 4.83	13.08 $\pm$ 1.80	0.34	-1.56	3.89E-02	1.41
TG52:5(18:3)	11.57	1.66 $\pm$ 0.26	0.51 $\pm$ 0.08	0.31	-1.69	3.89E-02	1.41
TG60:12(22:6)	11.23	0.06 $\pm$ 0.01	0.35 $\pm$ 0.04	6.32	2.66	1.32E-02	1.88
TG52:6(20:4)	11.21	0.12 $\pm$ 0.02	0.02 $\pm$ 0.00	0.19	-2.36	3.89E-02	1.41
TG54:8(20:5)	11.11	0.07 $\pm$ 0.01	0.02 $\pm$ 0.00	0.35	-1.5	4.55E-02	1.34
TG53:3(18:2)	12.47	0.68 $\pm$ 0.11	0.19 $\pm$ 0.03	0.28	-1.85	3.89E-02	1.41
TG55:5(20:4)	12.38	0.01 $\pm$ 0.00	0.01 $\pm$ 0.00	0.41	-1.28	3.96E-02	1.40
TG53:4(18:2)	12.13	0.32 $\pm$ 0.07	0.05 $\pm$ 0.01	0.17	-2.58	3.92E-02	1.41
TG53:5(18:2)	11.79	0.19 $\pm$ 0.03	0.05 $\pm$ 0.01	0.26	-1.92	3.89E-02	1.41
TG54:3(18:2)	12.66	3.94 $\pm$ 0.65	1.13 $\pm$ 0.18	0.29	-1.8	3.89E-02	1.41

TG54:3(18:1)	12.66	17.75±3.76	3.60±0.50	0.20	-2.3	3.96E-02	1.40
TG54:4(18:2)	12.34	23.07±3.71	6.10±0.92	0.26	-1.92	3.89E-02	1.41
TG54:5(18:2)	11.99	20.81±2.48	7.39±1.17	0.36	-1.49	3.89E-02	1.41
TG54:6(18:3)	11.64	1.50±0.21	0.47±0.08	0.31	-1.69	3.89E-02	1.41
TG55:4(19:1)	12.51	0.15±0.03	0.03±0.00	0.23	-2.15	3.89E-02	1.41
TG54:6(18:2)	11.63	13.42±1.88	4.50±0.80	0.34	-1.58	3.89E-02	1.41
TG54:7(18:3)	11.26	0.63±0.08	0.25±0.04	0.40	-1.31	3.89E-02	1.41
TG54:8(18:3)	10.87	0.07±0.01	0.03±0.00	0.46	-1.12	3.89E-02	1.41
TG52:6(18:4)	11.32	0.09±0.02	0.02±0.00	0.22	-2.21	3.89E-02	1.41
TG56:4(20:1)	12.68	0.97±0.17	0.29±0.04	0.29	-1.76	3.89E-02	1.41
TG58:11(20:5)	11.06	0.03±0.01	0.15±0.02	4.50	2.17	3.89E-02	1.41

---

**Supplementary Table S2.** Distinctly regulated individual lipids ( $\mu\text{g/ml}$ , mean  $\pm$  SEM) in rat plasma following exposure to 10 Gy irradiation at 1 d.

Differential lipids (10 $\uparrow$ , 1 $\downarrow$ )	FC	log <sub>2</sub> (FC)	FDR	-log <sub>10</sub> (FDR)
PC (15:0/22:3)	2.41	1.27	2.20E-02	1.66
PC (15:0/22:4)	2.28	1.19	3.32E-02	1.48
PC (O-18:0/20:4)	2.11	1.08	2.20E-02	1.66
PC (O-18:1/20:4)	2.04	1.03	2.20E-02	1.66
PC (O-20:0/22:5)	2.36	1.24	1.15E-02	1.94
SM(d18:2/18:1)	2.14	1.10	1.41E-02	1.85
SM(d18:2/18:2)	2.73	1.45	1.53E-02	1.82
SM(d18:3/20:1)	3.35	1.74	1.41E-02	1.85
SM(d18:3/22:2)	4.23	2.08	1.68E-02	1.77
TG54:5(18:2)	0.41	-1.27	4.24E-02	1.37
TG60:12(22:6)	9.75	3.29	1.41E-02	1.85

**Supplementary Table S3.** Distinctly regulated individual lipids ( $\mu\text{g}/\text{ml}$ , mean  $\pm$  SEM) in rat plasma following exposure to 5 Gy irradiation at 7 d.

Differential lipids (59↓)	Retention Time(min)	0 Gy (n=5) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	5 Gy (n=5) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	FC	log2(FC)	FDR	$-\log_{10}(\text{FDR})$
DG(16:0/18:2)	8.10	0.09 $\pm$ 0.02	0.04 $\pm$ 0.00	0.43	-1.23	4.99E-02	1.30
DG(16:0/20:4)	7.59	8.64 $\pm$ 1.80	2.76 $\pm$ 0.36	0.32	-1.65	4.94E-02	1.31
DG(18:3/18:0)	8.23	8.69 $\pm$ 1.59	3.25 $\pm$ 0.30	0.37	-1.42	4.51E-02	1.35
PC(15:0/18:0)	8.39	0.11 $\pm$ 0.01	0.05 $\pm$ 0.00	0.47	-1.10	1.45E-02	1.84
PC(15:0/22:3)	7.92	0.05 $\pm$ 0.00	0.02 $\pm$ 0.00	0.46	-1.11	2.27E-02	1.64
PC(17:0/22:5)	7.06	0.16 $\pm$ 0.02	0.08 $\pm$ 0.00	0.48	-1.05	3.98E-02	1.40
PC(O-16:0/16:0)	7.60	0.34 $\pm$ 0.02	0.14 $\pm$ 0.02	0.42	-1.26	1.45E-02	1.84
PC(O-18:1/20:4)	7.18	2.20 $\pm$ 0.16	0.96 $\pm$ 0.13	0.44	-1.20	2.27E-02	1.64
PE(18:0/20:3)	7.87	0.07 $\pm$ 0.01	0.04 $\pm$ 0.00	0.48	-1.05	2.46E-02	1.61
PE(18:0/20:4)	7.60	2.88 $\pm$ 0.32	1.39 $\pm$ 0.13	0.48	-1.05	2.46E-02	1.61
PE(18:1/20:1)	8.31	0.03 $\pm$ 0.00	0.01 $\pm$ 0.00	0.48	-1.07	2.46E-02	1.61
PE(O-18:3/20:4)	6.65	1.95 $\pm$ 0.14	0.89 $\pm$ 0.08	0.45	-1.14	1.52E-02	1.82
PS(16:0/18:0)	5.85	5.49 $\pm$ 0.84	2.70 $\pm$ 0.24	0.49	-1.03	4.94E-02	1.31
SM(d19:1/20:1)	7.50	0.02 $\pm$ 0.00	0.01 $\pm$ 0.00	0.37	-1.45	2.46E-02	1.61
TG48:4(18:2)	11.06	0.07 $\pm$ 0.01	0.03 $\pm$ 0.00	0.38	-1.40	2.46E-02	1.61
TG46:2(18:2)	11.39	0.09 $\pm$ 0.01	0.04 $\pm$ 0.00	0.46	-1.13	2.46E-02	1.61
TG51:3(18:2)	12.08	1.85 $\pm$ 0.21	0.72 $\pm$ 0.06	0.39	-1.36	2.46E-02	1.61
TG51:4(18:2)	11.72	1.53 $\pm$ 0.17	0.54 $\pm$ 0.05	0.35	-1.51	2.46E-02	1.61
TG51:5(18:3)	11.35	0.05 $\pm$ 0.01	0.02 $\pm$ 0.00	0.32	-1.66	2.46E-02	1.61
TG51:5(18:2)	11.35	0.09 $\pm$ 0.01	0.02 $\pm$ 0.00	0.28	-1.84	2.46E-02	1.61
TG50:2(18:1)	12.23	9.88 $\pm$ 1.49	4.67 $\pm$ 0.52	0.47	-1.08	4.81E-02	1.32
TG50:3(18:2)	11.87	8.61 $\pm$ 1.12	3.46 $\pm$ 0.21	0.40	-1.31	2.46E-02	1.61
TG50:4(18:3)	11.53	0.38 $\pm$ 0.05	0.15 $\pm$ 0.01	0.39	-1.34	2.47E-02	1.61
TG52:2(18:1)	12.61	46.59 $\pm$ 5.402	22.51 $\pm$ 1.81	0.48	-1.05	2.47E-02	1.61
TG52:3(18:2)	12.28	69.01 $\pm$ 7.60	30.52 $\pm$ 1.25	0.44	-1.18	2.46E-02	1.61
TG56:2(22:1)	13.32	0.23 $\pm$ 0.04	0.08 $\pm$ 0.01	0.34	-1.57	3.03E-02	1.52
TG58:1(24:0)	13.89	0.10 $\pm$ 0.010	0.04 $\pm$ 0.01	0.43	-1.22	2.46E-02	1.61
TG52:4(18:2)	11.93	65.15 $\pm$ 8.11	25.68 $\pm$ 2.56	0.39	-1.34	2.46E-02	1.61

TG52:5(18:3)	11.57	2.97±0.47	0.93±0.14	0.31	-1.68	2.48E-02	1.61
TG56:8(22:6)	11.64	1.81±0.28	0.77±0.13	0.43	-1.23	4.51E-02	1.35
TG48:4(18:2)	11.44	0.33±0.06	0.14±0.01	0.40	-1.30	4.39E-02	1.36
TG52:6(20:4)	11.21	0.22±0.04	0.08±0.01	0.36	-1.47	4.43E-02	1.35
TG53:3(18:2)	12.47	1.41±0.18	0.55±0.05	0.39	-1.36	2.46E-02	1.61
TG53:4(18:2)	12.13	0.59±0.07	0.20±0.01	0.34	-1.54	2.46E-02	1.61
TG53:5(18:2)	11.79	0.35±0.05	0.12±0.01	0.33	-1.62	2.46E-02	1.61
TG55:4(20:4)	12.71	0.01±0.00	0.00±0.00	0.45	-1.14	4.94E-02	1.31
TG54:2(18:1)	12.97	3.20±0.53	1.32±0.16	0.41	-1.27	4.51E-02	1.35
TG54:3(18:2)	12.66	6.44±0.82	2.93±0.26	0.45	-1.14	2.55E-02	1.59
TG56:1(20:0)	13.55	0.04±0.01	0.02±0.00	0.41	-1.30	4.94E-02	1.31
TG54:3(18:1)	12.66	29.46±3.71	12.08±0.99	0.41	-1.29	2.46E-02	1.61
TG54:4(18:2)	12.34	39.04±4.87	15.12±1.86	0.39	-1.37	2.46E-02	1.61
TG55:2(19:0)	13.12	0.11±0.02	0.05±0.01	0.43	-1.21	4.94E-02	1.31
TG55:3(19:1)	12.85	0.28±0.05	0.09±0.01	0.33	-1.61	2.69E-02	1.57
TG58:2(22:0)	13.62	0.21±0.03	0.08±0.01	0.40	-1.32	2.47E-02	1.61
TG58:3(22:1)	13.35	0.23±0.03	0.08±0.01	0.35	-1.53	2.49E-02	1.60
TG60:2(24:0)	13.94	0.12±0.01	0.05±0.01	0.40	-1.32	2.46E-02	1.61
TG60:3(24:1)	13.69	0.20±0.03	0.07±0.01	0.35	-1.53	2.46E-02	1.61
TG54:5(18:2)	11.99	35.47±4.43	13.82±2.10	0.39	-1.36	2.46E-02	1.61
TG54:6(18:3)	11.64	2.68±0.39	0.90±0.15	0.34	-1.57	2.46E-02	1.61
TG55:4(19:1)	12.51	0.33±0.05	0.11±0.01	0.33	-1.58	2.46E-02	1.61
TG58:4(22:1)	13.03	0.21±0.03	0.06±0.01	0.31	-1.68	2.47E-02	1.61
TG60:4(24:1)	13.35	0.16±0.02	0.05±0.01	0.31	-1.69	2.46E-02	1.61
TG54:6(18:2)	11.63	22.57±3.05	8.10±1.42	0.36	-1.48	2.46E-02	1.61
TG54:7(18:3)	11.26	1.27±0.20	0.43±0.07	0.34	-1.56	2.92E-02	1.53
TG54:8(18:3)	10.87	0.12±0.02	0.05±0.01	0.42	-1.26	2.55E-02	1.59
TG52:6(18:4)	11.32	0.16±0.03	0.07±0.01	0.45	-1.16	4.94E-02	1.31
TG56:3(20:1)	12.99	1.21±0.20	0.34±0.04	0.28	-1.85	2.48E-02	1.61
TG56:4(20:1)	12.68	2.11±0.33	0.63±0.12	0.30	-1.74	2.47E-02	1.61
TG60:5(24:1)	13.08	0.13±0.02	0.04±0.01	0.28	-1.85	2.46E-02	1.61

**Supplementary Table S4.** Distinctly regulated individual lipids ( $\mu\text{g/ml}$ , mean  $\pm$  SEM) in rat plasma following exposure to 10 Gy irradiation at 7 d.

Differential lipids (1 $\uparrow$ , 144 $\downarrow$ )	FC	log <sub>2</sub> (FC)	FDR	-log <sub>10</sub> (FDR)
DG(16:0/18:2)	0.27	-1.90	8.31E-03	2.08
DG(16:0/20:4)	0.13	-2.93	8.26E-03	2.08
DG(18:3/18:0)	0.24	-2.08	8.35E-03	2.08
DG(20:3/18:3)	0.34	-1.58	3.40E-02	1.47
DG(20:4/18:2)	0.45	-1.16	2.38E-02	1.62
FA(20:2)	0.32	-1.63	1.81E-02	1.74
FA(20:3)	0.42	-1.25	2.90E-02	1.54
FA(24:1)	0.48	-1.05	1.66E-02	1.78
LysoPC(20:2)	0.46	-1.12	7.62E-03	2.12
LysoPE(17:0)	0.36	-1.48	5.28E-04	3.28
PC(12:0/20:4)	0.49	-1.02	1.81E-02	1.74
PC(14:0/15:0)	0.29	-1.81	1.06E-03	2.97
PC(15:0/18:0)	0.35	-1.53	5.28E-04	3.28
PC(15:0/18:2)	0.26	-1.94	6.52E-04	3.19
PC(15:0/22:3)	0.45	-1.16	1.81E-03	2.74
PC(15:0/22:4)	0.45	-1.14	3.57E-03	2.45
PC(16:0/16:0)	0.46	-1.13	1.81E-03	2.74
PC(16:1/16:1)	0.35	-1.53	1.32E-02	1.88
PC(16:1/20:5)	0.42	-1.27	2.00E-02	1.70
PC(17:0/18:0)	0.37	-1.45	1.30E-03	2.89
PC(17:0/18:1)	0.47	-1.10	3.24E-03	2.49
PC(17:0/18:2)	0.27	-1.91	7.51E-04	3.12
PC(17:0/22:4)	0.35	-1.52	4.57E-03	2.34
PC(17:0/22:5)	0.35	-1.52	8.26E-03	2.08
PC(17:0/22:6)	0.43	-1.22	3.81E-03	2.42
PC(17:1/18:2)	0.34	-1.54	2.06E-03	2.69
PC(18:0/18:3)	0.49	-1.04	2.41E-03	2.62
PC(18:0/20:0)	0.50	-1.01	6.13E-03	2.21
PC(18:0/20:1)	0.49	-1.03	4.33E-03	2.36
PC(18:0/24:1)	0.35	-1.50	5.28E-04	3.28
PC(18:2/24:1)	0.31	-1.68	5.73E-04	3.24
PC(18:3/16:2)	0.45	-1.16	3.59E-02	1.45
PC(19:0/22:6)	0.29	-1.77	3.85E-03	2.41
PC(20:4/22:4)	0.44	-1.17	2.24E-02	1.65

PC(22:6/24:1)	0.48	-1.06	1.92E-03	2.72
PC(O-16:0/16:0)	0.27	-1.90	5.28E-04	3.28
PC(O-16:0/18:0)	0.40	-1.34	1.46E-03	2.84
PC(O-18:0/22:5)	0.47	-1.10	4.40E-03	2.36
PC(O-18:1/20:4)	0.44	-1.20	3.21E-03	2.49
PE(16:0/18:1)	0.48	-1.06	2.06E-03	2.69
PE(16:0/18:2)	0.35	-1.53	3.13E-03	2.50
PE(17:0/18:2)	0.23	-2.15	6.51E-04	3.19
PE(18:0/18:2)	0.26	-1.96	1.30E-03	2.89
PE(18:0/20:3)	0.20	-2.32	1.04E-03	2.98
PE(18:0/20:4)	0.23	-2.09	1.61E-03	2.79
PE(18:0/22:6)	0.41	-1.29	3.21E-03	2.49
PE(18:1/18:2)	0.34	-1.54	1.45E-03	2.84
PE(18:1/20:1)	0.24	-2.08	7.18E-04	3.14
PE(18:2/18:2)	0.44	-1.18	8.12E-03	2.09
PE(18:2/20:4)	0.44	-1.19	1.68E-02	1.77
PE(O-18:3/20:4)	0.39	-1.36	1.12E-03	2.95
PG(18:2/18:3)	0.46	-1.13	7.51E-04	3.12
PS(16:0/18:0)	0.31	-1.71	7.50E-03	2.12
PS(18:0/18:0)	0.34	-1.54	4.22E-03	2.37
PS(18:1/20:0)	2.27	1.18	1.33E-03	2.88
PS(18:2/22:1)	0.47	-1.10	6.51E-04	3.19
SM(d16:1/12:0)	0.08	-3.64	7.51E-04	3.12
SM(d18:2/18:2)	0.47	-1.09	1.32E-02	1.88
SM(d18:3/20:1)	0.47	-1.10	2.47E-02	1.61
SM(d19:1/20:1)	0.29	-1.80	3.57E-03	2.45
TG48:4(18:2)	0.17	-2.58	1.84E-03	2.73
TG46:2 (18:2)	0.23	-2.12	1.81E-03	2.74
TG54:8 (22:6)	0.05	-4.44	2.55E-03	2.59
TG51:3 (18:2)	0.10	-3.34	1.12E-03	2.95
TG51:4 (18:2)	0.09	-3.54	1.04E-03	2.98
TG51:5 (18:3)	0.05	-4.39	1.04E-03	2.98
TG53:7 (20:5)	0.07	-3.85	2.55E-03	2.59
TG51:5 (18:2)	0.06	-4.17	1.81E-03	2.74
TG50:4 (20:4)	0.31	-1.67	8.09E-03	2.09
TG49:2 (18:2)	0.39	-1.38	7.61E-03	2.12
TG49:3 (18:2)	0.33	-1.59	4.10E-03	2.39
TG50:1 (18:1)	0.49	-1.04	3.03E-02	1.52

TG52:4 (20:4)	0.45	-1.15	3.27E-02	1.49
TG52:5 (20:5)	0.26	-1.95	3.09E-03	2.51
TG54:6 (22:6)	0.22	-2.16	1.96E-02	1.71
TG50:2 (18:2)	0.31	-1.71	4.33E-03	2.36
TG50:4 (18:3)	0.28	-1.84	4.33E-03	2.36
TG54:6 (22:6)	0.12	-3.03	5.43E-03	2.27
TG51:1 (18:1)	0.35	-1.53	2.04E-02	1.69
TG52:1 (19:1)	0.32	-1.66	1.75E-02	1.76
TG51:2 (18:1)	0.33	-1.62	9.70E-03	2.01
TG52:2 (18:1)	0.43	-1.21	6.65E-03	2.18
TG52:3 (18:2)	0.21	-2.28	1.60E-03	2.79
TG54:5 (20:4)	0.40	-1.31	2.59E-02	1.59
TG56:2 (22:1)	0.19	-2.42	4.40E-03	2.36
TG56:5 (22:4)	0.22	-2.21	1.03E-02	1.99
TG56:7 (22:6)	0.14	-2.84	2.52E-03	2.60
TG58:1 (24:0)	0.32	-1.62	3.74E-03	2.43
TG52:4 (18:2)	0.13	-2.93	1.61E-03	2.79
TG52:5(18:3)	0.07	-3.78	2.55E-03	2.59
TG54:6(20:4)	0.25	-2.01	2.59E-02	1.59
TG54:7(20:5)	0.11	-3.24	7.62E-03	2.12
TG56:7(22:5)	0.05	-4.33	8.07E-03	2.09
TG56:8(22:6)	0.06	-4.14	2.33E-03	2.63
TG48:3(18:2)	0.28	-1.86	8.09E-03	2.09
TG52:6(20:4)	0.22	-2.19	8.07E-03	2.09
TG54:8(20:5)	0.16	-2.67	8.41E-03	2.08
TG53:3(18:2)	0.13	-2.91	1.81E-03	2.74
TG55:5(20:4)	0.25	-1.99	9.62E-03	2.02
TG53:4(18:2)	0.18	-2.48	1.92E-03	2.72
TG53:5(18:2)	0.11	-3.12	1.81E-03	2.74
TG50:0(18:0)	0.44	-1.17	1.19E-02	1.92
TG52:1(18:1)	0.34	-1.56	2.00E-02	1.70
TG55:4(20:4)	0.30	-1.75	6.65E-03	2.18
TG54:1(18:1)	0.39	-1.36	2.28E-02	1.64
TG54:2(18:1)	0.32	-1.64	1.03E-02	1.99
TG54:3(18:2)	0.24	-2.06	2.55E-03	2.59
TG56:1(20:0)	0.31	-1.68	1.06E-02	1.98
TG56:5(20:4)	0.37	-1.44	1.23E-02	1.91
TG58:5(22:4)	0.23	-2.11	1.28E-02	1.89

TG56:6(20:4)	0.36	-1.48	1.28E-02	1.89
TG58:9(20:5)	0.25	-2.01	4.43E-03	2.35
TG54:3(18:1)	0.37	-1.44	6.23E-03	2.21
TG54:4(18:2)	0.20	-2.31	2.16E-03	2.67
TG55:2(19:0)	0.27	-1.87	8.09E-03	2.09
TG55:3(19:1)	0.20	-2.35	4.59E-03	2.34
TG58:2(22:0)	0.27	-1.87	3.21E-03	2.49
TG58:3(22:1)	0.19	-2.37	3.57E-03	2.45
TG58:7(22:5)	0.32	-1.66	1.20E-02	1.92
TG58:8(22:6)	0.18	-2.46	4.33E-03	2.36
TG60:2(24:0)	0.27	-1.89	2.76E-03	2.56
TG60:3(24:1)	0.18	-2.48	2.76E-03	2.56
TG54:5(18:2)	0.15	-2.75	1.77E-03	2.75
TG54:6(18:3)	0.10	-3.40	2.06E-03	2.69
TG55:4(19:1)	0.17	-2.53	2.55E-03	2.59
TG56:7(20:4)	0.17	-2.52	1.45E-03	2.84
TG56:8(20:5)	0.13	-2.98	7.63E-03	2.12
TG58:4(22:1)	0.14	-2.85	3.09E-03	2.51
TG58:8(22:5)	0.16	-2.62	1.65E-02	1.78
TG58:9(22:6)	0.07	-3.77	4.48E-03	2.35
TG60:4(24:1)	0.14	-2.85	2.41E-03	2.62
TG54:6(18:2)	0.11	-3.23	1.81E-03	2.74
TG56:8(20:4)	0.19	-2.36	2.52E-02	1.60
TG58:10(22:6)	0.08	-3.72	7.27E-03	2.14
TG54:7(18:3)	0.12	-3.11	3.06E-03	2.51
TG54:8(18:3)	0.19	-2.36	2.54E-03	2.59
TG56:10(20:5)	0.07	-3.78	4.40E-03	2.36
TG58:10(22:5)	0.06	-4.12	4.48E-03	2.35
TG52:6(18:4)	0.15	-2.74	3.99E-03	2.40
TG60:8(20:4)	0.31	-1.69	4.22E-02	1.37
TG56:3(20:1)	0.15	-2.71	4.33E-03	2.36
TG56:4(20:1)	0.11	-3.20	2.84E-03	2.55
TG58:6(20:4)	0.35	-1.52	2.38E-02	1.62
TG56:9(20:5)	0.11	-3.16	4.33E-03	2.36
TG60:5(24:1)	0.10	-3.30	2.55E-03	2.59

---

**Supplementary Table S5.** Distinctly regulated individual lipids ( $\mu\text{g}/\text{ml}$ , mean  $\pm$  SEM) in rat plasma following exposure to 5 Gy irradiation at 14 d.

Differential lipids (7 $\uparrow$ , 27 $\downarrow$ )	Retention Time(min)	0 Gy (n=5) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	5 Gy (n=3) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	FC	log2(FC)	FDR	$-\log_{10}(\text{FDR})$
FA(14:1)	7.54	1.40 $\pm$ 0.17	0.49 $\pm$ 0.12	0.42	-1.24	8.71E-02	1.06
FA(16:1)	7.98	12.77 $\pm$ 2.08	2.80 $\pm$ 0.32	0.24	-2.07	8.76E-02	1.06
FA(17:1)	8.21	1.80 $\pm$ 0.20	0.55 $\pm$ 0.15	0.37	-1.42	7.53E-02	1.12
FA(18:1)	8.42	47.31 $\pm$ 4.19	14.6 $\pm$ 4.68	0.38	-1.39	7.42E-02	1.13
FA(18:2)	8.07	58.78 $\pm$ 4.01	19.50 $\pm$ 7.42	0.42	-1.25	7.13E-02	1.15
FA(18:3)	7.76	12.10 $\pm$ 1.45	1.84 $\pm$ 0.58	0.16	-2.62	7.13E-02	1.15
FA(18:4)	7.50	0.19 $\pm$ 0.03	0.04 $\pm$ 0.01	0.22	-2.16	8.34E-02	1.08
FA(20:2)	8.47	2.50 $\pm$ 0.27	0.73 $\pm$ 0.33	0.35	-1.50	8.48E-02	1.07
FA(20:3)	8.17	2.36 $\pm$ 0.29	0.65 $\pm$ 0.24	0.33	-1.61	8.48E-02	1.07
FA(20:5)	7.67	1.29 $\pm$ 0.20	0.27 $\pm$ 0.03	0.22	-2.16	8.48E-02	1.07
FA(22:2)	8.87	0.13 $\pm$ 0.01	0.05 $\pm$ 0.02	0.47	-1.08	9.43E-02	1.03
FA(22:4)	8.28	3.18 $\pm$ 0.36	1.02 $\pm$ 0.34	0.39	-1.36	8.48E-02	1.07
FA(22:6)	7.82	3.86 $\pm$ 0.39	1.21 $\pm$ 0.38	0.38	-1.38	7.53E-02	1.12
PA(18:0/20:1)	8.40	0.12 $\pm$ 0.00	0.04 $\pm$ 0.02	0.50	-1.00	1.02E-02	1.99
PC(12:0/20:4)	4.96	0.03 $\pm$ 0.00	0.01 $\pm$ 0.00	0.37	-1.43	9.28E-02	1.03
PC(16:1/18:3)	5.63	0.20 $\pm$ 0.02	0.07 $\pm$ 0.02	0.40	-1.33	8.48E-02	1.07
PC(16:1/20:5)	5.35	0.06 $\pm$ 0.01	0.02 $\pm$ 0.01	0.39	-1.35	8.48E-02	1.07
PC(18:0/24:1)	9.67	0.01 $\pm$ 0.00	0.02 $\pm$ 0.01	2.32	1.21	8.48E-02	1.07
PC(18:1/20:4)	6.50	3.47 $\pm$ 0.28	1.33 $\pm$ 0.42	0.48	-1.05	7.53E-02	1.12
PC(18:1/22:6)	6.40	1.52 $\pm$ 0.15	0.57 $\pm$ 0.16	0.47	-1.10	8.48E-02	1.07
PC(18:2/24:1)	8.97	0.03 $\pm$ 0.00	0.05 $\pm$ 0.02	2.06	1.04	7.53E-02	1.12
PG(18:2/18:3)	5.73	6.28 $\pm$ 0.40	11.96 $\pm$ 5.15	2.52	1.33	8.48E-02	1.07
PS(18:2/22:1)	5.70	11.86 $\pm$ 0.45	25.38 $\pm$ 11.003	2.84	1.51	7.53E-02	1.12
SM(d18:0/14:0)	5.58	0.01 $\pm$ 0.00	0.00 $\pm$ 0.00	0.33	-1.58	8.48E-02	1.07
SM(d18:1/20:0)	7.98	1.77 $\pm$ 0.15	0.70 $\pm$ 0.23	0.50	-1.00	7.53E-02	1.12
SM(d18:2/18:1)	5.73	0.10 $\pm$ 0.01	0.03 $\pm$ 0.01	0.38	-1.39	7.53E-02	1.12
SM(d18:2/18:2)	4.95	0.06 $\pm$ 0.01	0.02 $\pm$ 0.00	0.38	-1.41	8.48E-02	1.07
SM(d18:2/20:0)	7.35	1.08 $\pm$ 0.07	0.42 $\pm$ 0.14	0.50	-1.00	6.00E-02	1.22

SM(d18:3/20:1)	6.01	0.04±0.00	0.01±0.00	0.32	-1.66	3.94E-02	1.40
SM(d18:3/22:2)	6.33	0.14±0.02	0.03±0.00	0.22	-2.21	8.48E-02	1.07
TG56:5(22:4)	12.46	0.36±0.03	1.21±0.60	4.47	2.16	8.76E-02	1.06
TG52:1(18:1)	12.92	0.60±0.07	0.95±0.38	2.05	1.04	8.60E-02	1.07
TG58:11(20:5)	11.06	0.35±0.05	0.04±0.01	0.12	-3.10	7.53E-02	1.12
TG60:5(24:1)	13.08	0.02±0.01	0.05±0.02	4.32	2.11	9.28E-02	1.03

---

**Supplementary Table S6.** Effects of ionizing radiation on lipids levels with good dose-response ( $\mu\text{g}/\text{ml}$ , mean  $\pm$  SEM) in rat plasma at 1 d after exposure.

Lipid	Retention Time (min)	0 Gy ( $n=5$ ) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	5 Gy ( $n=5$ ) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	10 Gy ( $n=5$ ) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )
SM(d18:3/20:1)	6.01	0.02 $\pm$ 0.00	0.04 $\pm$ 0.00 *	0.06 $\pm$ 0.01 *
SM(d18:2/18:2)	4.95	0.02 $\pm$ 0.00	0.06 $\pm$ 0.00 *	0.07 $\pm$ 0.01 *
TG60:12(22:6)	11.23	0.06 $\pm$ 0.01	0.35 $\pm$ 0.04 *	0.55 $\pm$ 0.07 *
TG54:5(18:2)	11.99	20.81 $\pm$ 2.48	7.39 $\pm$ 1.17 *	8.62 $\pm$ 1.41 *

**Note.** Compared with 0 Gy, \* FDR < 0.05

**Supplementary Table S7.** Effects of ionizing radiation on lipids levels with good dose-response ( $\mu\text{g}/\text{ml}$ , mean  $\pm$  SEM) in rat plasma at 7 d after exposure.

Lipid	Retention Time (min)	0 Gy ( $n=5$ ) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	5 Gy ( $n=5$ ) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )	10 Gy ( $n=5$ ) ( $\mu\text{g}\cdot\text{ml}^{-1}$ )
DG(16:0/20:4)	7.59	8.64 $\pm$ 1.80	2.76 $\pm$ 0.36*	1.13 $\pm$ 0.13*,&
PE(18:1/20:1)	8.31	0.03 $\pm$ 0.00	0.01 $\pm$ 0.00*	0.01 $\pm$ 0.00*,&
PE(18:0/20:3)	7.87	0.07 $\pm$ 0.01	0.04 $\pm$ 0.00*	0.01 $\pm$ 0.00*,&
PE(18:0/20:4)	7.60	2.88 $\pm$ 0.32	1.39 $\pm$ 0.13*	0.68 $\pm$ 0.03*,&
TG48:4(18:2)	11.06	0.07 $\pm$ 0.01	0.03 $\pm$ 0.00*	0.01 $\pm$ 0.00*,&
TG51:3(18:2)	12.08	1.85 $\pm$ 0.21	0.72 $\pm$ 0.06*	0.18 $\pm$ 0.03*,&
TG51:4(18:2)	11.72	1.53 $\pm$ 0.17	0.54 $\pm$ 0.05*	0.13 $\pm$ 0.02*,&
TG51:5(18:3)	11.35	0.05 $\pm$ 0.01	0.02 $\pm$ 0.00*	0 $\pm$ 0.00*,&
TG51:5(18:2)	11.35	0.09 $\pm$ 0.01	0.02 $\pm$ 0.00*	0 $\pm$ 0.00*,&
TG52:1(19:1)	12.92	3.40 $\pm$ 0.66	1.82 $\pm$ 0.54*	1.07 $\pm$ 0.14*,&
TG52:3(18:2)	12.28	69.01 $\pm$ 7.60	30.52 $\pm$ 1.25*	14.23 $\pm$ 2.12*,&
TG52:4(18:2)	11.93	65.15 $\pm$ 8.11	25.68 $\pm$ 2.56*	8.56 $\pm$ 1.32*,&
TG52:5(18:3)	11.57	2.97 $\pm$ 0.47	0.93 $\pm$ 0.14*	0.22 $\pm$ 0.03*,&
TG52:6(18:4)	11.32	0.16 $\pm$ 0.03	0.07 $\pm$ 0.01*	0.02 $\pm$ 0.00*,&
TG53:5(18:2)	11.79	0.35 $\pm$ 0.05	0.12 $\pm$ 0.01*	0.04 $\pm$ 0.01*,&
TG54:5(18:2)	11.99	35.47 $\pm$ 4.43	13.82 $\pm$ 2.10*	5.26 $\pm$ 0.65*,&
TG54:6(18:3)	11.64	2.68 $\pm$ 0.39	0.9 $\pm$ 0.15*	0.25 $\pm$ 0.03*,&
TG54:6(18:2)	11.63	22.57 $\pm$ 3.05	8.10 $\pm$ 1.42*	2.41 $\pm$ 0.30*,&
TG54:7(18:3)	11.26	1.27 $\pm$ 0.20	0.43 $\pm$ 0.07*	0.15 $\pm$ 0.01*,&
TG54:8(18:3)	10.87	0.12 $\pm$ 0.02	0.05 $\pm$ 0.01*	0.02 $\pm$ 0.00*,&
TG56:4(20:1)	12.68	2.11 $\pm$ 0.33	0.63 $\pm$ 0.12*	0.23 $\pm$ 0.04*,&
TG56:8(22:6)	11.64	1.81 $\pm$ 0.28	0.77 $\pm$ 0.13*	0.10 $\pm$ 0.02*,&
TG58:4(22:1)	13.03	0.21 $\pm$ 0.03	0.06 $\pm$ 0.01*	0.03 $\pm$ 0.00*,&
TG60:5(24:1)	13.08	0.13 $\pm$ 0.02	0.04 $\pm$ 0.01*	0.01 $\pm$ 0.00*,&

**Note.** Compared with 0 Gy, \* FDR < 0.05. Compared with 5 Gy, &FDR < 0.05

**Supplementary Table S8.** Effects of ionizing radiation on lipids levels with good dose-response and time-response ( $\mu\text{g}/\text{ml}$ , mean  $\pm$  SEM) in rat plasma.

Lipid	Retention Time(min)	0 Gy-d1 (n=5)	5 Gy-d1 (n=5)	10 Gy-d1 (n=5)	0 Gy-d7 (n=5)	5 Gy-d7 (n=5)	10 Gy-d7 (n=5)	0 Gy-d14 (n=5)	5 Gy-d14 (n=3)
DG(16:0/18:2)	8.10	0.06 $\pm$ 0.01	0.02 $\pm$ 0.00**	0.03 $\pm$ 0.01*	0.09 $\pm$ 0.02	0.04 $\pm$ 0.00**	0.02 $\pm$ 0.00***	0.03 $\pm$ 0.00	0.03 $\pm$ 0.01
DG(18:3/18:0)	8.23	5.31 $\pm$ 0.79	1.68 $\pm$ 0.15**	2.92 $\pm$ 0.57*	8.69 $\pm$ 1.59	3.25 $\pm$ 0.30**	2.05 $\pm$ 0.24***	3.46 $\pm$ 0.33	3.39 $\pm$ 1.13
DG(16:0/20:4)	7.59	4.75 $\pm$ 0.53	2.26 $\pm$ 0.20*	4.21 $\pm$ 0.76	8.64 $\pm$ 1.80	2.76 $\pm$ 0.36**	1.13 $\pm$ 0.13***	5.45 $\pm$ 0.57	4.27 $\pm$ 1.62
FA(20:2)	8.47	1.53 $\pm$ 0.25	1.24 $\pm$ 0.14	1.78 $\pm$ 0.3	1.71 $\pm$ 0.32	1.22 $\pm$ 0.13	0.55 $\pm$ 0.10**	2.5 $\pm$ 0.27	0.89 $\pm$ 0.34*
FA(20:3)	8.17	1.57 $\pm$ 0.19	1.39 $\pm$ 0.17	1.91 $\pm$ 0.29	1.92 $\pm$ 0.35	1.45 $\pm$ 0.16	0.81 $\pm$ 0.12*	2.36 $\pm$ 0.29	0.77 $\pm$ 0.23*
PC(12:0/20:4)	4.96	0.01 $\pm$ 0.00	0.02 $\pm$ 0.00	0.03 $\pm$ 0.01**	0.01 $\pm$ 0.00	0.01 $\pm$ 0.00	0.01 $\pm$ 0.00*	0.03 $\pm$ 0.00	0.01 $\pm$ 0.00*
PC(16:1/20:5)	5.35	0.08 $\pm$ 0.01	0.04 $\pm$ 0.00	0.08 $\pm$ 0.01	0.12 $\pm$ 0.02	0.07 $\pm$ 0.01*	0.05 $\pm$ 0.00**	0.06 $\pm$ 0.01	0.02 $\pm$ 0.00*
PC(15:0/22:3)	7.92	0.04 $\pm$ 0.01	0.06 $\pm$ 0.00*	0.09 $\pm$ 0.01***,&	0.05 $\pm$ 0.00	0.02 $\pm$ 0.00***	0.02 $\pm$ 0.00***	0.06 $\pm$ 0.01	0.03 $\pm$ 0.01*
PC(15:0/22:4)	7.61	0.29 $\pm$ 0.03	0.4 $\pm$ 0.04	0.65 $\pm$ 0.07***,&	0.29 $\pm$ 0.02	0.21 $\pm$ 0.01*	0.13 $\pm$ 0.02***,&	0.33 $\pm$ 0.03	0.28 $\pm$ 0.03*
PC(O-18:1/20:4)	7.18	2.51 $\pm$ 0.40	3.74 $\pm$ 0.24*	5.12 $\pm$ 0.31***,&	2.2 $\pm$ 0.16	0.96 $\pm$ 0.13***	0.96 $\pm$ 0.16***	2.99 $\pm$ 0.21	1.57 $\pm$ 0.37*
PC(18:0/24:1)	9.67	0.04 $\pm$ 0.00	0.02 $\pm$ 0.00*	0.04 $\pm$ 0.00&	0.04 $\pm$ 0.00	0.03 $\pm$ 0.00*	0.01 $\pm$ 0.00***,&&	0.01 $\pm$ 0.00	0.03 $\pm$ 0.01*
PC(18:2/24:1)	8.97	0.07 $\pm$ 0.01	0.05 $\pm$ 0.00	0.08 $\pm$ 0.01	0.09 $\pm$ 0.01	0.08 $\pm$ 0.01***	0.03 $\pm$ 0.00***,&&	0.03 $\pm$ 0.00	0.07 $\pm$ 0.01*
PG(18:2/18:3)	5.73	14.3 $\pm$ 1.08	9.07 $\pm$ 0.89**	9.61 $\pm$ 0.4**	16.08 $\pm$ 0.69	14.69 $\pm$ 1.49	7.33 $\pm$ 0.75***,&&	6.28 $\pm$ 0.4	15.81 $\pm$ 3.17*
PS(18:2/22:1)	5.70	32.87 $\pm$ 2.58	21.04 $\pm$ 2.2**	22.76 $\pm$ 1.57*	35.25 $\pm$ 1.51	36.79 $\pm$ 2.75	16.41 $\pm$ 1.27***,&&	11.86 $\pm$ 0.45	33.7 $\pm$ 6.65*
SM(d18:2/18:2)	4.95	0.02 $\pm$ 0.00	0.06 $\pm$ 0.00**	0.07 $\pm$ 0.01***	0.02 $\pm$ 0.00	0.02 $\pm$ 0.00	0.01 $\pm$ 0.00**,&	0.06 $\pm$ 0.01	0.02 $\pm$ 0.00*
SM(d18:3/20:1)	6.01	0.02 $\pm$ 0.00	0.04 $\pm$ 0.00**	0.06 $\pm$ 0.01***	0.02 $\pm$ 0.00	0.02 $\pm$ 0.00	0.01 $\pm$ 0.00*	0.04 $\pm$ 0.00	0.01 $\pm$ 0.00*
TG48:4(18:2)	11.06	0.04 $\pm$ 0.01	0.01 $\pm$ 0.00**	0.01 $\pm$ 0.00**	0.07 $\pm$ 0.01	0.03 $\pm$ 0.00**	0.01 $\pm$ 0.00***	0.03 $\pm$ 0.01	0.02 $\pm$ 0.00
TG51:3(18:2)	12.08	0.88 $\pm$ 0.16	0.19 $\pm$ 0.03***	0.31 $\pm$ 0.06**	1.85 $\pm$ 0.21	0.72 $\pm$ 0.06**	0.18 $\pm$ 0.03***,&	0.32 $\pm$ 0.04	0.51 $\pm$ 0.02*
TG51:4(18:2)	11.72	0.74 $\pm$ 0.11	0.22 $\pm$ 0.04**	0.36 $\pm$ 0.07*	1.53 $\pm$ 0.17	0.54 $\pm$ 0.05**	0.13 $\pm$ 0.02***,&	0.42 $\pm$ 0.07	0.56 $\pm$ 0.07
TG51:5(18:2)	11.35	0.04 $\pm$ 0.01	0.01 $\pm$ 0.00**	0.02 $\pm$ 0.00*	0.09 $\pm$ 0.01	0.02 $\pm$ 0.00**	0 $\pm$ 0.00***	0.02 $\pm$ 0.00	0.03 $\pm$ 0.01
TG51:5(18:3)	11.35	0.02 $\pm$ 0.00	0.01 $\pm$ 0.00**	0.01 $\pm$ 0.00	0.05 $\pm$ 0.01	0.02 $\pm$ 0.00**	0 $\pm$ 0.00***	0.01 $\pm$ 0.00	0.01 $\pm$ 0.00
TG52:1(18:1)	12.92	2.26 $\pm$ 0.73	0.46 $\pm$ 0.06*	0.56 $\pm$ 0.07*	3.48 $\pm$ 0.67	1.91 $\pm$ 0.55	1.18 $\pm$ 0.15*	0.6 $\pm$ 0.07	1.24 $\pm$ 0.21
TG52:3(18:2)	12.28	42.3 $\pm$ 7.14	10.64 $\pm$ 1.6**	18.01 $\pm$ 3.15**	69.01 $\pm$ 7.6	30.52 $\pm$ 1.25***	14.23 $\pm$ 2.12***	19.09 $\pm$ 2.54	22.31 $\pm$ 4.39
TG52:4(18:2)	11.93	38.66 $\pm$ 4.83	13.08 $\pm$ 1.8***	22.08 $\pm$ 3.64*	65.15 $\pm$ 8.11	25.68 $\pm$ 2.56***	8.56 $\pm$ 1.32***	27.35 $\pm$ 4.33	26.61 $\pm$ 7.39
TG52:5(18:3)	11.57	1.66 $\pm$ 0.26	0.51 $\pm$ 0.08**	0.94 $\pm$ 0.2	2.97 $\pm$ 0.47	0.93 $\pm$ 0.14***	0.22 $\pm$ 0.03***	1.36 $\pm$ 0.27	1.06 $\pm$ 0.33
TG52:6(18:4)	11.32	0.09 $\pm$ 0.02	0.02 $\pm$ 0.00**	0.03 $\pm$ 0.01**	0.16 $\pm$ 0.03	0.07 $\pm$ 0.01***	0.02 $\pm$ 0.00***	0.17 $\pm$ 0.04	0.03 $\pm$ 0.01*
TG52:6(20:4)	11.21	0.12 $\pm$ 0.02	0.02 $\pm$ 0.00**	0.05 $\pm$ 0.01*	0.22 $\pm$ 0.04	0.08 $\pm$ 0.01**	0.05 $\pm$ 0.01***	0.1 $\pm$ 0.03	0.04 $\pm$ 0.01
TG53:3(18:2)	12.47	0.68 $\pm$ 0.11	0.19 $\pm$ 0.03**	0.28 $\pm$ 0.05**	1.41 $\pm$ 0.18	0.55 $\pm$ 0.05***	0.19 $\pm$ 0.03***	0.26 $\pm$ 0.03	0.47 $\pm$ 0.05*
TG53:4(18:2)	12.13	0.32 $\pm$ 0.07	0.05 $\pm$ 0.01**	0.08 $\pm$ 0.01**	0.59 $\pm$ 0.07	0.2 $\pm$ 0.01***	0.11 $\pm$ 0.02***	0.1 $\pm$ 0.02	0.11 $\pm$ 0.03

TG53:5(18:2)	11.79	0.19±0.03	0.05±0.01**	0.08±0.01**	0.35±0.05	0.12±0.01***	0.04±0.01***	0.1±0.02	0.09±0.02
TG54:3(18:1)	12.66	17.75±3.76	3.6±0.50**	4.65±0.80**	29.46±3.71	12.08±0.99***	10.83±1.80***	5.9±0.79	8.05±1.35
TG54:3(18:2)	12.66	3.94±0.65	1.13±0.18**	1.53±0.27**	6.44±0.82	2.93±0.26***	1.54±0.19***	1.74±0.25	2.75±0.40
TG54:4(18:2)	12.34	23.07±3.71	6.1±0.92**	7.72±1.34**	39.04±4.87	15.12±1.86***	7.89±1.24***	11.03±1.59	11.34±2.22
TG54:5(18:2)	11.99	20.81±2.48	7.39±1.17**	8.62±1.41**	35.47±4.43	13.82±2.10***	5.26±0.65***	12.24±2.07	12.05±2.66
TG54:6(18:2)	11.63	13.42±1.88	4.5±0.80**	5.04±0.86**	22.57±3.05	8.1±1.42***	2.41±0.30***	7.78±1.57	8.32±2.33
TG54:6(18:3)	11.64	1.5±0.21	0.47±0.08**	0.6±0.12**	2.68±0.39	0.9±0.15***	0.25±0.03***	0.92±0.18	0.85±0.23
TG54:7(18:3)	11.26	0.63±0.08	0.25±0.04**	0.33±0.06*	1.27±0.20	0.43±0.07***	0.15±0.01***	0.7±0.16	0.39±0.10
TG54:7(22:6)	11.50	0.25±0.03	0.12±0.01*	0.23±0.03&	0.53±0.10	0.25±0.03***	0.07±0.01***	0.55±0.12	0.2±0.08
TG54:8(18:3)	10.87	0.07±0.01	0.03±0.00**	0.04±0.01*	0.12±0.02	0.05±0.01***	0.02±0.00***	0.09±0.02	0.04±0.01
TG54:8(20:5)	11.11	0.07±0.01	0.02±0.00*	0.05±0.01	0.13±0.03	0.06±0.01*	0.02±0.00**	0.13±0.04	0.03±0.01*
TG54:8(22:6)	11.19	0.02±0.00	0.01±0.00*	0.02±0.00	0.04±0.01	0.02±0.00*	0±0.00**,&	0.01±0.00	0.01±0.00
TG55:4(19:1)	12.51	0.15±0.03	0.03±0.00***	0.05±0.01**	0.33±0.05	0.11±0.01***	0.06±0.01***	0.06±0.01	0.08±0.01
TG55:5(20:4)	12.38	0.01±0.00	0.01±0.00	0.01±0.00	0.03±0.01	0.02±0.00	0.01±0.00**	0.01±0.00	0.02±0.00
TG56:4(20:1)	12.68	0.97±0.17	0.29±0.04**	0.39±0.08**	2.11±0.33	0.63±0.12***	0.23±0.04***	0.38±0.09	0.89±0.22
TG56:5(22:4)	12.46	1.59±0.22	0.61±0.11*	1.08±0.23	3.39±0.65	1.62±0.17*	0.73±0.16**	0.36±0.03	1.60±0.48*

**Note.** Compared with 0 Gy at each time point, \*  $p < 0.05$ , \*\*  $p < 0.01$ , \*\*\*  $p < 0.001$ . Compared with 5 Gy at each time point, \* &  $< 0.05$ , \*\* &&  $<$

0.01

**Supplementary Table S9.** Classification evaluation indicators for seven machine learning models to distinguish 0 Gy vs. >0 Gy group.

ML Model		Sensitivity	Specificity	Accuracy	Precision	Recall	F1	AUC
LASSO	train	1.00	0.00	0.88	0.88	1.00	0.93	0.99
	test	1.00	0.00	0.70	0.70	1.00	0.82	0.95
	validation	1.00	1.00	1.00	1.00	1.00	1.00	1.00
RF	train	1.00	0.00	0.88	0.88	1.00	0.93	1.00
	test	1.00	0.00	0.70	0.70	1.00	0.82	0.67
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.50
SVM	train	1.00	0.00	0.88	0.88	1.00	0.93	0.90
	test	1.00	0.00	0.70	0.70	1.00	0.82	0.50
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.50
NN	train	1.00	0.20	0.90	0.90	1.00	0.95	0.92
	test	1.00	0.00	0.70	0.70	1.00	0.82	0.90
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.58
KNN	train	1.00	0.00	0.88	0.88	1.00	0.93	0.59
	test	1.00	0.00	0.70	0.70	1.00	0.82	0.67
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.50
Light GBM	train	1.00	0.00	0.88	0.88	1.00	0.93	0.50
	test	1.00	0.00	0.70	0.70	1.00	0.82	0.50
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.50
DT	train	0.91	0.80	0.90	0.97	0.91	0.94	0.86
	test	0.86	0.67	0.80	0.86	0.86	0.86	0.76
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.50

**Note.** ML, machine learning; LASSO, least absolute shrinkage and selection operator; RF, random forest; SVM, support vector machine; NN, neural network model;

KNN, K-nearest neighbor algorithm; Light GBM, light gradient boosting machine; DT, decision tree; AUC, area under the curve

**Supplementary Table S10.** Classification evaluation indicators for seven machine learning models to distinguish  $\leq 2$  Gy vs.  $>2$  Gy group.

ML Model		Sensitivity	Specificity	Accuracy	Precision	Recall	F1	AUC
LASSO	train	0.86	0.84	0.85	0.86	0.86	0.86	0.95
	test	1.00	0.80	0.90	0.83	1.00	0.91	0.92
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.82
RF	train	1.00	0.00	0.50	0.50	1.00	0.67	1.00
	test	1.00	0.00	0.70	0.70	1.00	0.82	0.67
	validation	1.00	0.00	0.67	0.67	1.00	0.80	1.00
SVM	train	1.00	0.00	0.53	0.53	1.00	0.69	1.00
	test	1.00	0.00	0.50	0.50	1.00	0.67	0.90
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.50
NN	train	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	test	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	validation	0.00	1.00	0.33	NA	0.00	NA	0.77
KNN	train	0.48	0.63	0.55	0.59	0.48	0.53	0.71
	test	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.50
Light GBM	train	1.00	0.00	0.50	0.50	1.00	0.67	0.50
	test	1.00	0.00	0.53	0.53	1.00	0.69	0.50
	validation	1.00	0.00	0.67	0.67	1.00	0.80	0.50
DT	train	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	test	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	validation	1.00	1.00	1.00	1.00	1.00	1.00	1.00

**Note.** ML, machine learning; LASSO, least absolute shrinkage and selection operator; RF, random forest; SVM, support vector machine; NN, neural network model;

KNN, K-nearest neighbor algorithm; Light GBM, light gradient boosting machine; DT, decision tree; AUC, area under the curve

**Supplementary Table S11.** Classification evaluation indicators for seven machine learning models to distinguish  $\leq 5$  Gy vs.  $>5$  Gy group.

ML Model		Sensitivity	Specificity	Accuracy	Precision	Recall	F1	AUC
LASSO	train	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	test	0.50	1.00	0.90	1.00	0.50	0.67	1.00
	validation	1.00	0.40	0.60	0.45	1.00	0.63	0.86
RF	train	1.00	0.00	0.18	0.18	1.00	0.30	1.00
	test	1.00	0.00	0.20	0.20	1.00	0.33	1.00
	validation	1.00	0.00	0.33	0.33	1.00	0.50	0.90
SVM	train	1.00	0.00	0.18	0.18	1.00	0.30	1.00
	test	1.00	0.00	0.20	0.20	1.00	0.33	1.00
	validation	1.00	0.00	0.33	0.33	1.00	0.50	0.50
NN	train	0.00	1.00	0.83	NA	0.00	NA	0.50
	test	0.00	1.00	0.80	NA	0.00	NA	0.50
	validation	0.00	1.00	0.67	NA	0.00	NA	0.50
KNN	train	0.71	1.00	0.95	1.00	0.71	0.83	0.96
	test	0.50	1.00	0.90	1.00	0.50	0.67	1.00
	validation	1.00	0.00	0.33	0.33	1.00	0.50	0.50
Light GBM	train	0.00	1.00	0.83	NA	0.00	NA	0.50
	test	0.00	1.00	0.80	NA	0.00	NA	0.50
	validation	0.00	1.00	0.67	NA	0.00	NA	0.50
DT	train	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	test	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	validation	1.00	1.00	1.00	1.00	1.00	1.00	1.00

**Note.** ML, machine learning; LASSO, least absolute shrinkage and selection operator; RF, random forest; SVM, support vector machine; NN, neural network model;

KNN, K-nearest neighbor algorithm; Light GBM, light gradient boosting machine; DT, decision tree; AUC, area under the curve