

## Supplementary material

### Content

Table S1. characteristics of the incidence of depressive disorders in BRICS-Plus and high-income North America between 1990 and 2021.....	- 3 -
Table S2. characteristics of the DALYs of depressive disorders in BRICS-Plus and high-income North America between 1990 and 2021.....	6
Table S3. Percentage change of the burden due to depressive disorders from 1990 to 2021.....	9
Table S4. Net drift values for depressive disorders and sex difference in BRICS-Plus and high-income North America from 1992 and 2021.....	11
Table S5. Annual percentage change (%) for depressive disorders and sex difference in each age group across the BRICS-Plus and high-income North America from 1992 and 2021.....	12
Table S6. Fitted longitudinal age effects and 95% confidence intervals for depressive disorders and sex difference in each age group across BRICS-Plus and high-income North America from 1992 and 2021.....	22
Table S7. Relative risk of each period compared with the reference (2012-2016) and the corresponding 95% confidence intervals for depressive disorders and sex difference across BRICS-Plus and high-income North America from 1992 and 2021.....	33
Table S8. Relative risk of each cohort compared with the reference (cohort 1985–1989) and the corresponding 95% confidence intervals for depressive disorders and sex difference across BRICS-Plus and high-income North America from 1992 and 2021.....	38
Table S9. Model selection for joinpoint trend analysis.....	51
Table S10. Annual percentage change (%), APC) and the corresponding 95% confidence intervals (CI) for depressive disorders across BRICS-Plus and high-income North America from 1990 and 2021.....	52
Table S11. Average annual percentage change (AAPC, %) and 95% confidence intervals (CI) for depressive disorders across BRICS-Plus and high-income North America from 1990 and 2050..	56
Table S12. The prediction of depressive disorders burden in BRICS-Plus and high-income North America from 2021-2050.....	58
Table S13. Percentage change (%) of the burden due to depressive disorders burden in	

BRICS-Plus and high-income North America from 2021 to 2050.....	65
Figure S1. Age-standardized incidence rates (A), total incidence (B) of depressive disorders, and relative proportions of all incidences of depressive disorders due to mental disorders (C) in BRICS-Plus and high-income North America between 1990 and 2021.....	66
Figure S2. Age-standardized DALYs rates (A), total DALYs (B) of depressive disorders, and relative proportions of all DALYs of depressive disorders due to mental disorders (C) in BRICS-Plus and high-income North America between 1990 and 2021.....	67
Figure S3. Net drift (A) with local drift values (B) for prevalence, incidence, and DALYs due to depressive disorders in males in BRICS-Plus and high-income North America from 1992 and 2021.....	68
Figure S4. Net drift (A) with local drift values (B) for prevalence, incidence, and DALYs due to depressive disorders in females in BRICS-Plus and high-income North America from 1992 and 2021.....	69
Figure S5. Parameter estimates of age, period, and cohort effects on incidence rates of depressive disorders and sex difference in BRICS-Plus and high-income North America from 1992 to 2021.....	71
Figure S6. Parameter estimates of age, period, and cohort effects on DALYs rates of depressive disorders and sex difference in BRICS-Plus and high-income North America from 1992 to 2021.....	73
Figure S7. The Joinpoint regression analysis of the age-standardized prevalence rate for depressive disorders in BRICS-Plus and high-income North America from 1990 to 2021.....	74
Figure S8. The Joinpoint regression analysis of the age-standardized incidence rate for depressive disorders in BRICS-Plus and high-income North America from 1990 to 2021.....	75
Figure S9. The Joinpoint regression analysis of the age-standardized DALYs rate for depressive disorders in BRICS-Plus and high-income North America from 1990 to 2021.....	76
Figure S10. The trend of depressive disorders incidence in BRICS-plus and high income-North America from 1990 to 2050.....	77
Figure S11. The trend of depressive disorders DALYs in BRICS-plus and high income-North America from 1990 to 2050.....	78

**Table S1.** Characteristics of the incidence of depressive disorders in BRICS-Plus and high-income North America between 1990 and 2021

Variables	BRICS-Plus			High-income North America			India		
	1990	2019	2021	1990	2019	2021	1990	2019	2021
Population Total (million)	2546.8	3558.6	3606.6	281.4	366.9	370.2	853.1	1388.6	1414.5
Percentage of global (%)	47.75	45.95	45.7	5.28	4.74	4.69	15.99	17.93	17.92
Incidence number (million)	84.5	132.7	156.4	11.7 (10.4, 13.3)	19.1 (17.1, 21.5)	24.5 (21.7, 28.0)	32.8 (28.5, 38.8)	55.7 (49.0, 64.8)	70.8 (61.3, 83.3)
Relative proportion (%) <sup>a</sup>	2.08	2.16	2.5	2.65	3.18	3.99	2.18	2.19	2.73
Relative proportion (%) <sup>b</sup>	76.78	79.96	80.68	77.21	81.3	83.07	80.78	81.52	83.05
ASIR (per 100,000)	3640.6	3447.1	3982.5	3907.7 (3466.5, 4476.3)	5030.2 (4493.7, 5723.0)	6572.2 (5787.3, 7626.1)	4732.0 (4115.1, 5503.3)	4089.3 (3602.3, 4727.1)	4947.3 (4303.4, 5781.1)
Variables	China			Brazil			Russia		
	1990	2019	2021	1990	2019	2021	1990	2019	2021
Population Total (million)	1176.5	1414.4	1422.7	148.5	216.8	220.4	151	145.9	144.9
Percentage of global (%)	22.06	18.26	18.03	2.78	2.8	2.79	2.83	1.88	1.84
Incidence number (million)	30.5 (26.8, 35.4)	42.2 (37.4, 48.2)	42.4 (37.0, 49.0)	6.2 (10.9, 14.5)	9.9 (17.8, 22.5)	13.0 (22.3, 30.2)	6.0 (10.3, 14.1)	6.0 (10.2, 13.9)	7.4 (12.6, 17.3)
Relative proportion (%) <sup>a</sup>	1.9	1.98	1.95	2.15	2.22	2.8	2.16	2.11	2.61
Relative	73.27	78.7	77.56	73.08	75.57	77.44	81.16	82.94	83.46

proportion (%) <sup>b</sup>									
ASIR (per 100,000)	2628.7 (2315.0, 3014.8)	2397.2 (2131.1, 2722.3)	2345.1 (2070.1, 2722.3)	4720.3 (4170.8, 5421.9)	4178.7 (3738.7, 4734.7)	5336.9 (4600.1, 6204.9)	3625.1 (3122.4, 4230.6)	3374.0 (2898.7, 3946.4)	4380.3 (3730.4, 5133.6)
Variables	Iran			Egypt			Ethiopia		
	1990	2019	2021	1990	2019	2021	1990	2019	2021
Population Total (million)	57.1	84.4	85.4	55.3	102.3	105.6	50.6	104.5	108.9
Percentage of global (%)	1.07	1.09	1.08	1.04	1.32	1.34	0.95	1.35	1.38
Incidence number (million)	2.7 (2.2, 3.3)	5.6 (4.6, 6.8)	6.3 (5.1, 7.6)	2.0 (1.7, 2.5)	4.2 (3.5, 5.2)	5.3 (3.9, 6.8)	2.0 (1.7, 2.4)	4.0 (3.4, 4.8)	4.9 (4.1, 5.9)
Relative proportion (%) <sup>a</sup>	2.83	3.57	3.96	2.28	2.52	3.03	1.87	1.85	2.15
Relative proportion (%) <sup>b</sup>	72.35	81.59	81.4	74.96	77.35	78.51	77.88	77.32	78.54
ASIR (per 100,000)	5741.5 (4801.6, 6890.6)	6082.4 (5064.6, 7313.9)	6807.7 (5604.3, 8199.7)	4299.2 (3561.6, 5196.5)	4542.7 (3767.6, 5520.1)	5369.0 (4027.6, 6847.9)	6075.9 (5211.1, 7094.8)	5474.5 (4692.6, 6337.4)	6102.7 (5082.4, 7249.9)
Variables	South Africa			Saudi Arabia			UAE		
	1990	2019	2021	1990	2019	2021	1990	2019	2021
Population Total (million)	37	56	56.9	15.9	36.2	37.7	1.9	9.5	9.6
Percentage of global (%)	0.69	0.72	0.72	0.3	0.47	0.48	0.04	0.12	0.12
Incidence number (million)	1.5 (1.3, 1.8)	2.7 (2.4, 3.1)	3.6 (3.0, 4.2)	0.6 (0.5, 0.8)	1.9 (1.6, 2.4)	2.3 (1.7, 3.1)	0.1 (0.1, 0.1)	0.5 (0.4, 0.6)	0.6 (0.4, 0.8)
Relative	2.21	2.45	3.15	2.31	3.06	3.4	2.82	3.1	3.72

proportion (%) <sup>a</sup>									
Relative proportion (%) <sup>b</sup>	78.31	82.11	83.46	74.21	81.84	82.94	78.55	83.66	84.82
ASIR (per 100,000)	4935.4 (4364.3, 5678.7)	4891.7 (4312.6, 5599.1)	6184.9 (5242.4, 7294.2)	4592.9 (3853.1, 5568.1)	4868.0 (4156.9, 5883.6)	5377.5 (4052.1, 7108.8)	4565.4 (3862.3, 5485.0)	4204.4 (3512.1, 5084.7)	5054.6 (3844.7, 6844.3)

**Note.** BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); ASIR = Age-standardized incidence rate.

<sup>a</sup> Relative proportion equals to (the incidence number of depressive disorders) / (the incidence number of non-communicable diseases). <sup>b</sup> Relative proportion equals to (the incidence number of depressive disorders) / (the incidence number of mental disorders).

**Table S2.** Characteristics of the DALYs of depressive disorders in BRICS-Plus and high-income North America between 1990 and 2021

Variables	BRICS-Plus			High-income North America			India		
	1990	2019	2021	1990	2019	2021	1990	2019	2021
Population Total (million)	2546.8	3558.6	3606.6	281.4	366.9	370.2	853.1	1388.6	1414.5
Percentage of global (%)	47.75	45.95	45.7	5.28	4.74	4.69	15.99	17.93	17.92
DALYs number (million)	12.7	20.6	23.7	1.9 (1.3, 2.6)	3.0 (2.1, 4.0)	3.7 (2.6, 4.9)	5.0 (3.4, 6.8)	8.7 (6.1, 11.9)	10.8 (7.5, 14.6)
Relative proportion (%) <sup>a</sup>	2.55	2.79	3.11	2.63	2.83	3.42	3.17	3.1	3.73
Relative proportion (%) <sup>b</sup>	33.45	35.21	36.54	30.15	33.54	36.63	35.28	35.84	38.67
ASDR (per 100,000)	547.8	530.5	598.2	640.8 (446.9, 864.8)	775.3 (548.5, 1052.2)	982.8 (685.3, 1322.4)	716.6 (497.2, 974.3)	636.5 (445.9, 867.5)	749.6 (523.5, 1015.9)
Variables	China			Brazil			Russia		
	1990	2019	2021	1990	2019	2021	1990	2019	2021
Population Total (million)	1176.5	1414.4	1422.7	148.5	216.8	220.4	151	145.9	144.9
Percentage of global (%)	22.06	18.26	18.03	2.78	2.8	2.79	2.83	1.88	1.84
DALYs number (million)	5.4 (3.8, 7.3)	7.7 (5.4, 10.3)	7.9 (5.6, 10.7)	0.5 (0.6, 1.3)	0.8 (1.1, 2.0)	1.0 (1.3, 2.6)	0.5 (0.7, 1.3)	0.5 (0.7, 1.3)	0.6 (0.8, 1.6)
Relative proportion (%) <sup>a</sup>	2.11	2.28	2.25	3.23	3.14	3.82	2	1.9	2.28
Relative proportion (%) <sup>b</sup>	31.72	34.64	33.89	30.49	28.59	30.98	37.18	37.3	39.3

(%) <sup>b</sup>									
ASDR (per 100,000)	473.3 (331.3, 639.6)	430.1 (303.9, 580.8)	430.6 (305.2, 586.2)	698.7 (488.4, 946.8)	629.4 (450.0, 842.3)	782.5 (540.9, 1066.4)	571.4 (391.4, 785.4)	541.1 (371.1, 746.6)	675.3 (465.3, 922.7)
Variables	Iran			Egypt			Ethiopia		
	1990	2019	2021	1990	2019	2021	1990	2019	2021
Population Total (million)	57.1	84.4	85.4	55.3	102.3	105.6	50.6	104.5	108.9
Percentage of global (%)	1.07	1.09	1.08	1.04	1.32	1.34	0.95	1.35	1.38
DALYs number (million)	0.4 (0.3, 0.6)	0.8 (0.6, 1.2)	0.9 (0.6, 1.3)	0.3 (0.2, 0.4)	0.7 (0.4, 0.9)	0.8 (0.5, 1.2)	0.3 (0.2, 0.4)	0.6 (0.4, 0.9)	0.8 (0.5, 1.0)
Relative proportion (%) <sup>a</sup>	3.65	5.31	5.92	2.08	3.04	3.6	2.75	4.47	5.07
Relative proportion (%) <sup>b</sup>	32.06	37.38	37.5	31.71	33.75	35.69	38.68	37.37	38.96
ASDR (per 100,000)	871.7 (588.8, 1215.8)	920.0 (616.7, 1285.9)	1016.4 (677.2, 1430.7)	673.3 (449.2, 943.0)	705.8 (475.0, 974.3)	816.0 (537.5, 1167.9)	918.1 (628.3, 1261.0)	841.6 (575.4, 1158.1)	923.7 (630.9, 1267.2)
Variables	South Africa			Saudi Arabia			UAE		
	1990	2019	2021	1990	2019	2021	1990	2019	2021
Population Total (million)	37	56	56.9	15.9	36.2	37.7	1.9	9.5	9.6
Percentage of global (%)	0.69	0.72	0.72	0.3	0.47	0.48	0.04	0.12	0.12
DALYs number (million)	0.2 (0.2, 0.3)	0.4 (0.3, 0.6)	0.5 (0.4, 0.7)	0.1 (0.1, 0.1)	0.3 (0.2, 0.4)	0.4 (0.2, 0.5)	0.0 (0.0, 0.0)	0.1 (0.0, 0.1)	0.1 (0.1, 0.1)
Relative proportion	3.86	3.72	4.51	3.47	4.9	5.26	4.87	5.87	6.91

(%) <sup>a</sup>									
Relative proportion	37.85	40.09	42.79	32.93	36.89	38.35	34.29	35.52	38.23
(%) <sup>b</sup>									
ASDR (per 100,000)	763.2 (534.1, 1033.5)	751.1 (525.6, 1020.6)	920.3 (637.7, 1253.4)	717.4 (476.3, 993.9)	757.2 (509.7, 1033.8)	823.0 (534.8, 1203.5)	708.0 (473.4, 964.7)	656.8 (439.6, 909.3)	771.9 (493.6, 1115.9)

**Note.** BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); Age-standardized DALYs rate = ASDR. <sup>a</sup> Relative proportion equals to (the DALYs number of depressive disorders) / (the DALYs number of non-communicable diseases). <sup>b</sup> Relative proportion equals to (the DALYs number of depressive disorders) / (the DALYs number of mental disorders).

**Table S3.** Percentage change of the burden due to depressive disorders from 1990 to 2021

Location	Sex	Age	Measure	Metric	Prevalence (%)			Incidence (%)			DALYs (%)		
					VS.1	VS.2	VS.3	VS.1	VS.2	VS.3	VS.1	VS.2	VS.3
BRICS-Plus	Both	All ages	Depressive disorders	Number	63.08	13.80	85.58	57.09	17.90	85.22	61.47	15.09	85.83
BRICS-Plus	Both	Age-standardized	Depressive disorders	Rate	-4.10	11.26	6.70	-5.31	15.53	9.39	-3.16	12.77	9.20
High-income North America	Both	All ages	Depressive disorders	Number	48.17	21.49	80.01	63.56	28.66	110.43	53.79	24.98	92.22
High-income North America	Both	Age-standardized	Depressive disorders	Rate	15.09	23.10	41.68	28.73	30.66	68.19	21.00	26.76	53.38
India	Both	Age-standardized	Depressive disorders	Rate	-9.54	14.69	3.74	-13.58	20.98	4.55	-11.18	17.78	4.61
India	Both	All ages	Depressive disorders	Number	78.74	20.17	114.78	69.50	27.21	115.61	74.46	23.56	115.57
China	Both	All ages	Depressive disorders	Number	47.49	4.45	54.05	38.34	0.42	38.93	41.16	2.68	44.95
China	Both	Age-standardized	Depressive disorders	Rate	-8.04	1.79	-6.39	-8.80	-2.18	-10.79	-9.12	0.11	-9.02
Brazil	Both	All ages	Depressive disorders	Number	67.08	24.00	107.18	60.08	30.57	109.03	63.23	27.10	107.47
Brazil	Both	Age-standardized	Depressive disorders	Rate	-8.90	21.16	10.37	-11.47	27.72	13.06	-9.93	24.34	12.00
Russian Federation	Both	All ages	Depressive disorders	Number	1.56	15.97	17.79	-0.97	24.17	22.97	0.29	19.83	20.17
Russian Federation	Both	Age-standardized	Depressive disorders	Rate	-4.80	19.99	14.23	-6.93	29.82	20.83	-5.29	24.78	18.19
Iran (Islamic Republic of)	Both	All ages	Depressive disorders	Number	114.60	10.64	137.43	109.30	12.92	136.35	112.65	11.56	137.23
Iran (Islamic Republic of)	Both	Age-standardized	Depressive disorders	Rate	4.77	9.24	14.45	5.94	11.92	18.57	5.54	10.48	16.60
Egypt	Both	Age-standardized	Depressive disorders	Rate	4.06	13.27	17.87	5.66	18.19	24.88	4.83	15.61	21.19
Egypt	Both	All ages	Depressive disorders	Number	107.18	19.54	147.67	107.43	25.18	159.66	107.53	22.14	153.48
Ethiopia	Both	All ages	Depressive disorders	Number	106.48	17.04	141.66	101.09	21.52	144.36	105.51	19.14	144.84
Ethiopia	Both	Age-standardized	Depressive disorders	Rate	-8.28	8.34	-0.63	-9.90	11.47	0.44	-8.34	9.75	0.60
South Africa	Both	All ages	Depressive disorders	Number	81.53	23.05	123.37	79.16	31.55	135.69	78.86	27.05	127.25
South Africa	Both	Age-standardized	Depressive disorders	Rate	-0.69	18.80	17.99	-0.89	26.44	25.32	-1.58	22.53	20.59
Saudi Arabia	Both	All ages	Depressive disorders	Number	222.52	14.16	268.19	214.94	17.48	269.99	220.62	15.50	270.32
Saudi Arabia	Both	Age-standardized	Depressive disorders	Rate	4.80	7.24	12.39	5.99	10.47	17.08	5.55	8.69	14.72
United Arab Emirates	Both	All ages	Depressive disorders	Number	512.90	17.28	618.84	485.36	22.81	618.86	498.39	19.72	616.38

United Arab Emirates	Both	Age-standardized	Depressive disorders	Rate	-6.37	14.82	7.50	-7.91	20.22	10.72	-7.23	17.53	9.03
----------------------	------	------------------	----------------------	------	-------	-------	------	-------	-------	-------	-------	-------	------

*Note.* BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates). VS.1 presents the percentage change in number or rate from 1990 to 2019. VS.2 presents the percentage change in number or rate from 2019 to 2021. VS.3 presents the percentage change in number or rate from 1990 to 2021.

**Table S4.** Net drift values for depressive disorders and sex difference in BRICS-Plus and high-income North America from 1992 and 2021

Location	Measure	Net drift (95% confidence interval)		
		Both	Male	Female
BRICS-Plus	Prevalence	-0.36 (-0.41, -0.30)	-0.28 (-0.34, -0.23)	-0.43 (-0.49, -0.38)
High-income North America	Prevalence	0.26 (0.16, 0.36)	0.23 (0.16, 0.31)	0.29 (0.17, 0.40)
India	Prevalence	-0.74 (-0.82, -0.66)	-0.53 (-0.61, -0.45)	-0.92 (-1.01, -0.84)
China	Prevalence	-0.64 (-0.75, -0.54)	-0.71 (-0.80, -0.62)	-0.62 (-0.74, -0.50)
Brazil	Prevalence	-0.44 (-0.54, -0.34)	-0.38 (-0.48, -0.28)	-0.47 (-0.57, -0.37)
Russia	Prevalence	-0.10 (-0.15, -0.05)	-0.17 (-0.20, -0.15)	-0.04 (-0.12, 0.05)
Iran	Prevalence	0.60 (0.55, 0.65)	0.75 (0.70, 0.81)	0.47 (0.42, 0.52)
Egypt	Prevalence	0.28 (0.23, 0.33)	0.33 (0.28, 0.38)	0.28 (0.23, 0.34)
Ethiopia	Prevalence	-0.29 (-0.38, -0.20)	-0.26 (-0.32, -0.20)	-0.32 (-0.44, -0.21)
South Africa	Prevalence	0.35 (0.32, 0.38)	0.57 (0.53, 0.61)	0.26 (0.23, 0.29)
Saudi Arabia	Prevalence	0.35 (0.33, 0.37)	0.38 (0.36, 0.41)	0.31 (0.28, 0.33)
UAE	Prevalence	-0.16 (-0.23, -0.09)	-0.11 (-0.17, -0.04)	-0.19 (-0.25, -0.13)
BRICS-Plus	Incidence	-0.50 (-0.57, -0.43)	-0.39 (-0.46, -0.33)	-0.60 (-0.68, -0.53)
High-income North America	Incidence	0.49 (0.39, 0.60)	0.45 (0.37, 0.52)	0.53 (0.41, 0.65)
India	Incidence	-1.07 (-1.17, -0.97)	-0.76 (-0.86, -0.67)	-1.32 (-1.43, -1.21)
China	Incidence	-0.79 (-0.92, -0.67)	-0.92 (-1.03, -0.81)	-0.73 (-0.87, -0.59)
Brazil	Incidence	-0.54 (-0.65, -0.43)	-0.49 (-0.62, -0.36)	-0.57 (-0.67, -0.46)
Russia	Incidence	-0.17 (-0.24, -0.10)	-0.27 (-0.31, -0.24)	-0.08 (-0.20, 0.05)
Iran	Incidence	0.70 (0.63, 0.76)	0.93 (0.86, 1.00)	0.53 (0.46, 0.59)
Egypt	Incidence	0.38 (0.31, 0.45)	0.46 (0.39, 0.54)	0.37 (0.30, 0.44)
Ethiopia	Incidence	-0.38 (-0.49, -0.26)	-0.35 (-0.43, -0.28)	-0.41 (-0.57, -0.25)
South Africa	Incidence	0.49 (0.45, 0.54)	0.80 (0.75, 0.86)	0.36 (0.32, 0.40)
Saudi Arabia	Incidence	0.46 (0.43, 0.49)	0.52 (0.48, 0.56)	0.39 (0.36, 0.42)
UAE	Incidence	-0.20 (-0.28, -0.11)	-0.14 (-0.23, -0.05)	-0.25 (-0.31, -0.19)
BRICS-Plus	DALYs	-0.38 (-0.44, -0.32)	-0.33 (-0.39, -0.27)	-0.51 (-0.58, -0.44)
High-income North America	DALYs	0.34 (0.24, 0.45)	0.31 (0.23, 0.39)	0.37 (0.25, 0.50)
India	DALYs	-0.88 (-0.97, -0.79)	-0.62 (-0.71, -0.53)	-1.10 (-1.20, -1.00)
China	DALYs	-0.74 (-0.85, -0.62)	-0.83 (-0.93, -0.74)	-0.69 (-0.82, -0.57)
Brazil	DALYs	-0.49 (-0.60, -0.38)	-0.43 (-0.55, -0.31)	-0.52 (-0.62, -0.41)
Russia	DALYs	-0.11 (-0.16, -0.05)	-0.18 (-0.21, -0.15)	-0.04 (-0.14, 0.06)
Iran	DALYs	0.66 (0.60, 0.71)	0.85 (0.79, 0.91)	0.50 (0.44, 0.56)
Egypt	DALYs	0.33 (0.27, 0.39)	0.40 (0.34, 0.47)	0.32 (0.26, 0.38)
Ethiopia	DALYs	-0.30 (-0.40, -0.19)	-0.27 (-0.34, -0.20)	-0.33 (-0.46, -0.19)
South Africa	DALYs	0.39 (0.36, 0.43)	0.67 (0.62, 0.71)	0.26 (0.23, 0.30)
Saudi Arabia	DALYs	0.40 (0.37, 0.43)	0.44 (0.40, 0.48)	0.35 (0.31, 0.39)
UAE	DALYs	-0.19 (-0.28, -0.10)	-0.14 (-0.25, -0.02)	-0.23 (-0.38, -0.09)

*Note.* BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.

**Table S5.** Annual percentage change (%) for depressive disorders and sex difference in each age group across the BRICS-Plus and high-income North America from 1992 and 2021

Age group	Measure	Sex	Annual percentage change (95% confidence interval)					
			BRICS-Plus	High-income North America	India	China	Brazil	Russia
10-14	Prevalence	Both	0.30 (0.03, 0.58)	1.37 (1.01, 1.73)	0.74 (0.36, 1.12)	-0.85 (-1.52, -0.17)	-1.38 (-1.84, -0.91)	0.35 (0.04, 0.66)
15-19	Prevalence	Both	-0.03 (-0.19, 0.13)	0.93 (0.71, 1.16)	-0.02 (-0.23, 0.20)	-1.00 (-1.39, -0.61)	-0.86 (-1.10, -0.61)	0.15 (-0.02, 0.32)
20-24	Prevalence	Both	-0.25 (-0.37, -0.13)	0.48 (0.29, 0.67)	-0.59 (-0.75, -0.42)	-1.11 (-1.39, -0.83)	-0.53 (-0.71, -0.35)	0.09 (-0.03, 0.22)
25-29	Prevalence	Both	-0.42 (-0.52, -0.32)	0.18 (0.00, 0.35)	-0.95 (-1.09, -0.80)	-1.15 (-1.36, -0.94)	-0.43 (-0.60, -0.27)	0.12 (0.02, 0.22)
30-34	Prevalence	Both	-0.53 (-0.62, -0.43)	0.01 (-0.16, 0.17)	-1.13 (-1.26, -0.99)	-1.11 (-1.30, -0.91)	-0.50 (-0.66, -0.34)	0.12 (0.04, 0.21)
35-39	Prevalence	Both	-0.52 (-0.62, -0.43)	0.00 (-0.16, 0.17)	-1.13 (-1.26, -0.99)	-0.98 (-1.16, -0.80)	-0.55 (-0.70, -0.39)	0.05 (-0.03, 0.13)
40-44	Prevalence	Both	-0.55 (-0.65, -0.46)	0.14 (-0.03, 0.31)	-1.05 (-1.19, -0.91)	-0.77 (-0.94, -0.60)	-0.48 (-0.64, -0.32)	-0.08 (-0.16, -0.00)
45-49	Prevalence	Both	-0.57 (-0.67, -0.47)	0.29 (0.11, 0.47)	-0.95 (-1.10, -0.81)	-0.56 (-0.73, -0.39)	-0.37 (-0.54, -0.19)	-0.22 (-0.31, -0.14)
50-54	Prevalence	Both	-0.52 (-0.62, -0.42)	0.32 (0.12, 0.53)	-0.86 (-1.02, -0.70)	-0.39 (-0.57, -0.21)	-0.25 (-0.44, -0.05)	-0.36 (-0.45, -0.27)
55-59	Prevalence	Both	-0.37 (-0.48, -0.26)	0.29 (0.05, 0.53)	-0.72 (-0.90, -0.55)	-0.23 (-0.42, -0.04)	-0.12 (-0.34, 0.09)	-0.43 (-0.52, -0.35)
60-64	Prevalence	Both	-0.21 (-0.33, -0.08)	0.19 (-0.09, 0.48)	-0.53 (-0.73, -0.33)	-0.04 (-0.25, 0.18)	-0.04 (-0.29, 0.21)	-0.42 (-0.52, -0.33)
65-69	Prevalence	Both	-0.03 (-0.19, 0.13)	0.04 (-0.30, 0.39)	-0.36 (-0.62, -0.10)	0.18 (-0.09, 0.44)	-0.14 (-0.46, 0.18)	-0.36 (-0.47, -0.25)
70-74	Prevalence	Both	0.12 (-0.12, 0.36)	-0.18 (-0.65, 0.30)	-0.30 (-0.71, 0.10)	0.42 (0.02, 0.82)	-0.50 (-0.98, -0.02)	-0.24 (-0.41, -0.07)
10-14	Prevalence	Male	0.44 (0.17, 0.72)	1.28 (1.00, 1.56)	0.78 (0.40, 1.17)	-1.02 (-1.59, -0.44)	-1.13 (-1.64, -0.61)	0.17 (0.01, 0.32)
15-19	Prevalence	Male	0.12 (-0.04, 0.28)	0.85 (0.68, 1.02)	0.13 (-0.08, 0.35)	-1.11 (-1.44, -0.78)	-0.84 (-1.10, -0.57)	-0.07 (-0.15, 0.02)
20-24	Prevalence	Male	-0.10 (-0.22, 0.02)	0.41 (0.27, 0.54)	-0.37 (-0.54, -0.21)	-1.14 (-1.37, -0.91)	-0.61 (-0.81, -0.42)	-0.10 (-0.17, -0.04)
25-29	Prevalence	Male	-0.27 (-0.37, -0.16)	0.08 (-0.04, 0.20)	-0.73 (-0.87, -0.58)	-1.14 (-1.31, -0.96)	-0.50 (-0.68, -0.33)	-0.04 (-0.09, 0.01)
30-34	Prevalence	Male	-0.40 (-0.49, -0.30)	-0.09 (-0.20, 0.03)	-0.93 (-1.07, -0.79)	-1.10 (-1.25, -0.94)	-0.52 (-0.68, -0.35)	-0.00 (-0.05, 0.04)
35-39	Prevalence	Male	-0.45 (-0.54, -0.35)	-0.07 (-0.19, 0.04)	-0.97 (-1.10, -0.83)	-1.01 (-1.16, -0.86)	-0.52 (-0.68, -0.35)	-0.05 (-0.09, -0.01)
40-44	Prevalence	Male	-0.52 (-0.61, -0.43)	0.07 (-0.05, 0.19)	-0.89 (-1.03, -0.75)	-0.84 (-0.99, -0.70)	-0.44 (-0.61, -0.27)	-0.14 (-0.18, -0.10)
45-49	Prevalence	Male	-0.57 (-0.66, -0.47)	0.24 (0.11, 0.37)	-0.77 (-0.92, -0.62)	-0.66 (-0.80, -0.51)	-0.31 (-0.49, -0.12)	-0.24 (-0.29, -0.20)
50-54	Prevalence	Male	-0.52 (-0.62, -0.41)	0.33 (0.18, 0.47)	-0.63 (-0.79, -0.47)	-0.50 (-0.64, -0.35)	-0.14 (-0.35, 0.06)	-0.33 (-0.38, -0.28)

55-59	Prevalence	Male	-0.34 (-0.45, -0.23)	0.35 (0.17, 0.52)	-0.44 (-0.62, -0.27)	-0.33 (-0.49, -0.17)	0.03 (-0.20, 0.26)	-0.39 (-0.43, -0.34)
60-64	Prevalence	Male	-0.16 (-0.29, -0.03)	0.30 (0.09, 0.50)	-0.22 (-0.43, -0.02)	-0.12 (-0.30, 0.06)	0.13 (-0.14, 0.40)	-0.40 (-0.45, -0.35)
65-69	Prevalence	Male	0.02 (-0.14, 0.18)	0.17 (-0.08, 0.42)	-0.04 (-0.31, 0.22)	0.10 (-0.12, 0.32)	0.02 (-0.32, 0.36)	-0.37 (-0.44, -0.31)
70-74	Prevalence	Male	0.20 (-0.05, 0.45)	-0.06 (-0.41, 0.30)	0.04 (-0.37, 0.45)	0.34 (0.00, 0.68)	-0.42 (-0.93, 0.09)	-0.31 (-0.41, -0.20)
10-14	Prevalence	Female	0.35 (0.05, 0.64)	1.40 (1.01, 1.79)	0.69 (0.28, 1.09)	-0.66 (-1.41, 0.10)	-1.46 (-1.93, -0.99)	0.52 (-0.03, 1.07)
15-19	Prevalence	Female	-0.04 (-0.21, 0.13)	0.97 (0.72, 1.23)	-0.13 (-0.36, 0.10)	-0.85 (-1.29, -0.41)	-0.84 (-1.08, -0.59)	0.35 (0.04, 0.66)
20-24	Prevalence	Female	-0.32 (-0.45, -0.20)	0.52 (0.31, 0.74)	-0.73 (-0.90, -0.55)	-1.05 (-1.36, -0.73)	-0.47 (-0.66, -0.29)	0.27 (0.05, 0.50)
25-29	Prevalence	Female	-0.53 (-0.64, -0.42)	0.22 (0.02, 0.42)	-1.09 (-1.25, -0.94)	-1.16 (-1.41, -0.92)	-0.38 (-0.55, -0.21)	0.26 (0.08, 0.44)
30-34	Prevalence	Female	-0.65 (-0.75, -0.54)	0.06 (-0.13, 0.25)	-1.27 (-1.41, -1.12)	-1.14 (-1.36, -0.92)	-0.47 (-0.63, -0.31)	0.23 (0.07, 0.38)
35-39	Prevalence	Female	-0.63 (-0.74, -0.53)	0.05 (-0.14, 0.24)	-1.28 (-1.42, -1.13)	-1.00 (-1.21, -0.79)	-0.55 (-0.70, -0.39)	0.12 (-0.02, 0.27)
40-44	Prevalence	Female	-0.64 (-0.75, -0.54)	0.18 (-0.01, 0.38)	-1.22 (-1.37, -1.07)	-0.76 (-0.96, -0.56)	-0.50 (-0.67, -0.34)	-0.04 (-0.18, 0.10)
45-49	Prevalence	Female	-0.65 (-0.76, -0.55)	0.32 (0.11, 0.53)	-1.15 (-1.31, -1.00)	-0.54 (-0.74, -0.35)	-0.41 (-0.59, -0.23)	-0.21 (-0.36, -0.07)
50-54	Prevalence	Female	-0.61 (-0.72, -0.49)	0.33 (0.10, 0.57)	-1.09 (-1.26, -0.92)	-0.39 (-0.60, -0.19)	-0.32 (-0.51, -0.13)	-0.38 (-0.53, -0.23)
55-59	Prevalence	Female	-0.46 (-0.59, -0.34)	0.28 (0.00, 0.55)	-0.96 (-1.14, -0.77)	-0.24 (-0.46, -0.02)	-0.22 (-0.44, -0.00)	-0.46 (-0.61, -0.31)
60-64	Prevalence	Female	-0.29 (-0.43, -0.15)	0.17 (-0.15, 0.49)	-0.79 (-1.00, -0.58)	-0.03 (-0.28, 0.21)	-0.14 (-0.40, 0.11)	-0.44 (-0.59, -0.28)
65-69	Prevalence	Female	-0.09 (-0.26, 0.09)	0.03 (-0.36, 0.42)	-0.65 (-0.92, -0.37)	0.20 (-0.10, 0.50)	-0.24 (-0.56, 0.08)	-0.33 (-0.50, -0.15)
70-74	Prevalence	Female	0.12 (-0.14, 0.38)	-0.16 (-0.70, 0.38)	-0.61 (-1.04, -0.19)	0.51 (0.07, 0.97)	-0.57 (-1.06, -0.09)	-0.12 (-0.38, 0.13)
10-14	Incidence	Both	0.16 (-0.13, 0.45)	1.72 (1.42, 2.02)	0.76 (0.34, 1.19)	-1.30 (-1.94, -0.66)	-1.50 (-1.96, -1.03)	0.38 (0.01, 0.76)
15-19	Incidence	Both	-0.27 (-0.45, -0.09)	1.16 (0.95, 1.37)	-0.26 (-0.52, -0.01)	-1.50 (-1.90, -1.10)	-0.89 (-1.14, -0.63)	0.17 (-0.06, 0.39)
20-24	Incidence	Both	-0.51 (-0.65, -0.37)	0.62 (0.44, 0.80)	-0.97 (-1.17, -0.77)	-1.65 (-1.95, -1.35)	-0.61 (-0.81, -0.41)	0.15 (-0.02, 0.32)
25-29	Incidence	Both	-0.66 (-0.78, -0.53)	0.28 (0.11, 0.45)	-1.42 (-1.60, -1.24)	-1.72 (-1.96, -1.47)	-0.56 (-0.75, -0.38)	0.20 (0.06, 0.34)
30-34	Incidence	Both	-0.75 (-0.87, -0.64)	0.15 (-0.01, 0.32)	-1.60 (-1.77, -1.42)	-1.66 (-1.89, -1.43)	-0.68 (-0.86, -0.50)	0.18 (0.06, 0.31)
35-39	Incidence	Both	-0.71 (-0.83, -0.59)	0.24 (0.08, 0.41)	-1.54 (-1.71, -1.37)	-1.42 (-1.65, -1.20)	-0.71 (-0.89, -0.53)	0.05 (-0.07, 0.17)
40-44	Incidence	Both	-0.69 (-0.81, -0.57)	0.47 (0.30, 0.65)	-1.40 (-1.57, -1.22)	-1.01 (-1.23, -0.79)	-0.61 (-0.80, -0.42)	-0.17 (-0.29, -0.05)
45-49	Incidence	Both	-0.70 (-0.83, -0.58)	0.65 (0.46, 0.85)	-1.27 (-1.45, -1.08)	-0.58 (-0.79, -0.36)	-0.45 (-0.65, -0.25)	-0.38 (-0.51, -0.26)
50-54	Incidence	Both	-0.64 (-0.77, -0.50)	0.67 (0.45, 0.89)	-1.16 (-1.36, -0.96)	-0.21 (-0.44, 0.02)	-0.30 (-0.52, -0.08)	-0.57 (-0.70, -0.44)

55-59	Incidence	Both	-0.43 (-0.58, -0.29)	0.58 (0.32, 0.84)	-1.02 (-1.24, -0.80)	0.12 (-0.13, 0.36)	-0.14 (-0.39, 0.10)	-0.65 (-0.77, -0.52)
60-64	Incidence	Both	-0.23 (-0.39, -0.06)	0.40 (0.09, 0.70)	-0.81 (-1.06, -0.57)	0.41 (0.13, 0.68)	-0.06 (-0.35, 0.23)	-0.60 (-0.73, -0.46)
65-69	Incidence	Both	-0.05 (-0.25, 0.16)	0.13 (-0.22, 0.49)	-0.61 (-0.93, -0.29)	0.61 (0.28, 0.94)	-0.21 (-0.57, 0.16)	-0.47 (-0.63, -0.32)
70-74	Incidence	Both	0.11 (-0.20, 0.42)	-0.24 (-0.74, 0.26)	-0.54 (-1.03, -0.05)	0.74 (0.25, 1.23)	-0.68 (-1.23, -0.13)	-0.28 (-0.51, -0.05)
10-14	Incidence	Male	0.38 (0.11, 0.66)	1.64 (1.40, 1.88)	0.90 (0.48, 1.31)	-1.41 (-1.98, -0.84)	-1.31 (-1.87, -0.75)	0.14 (-0.03, 0.32)
15-19	Incidence	Male	-0.05 (-0.21, 0.12)	1.07 (0.92, 1.23)	-0.00 (-0.25, 0.24)	-1.52 (-1.86, -1.17)	-0.95 (-1.25, -0.65)	-0.12 (-0.22, -0.02)
20-24	Incidence	Male	-0.29 (-0.42, -0.15)	0.52 (0.39, 0.65)	-0.64 (-0.83, -0.45)	-1.61 (-1.87, -1.35)	-0.76 (-0.99, -0.53)	-0.12 (-0.19, -0.04)
25-29	Incidence	Male	-0.45 (-0.57, -0.33)	0.15 (0.03, 0.27)	-1.09 (-1.26, -0.92)	-1.68 (-1.89, -1.47)	-0.70 (-0.91, -0.48)	-0.03 (-0.09, 0.04)
30-34	Incidence	Male	-0.59 (-0.71, -0.48)	0.02 (-0.10, 0.13)	-1.30 (-1.47, -1.14)	-1.69 (-1.89, -1.50)	-0.75 (-0.96, -0.54)	-0.01 (-0.07, 0.05)
35-39	Incidence	Male	-0.62 (-0.73, -0.51)	0.12 (0.00, 0.24)	-1.29 (-1.45, -1.13)	-1.57 (-1.76, -1.37)	-0.73 (-0.94, -0.52)	-0.10 (-0.16, -0.04)
40-44	Incidence	Male	-0.65 (-0.77, -0.54)	0.37 (0.24, 0.50)	-1.15 (-1.32, -0.99)	-1.23 (-1.42, -1.04)	-0.59 (-0.81, -0.37)	-0.26 (-0.32, -0.20)
45-49	Incidence	Male	-0.69 (-0.81, -0.57)	0.59 (0.45, 0.73)	-0.98 (-1.16, -0.81)	-0.83 (-1.01, -0.64)	-0.37 (-0.60, -0.14)	-0.41 (-0.47, -0.35)
50-54	Incidence	Male	-0.62 (-0.75, -0.49)	0.68 (0.51, 0.84)	-0.83 (-1.03, -0.64)	-0.45 (-0.64, -0.25)	-0.14 (-0.39, 0.11)	-0.53 (-0.60, -0.47)
55-59	Incidence	Male	-0.37 (-0.51, -0.22)	0.65 (0.46, 0.84)	-0.64 (-0.86, -0.43)	-0.09 (-0.31, 0.12)	0.09 (-0.20, 0.37)	-0.59 (-0.66, -0.53)
60-64	Incidence	Male	-0.14 (-0.30, 0.02)	0.50 (0.28, 0.73)	-0.41 (-0.66, -0.17)	0.23 (-0.01, 0.47)	0.20 (-0.13, 0.53)	-0.58 (-0.65, -0.51)
65-69	Incidence	Male	0.04 (-0.16, 0.25)	0.25 (-0.02, 0.51)	-0.22 (-0.54, 0.09)	0.47 (0.18, 0.76)	0.01 (-0.41, 0.43)	-0.51 (-0.59, -0.42)
70-74	Incidence	Male	0.23 (-0.07, 0.54)	-0.16 (-0.53, 0.21)	-0.13 (-0.61, 0.36)	0.64 (0.20, 1.08)	-0.62 (-1.24, 0.00)	-0.39 (-0.53, -0.26)
10-14	Incidence	Female	0.16 (-0.16, 0.48)	1.75 (1.42, 2.08)	0.64 (0.18, 1.11)	-1.15 (-1.85, -0.45)	-1.54 (-1.99, -1.09)	0.59 (-0.09, 1.29)
15-19	Incidence	Female	-0.34 (-0.54, -0.14)	1.20 (0.97, 1.43)	-0.45 (-0.73, -0.17)	-1.40 (-1.84, -0.96)	-0.83 (-1.08, -0.58)	0.43 (0.02, 0.85)
20-24	Incidence	Female	-0.65 (-0.81, -0.49)	0.67 (0.47, 0.88)	-1.20 (-1.42, -0.98)	-1.64 (-1.97, -1.30)	-0.52 (-0.71, -0.32)	0.40 (0.08, 0.72)
25-29	Incidence	Female	-0.83 (-0.98, -0.69)	0.35 (0.15, 0.55)	-1.65 (-1.85, -1.45)	-1.74 (-2.02, -1.47)	-0.48 (-0.66, -0.30)	0.40 (0.14, 0.66)
30-34	Incidence	Female	-0.92 (-1.06, -0.79)	0.23 (0.04, 0.43)	-1.81 (-2.00, -1.62)	-1.66 (-1.92, -1.41)	-0.63 (-0.80, -0.45)	0.34 (0.11, 0.57)
35-39	Incidence	Female	-0.84 (-0.98, -0.71)	0.31 (0.12, 0.51)	-1.75 (-1.94, -1.56)	-1.37 (-1.63, -1.12)	-0.69 (-0.87, -0.51)	0.16 (-0.06, 0.38)
40-44	Incidence	Female	-0.79 (-0.92, -0.65)	0.54 (0.33, 0.74)	-1.63 (-1.82, -1.44)	-0.91 (-1.15, -0.67)	-0.62 (-0.81, -0.44)	-0.11 (-0.32, 0.11)
45-49	Incidence	Female	-0.79 (-0.93, -0.65)	0.69 (0.47, 0.92)	-1.54 (-1.74, -1.33)	-0.47 (-0.71, -0.23)	-0.50 (-0.70, -0.31)	-0.37 (-0.59, -0.15)
50-54	Incidence	Female	-0.74 (-0.90, -0.59)	0.67 (0.42, 0.93)	-1.46 (-1.68, -1.24)	-0.14 (-0.39, 0.12)	-0.39 (-0.61, -0.18)	-0.60 (-0.82, -0.37)

55-59	Incidence	Female	-0.54 (-0.71, -0.38)	0.56 (0.26, 0.85)	-1.32 (-1.56, -1.08)	0.16 (-0.11, 0.44)	-0.27 (-0.51, -0.03)	-0.68 (-0.90, -0.47)
60-64	Incidence	Female	-0.32 (-0.51, -0.13)	0.37 (0.03, 0.71)	-1.13 (-1.40, -0.86)	0.45 (0.15, 0.76)	-0.19 (-0.48, 0.09)	-0.61 (-0.84, -0.39)
65-69	Incidence	Female	-0.09 (-0.32, 0.14)	0.13 (-0.27, 0.54)	-0.96 (-1.30, -0.61)	0.67 (0.30, 1.04)	-0.33 (-0.69, 0.04)	-0.44 (-0.69, -0.18)
70-74	Incidence	Female	0.12 (-0.23, 0.47)	-0.20 (-0.76, 0.37)	-0.90 (-1.43, -0.37)	0.85 (0.32, 1.39)	-0.75 (-1.29, -0.21)	-0.14 (-0.51, 0.23)
10-14	DALYs	Both	0.39 (0.09, 0.69)	1.57 (1.22, 1.92)	0.85 (0.43, 1.26)	-1.06 (-1.73, -0.39)	-1.49 (-1.99, -0.99)	0.40 (0.05, 0.76)
15-19	DALYs	Both	-0.03 (-0.20, 0.15)	1.08 (0.86, 1.30)	-0.05 (-0.28, 0.19)	-1.24 (-1.63, -0.85)	-0.92 (-1.18, -0.66)	0.18 (-0.02, 0.38)
20-24	DALYs	Both	-0.33 (-0.46, -0.20)	0.57 (0.38, 0.75)	-0.72 (-0.90, -0.54)	-1.37 (-1.65, -1.09)	-0.58 (-0.78, -0.39)	0.13 (-0.02, 0.28)
25-29	DALYs	Both	-0.54 (-0.66, -0.42)	0.22 (0.05, 0.40)	-1.14 (-1.30, -0.98)	-1.42 (-1.65, -1.20)	-0.49 (-0.67, -0.31)	0.17 (0.06, 0.29)
30-34	DALYs	Both	-0.65 (-0.76, -0.54)	0.05 (-0.12, 0.22)	-1.34 (-1.49, -1.18)	-1.37 (-1.57, -1.17)	-0.57 (-0.74, -0.40)	0.18 (0.08, 0.28)
35-39	DALYs	Both	-0.61 (-0.72, -0.50)	0.07 (-0.10, 0.24)	-1.32 (-1.47, -1.17)	-1.20 (-1.40, -1.00)	-0.62 (-0.79, -0.45)	0.09 (-0.01, 0.19)
40-44	DALYs	Both	-0.60 (-0.71, -0.49)	0.24 (0.07, 0.42)	-1.22 (-1.37, -1.06)	-0.91 (-1.10, -0.72)	-0.54 (-0.72, -0.36)	-0.08 (-0.18, 0.02)
45-49	DALYs	Both	-0.59 (-0.71, -0.48)	0.42 (0.22, 0.61)	-1.10 (-1.27, -0.94)	-0.60 (-0.79, -0.41)	-0.41 (-0.60, -0.21)	-0.26 (-0.36, -0.15)
50-54	DALYs	Both	-0.54 (-0.67, -0.42)	0.45 (0.23, 0.67)	-1.00 (-1.18, -0.82)	-0.35 (-0.55, -0.15)	-0.27 (-0.48, -0.05)	-0.43 (-0.54, -0.32)
55-59	DALYs	Both	-0.36 (-0.50, -0.23)	0.39 (0.13, 0.65)	-0.86 (-1.05, -0.66)	-0.12 (-0.33, 0.09)	-0.13 (-0.37, 0.11)	-0.51 (-0.62, -0.40)
60-64	DALYs	Both	-0.15 (-0.30, 0.00)	0.25 (-0.06, 0.56)	-0.66 (-0.88, -0.43)	0.12 (-0.12, 0.36)	-0.04 (-0.33, 0.24)	-0.49 (-0.61, -0.38)
65-69	DALYs	Both	0.10 (-0.09, 0.29)	0.03 (-0.34, 0.40)	-0.46 (-0.76, -0.17)	0.34 (0.05, 0.64)	-0.17 (-0.53, 0.19)	-0.41 (-0.54, -0.28)
70-74	DALYs	Both	0.27 (-0.03, 0.56)	-0.28 (-0.79, 0.24)	-0.39 (-0.85, 0.07)	0.56 (0.12, 1.00)	-0.57 (-1.12, -0.03)	-0.26 (-0.46, -0.06)
10-14	DALYs	Male	0.45 (0.16, 0.74)	1.49 (1.21, 1.77)	0.92 (0.51, 1.33)	-1.21 (-1.80, -0.62)	-1.26 (-1.83, -0.69)	0.20 (0.02, 0.37)
15-19	DALYs	Male	0.07 (-0.10, 0.23)	1.00 (0.83, 1.17)	0.14 (-0.09, 0.38)	-1.31 (-1.65, -0.97)	-0.93 (-1.23, -0.64)	-0.07 (-0.16, 0.03)
20-24	DALYs	Male	-0.17 (-0.30, -0.05)	0.48 (0.35, 0.62)	-0.45 (-0.63, -0.27)	-1.38 (-1.62, -1.14)	-0.69 (-0.91, -0.47)	-0.09 (-0.16, -0.02)
25-29	DALYs	Male	-0.34 (-0.45, -0.23)	0.12 (-0.01, 0.24)	-0.86 (-1.02, -0.71)	-1.40 (-1.59, -1.21)	-0.59 (-0.79, -0.39)	-0.01 (-0.06, 0.05)
30-34	DALYs	Male	-0.49 (-0.59, -0.38)	-0.06 (-0.18, 0.07)	-1.09 (-1.24, -0.94)	-1.38 (-1.55, -1.21)	-0.61 (-0.80, -0.42)	0.04 (-0.01, 0.09)
35-39	DALYs	Male	-0.53 (-0.64, -0.43)	-0.02 (-0.14, 0.10)	-1.12 (-1.27, -0.97)	-1.28 (-1.45, -1.11)	-0.61 (-0.80, -0.42)	-0.02 (-0.07, 0.03)
40-44	DALYs	Male	-0.59 (-0.70, -0.49)	0.17 (0.04, 0.30)	-1.02 (-1.18, -0.87)	-1.05 (-1.21, -0.88)	-0.51 (-0.71, -0.31)	-0.13 (-0.19, -0.08)
45-49	DALYs	Male	-0.64 (-0.74, -0.53)	0.36 (0.22, 0.50)	-0.87 (-1.04, -0.71)	-0.77 (-0.92, -0.61)	-0.34 (-0.55, -0.13)	-0.26 (-0.31, -0.20)
50-54	DALYs	Male	-0.57 (-0.69, -0.45)	0.45 (0.29, 0.61)	-0.72 (-0.90, -0.55)	-0.52 (-0.69, -0.35)	-0.14 (-0.38, 0.09)	-0.36 (-0.42, -0.31)

55-59	DALYs	Male	-0.35 (-0.48, -0.22)	0.45 (0.26, 0.64)	-0.52 (-0.72, -0.33)	-0.27 (-0.45, -0.09)	0.06 (-0.21, 0.33)	-0.43 (-0.49, -0.37)
60-64	DALYs	Male	-0.14 (-0.29, 0.00)	0.35 (0.13, 0.58)	-0.29 (-0.52, -0.06)	-0.01 (-0.21, 0.19)	0.18 (-0.14, 0.49)	-0.45 (-0.51, -0.38)
65-69	DALYs	Male	0.05 (-0.14, 0.23)	0.16 (-0.12, 0.43)	-0.10 (-0.39, 0.19)	0.23 (-0.02, 0.48)	0.03 (-0.37, 0.43)	-0.41 (-0.49, -0.33)
70-74	DALYs	Male	0.23 (-0.05, 0.52)	-0.17 (-0.55, 0.22)	-0.00 (-0.46, 0.46)	0.46 (0.07, 0.84)	-0.51 (-1.11, 0.10)	-0.33 (-0.46, -0.20)
10-14	DALYs	Female	0.28 (-0.03, 0.60)	1.60 (1.22, 1.98)	0.77 (0.32, 1.22)	-0.89 (-1.64, -0.14)	-1.56 (-2.05, -1.06)	0.59 (-0.05, 1.23)
15-19	DALYs	Female	-0.16 (-0.35, 0.02)	1.12 (0.87, 1.37)	-0.19 (-0.45, 0.06)	-1.10 (-1.54, -0.66)	-0.89 (-1.15, -0.63)	0.41 (0.04, 0.78)
20-24	DALYs	Female	-0.47 (-0.61, -0.33)	0.61 (0.39, 0.82)	-0.90 (-1.10, -0.71)	-1.32 (-1.64, -1.01)	-0.51 (-0.70, -0.31)	0.34 (0.07, 0.61)
25-29	DALYs	Female	-0.67 (-0.80, -0.55)	0.28 (0.07, 0.48)	-1.33 (-1.50, -1.16)	-1.44 (-1.69, -1.18)	-0.42 (-0.60, -0.24)	0.33 (0.12, 0.55)
30-34	DALYs	Female	-0.78 (-0.90, -0.67)	0.11 (-0.08, 0.31)	-1.52 (-1.68, -1.35)	-1.39 (-1.62, -1.16)	-0.53 (-0.70, -0.36)	0.30 (0.11, 0.48)
35-39	DALYs	Female	-0.74 (-0.86, -0.63)	0.13 (-0.07, 0.33)	-1.51 (-1.67, -1.34)	-1.19 (-1.41, -0.96)	-0.61 (-0.78, -0.44)	0.16 (-0.01, 0.34)
40-44	DALYs	Female	-0.72 (-0.84, -0.60)	0.29 (0.09, 0.50)	-1.42 (-1.59, -1.25)	-0.85 (-1.07, -0.64)	-0.56 (-0.74, -0.38)	-0.04 (-0.22, 0.13)
45-49	DALYs	Female	-0.72 (-0.84, -0.60)	0.46 (0.23, 0.68)	-1.34 (-1.52, -1.16)	-0.54 (-0.75, -0.33)	-0.45 (-0.64, -0.26)	-0.26 (-0.44, -0.08)
50-54	DALYs	Female	-0.67 (-0.80, -0.53)	0.46 (0.21, 0.71)	-1.26 (-1.46, -1.07)	-0.32 (-0.54, -0.09)	-0.35 (-0.56, -0.14)	-0.46 (-0.65, -0.28)
55-59	DALYs	Female	-0.50 (-0.64, -0.35)	0.38 (0.08, 0.68)	-1.13 (-1.34, -0.92)	-0.10 (-0.34, 0.15)	-0.24 (-0.48, 0.00)	-0.56 (-0.74, -0.38)
60-64	DALYs	Female	-0.30 (-0.46, -0.14)	0.22 (-0.12, 0.57)	-0.95 (-1.19, -0.71)	0.15 (-0.12, 0.42)	-0.16 (-0.45, 0.12)	-0.52 (-0.71, -0.33)
65-69	DALYs	Female	-0.08 (-0.28, 0.12)	0.03 (-0.39, 0.44)	-0.79 (-1.10, -0.48)	0.39 (0.06, 0.72)	-0.28 (-0.63, 0.08)	-0.39 (-0.60, -0.17)
70-74	DALYs	Female	0.13 (-0.17, 0.44)	-0.25 (-0.83, 0.34)	-0.74 (-1.23, -0.25)	0.67 (0.17, 1.16)	-0.65 (-1.19, -0.10)	-0.14 (-0.45, 0.18)
			Annual percentage change (95% confidence interval)					
Age group	Measure	Sex	Iran	Egypt	Ethiopia	South Africa	Saudi Arabia	UAE
10-14	Prevalence	Both	0.87 (0.69, 1.04)	0.33 (0.19, 0.47)	0.16 (-0.12, 0.43)	0.76 (0.63, 0.88)	0.59 (0.53, 0.65)	0.34 (0.17, 0.50)
15-19	Prevalence	Both	0.77 (0.67, 0.88)	0.34 (0.24, 0.44)	-0.01 (-0.18, 0.16)	0.68 (0.61, 0.75)	0.47 (0.44, 0.51)	0.09 (-0.02, 0.20)
20-24	Prevalence	Both	0.77 (0.69, 0.86)	0.38 (0.29, 0.46)	-0.18 (-0.32, -0.04)	0.63 (0.57, 0.68)	0.39 (0.36, 0.42)	-0.07 (-0.16, 0.01)
25-29	Prevalence	Both	0.79 (0.72, 0.86)	0.35 (0.27, 0.43)	-0.31 (-0.45, -0.18)	0.59 (0.54, 0.63)	0.33 (0.30, 0.36)	-0.23 (-0.29, -0.16)
30-34	Prevalence	Both	0.76 (0.69, 0.84)	0.28 (0.20, 0.36)	-0.41 (-0.54, -0.27)	0.52 (0.47, 0.57)	0.31 (0.29, 0.34)	-0.27 (-0.33, -0.21)
35-39	Prevalence	Both	0.69 (0.61, 0.76)	0.24 (0.16, 0.32)	-0.45 (-0.59, -0.30)	0.46 (0.41, 0.50)	0.32 (0.29, 0.35)	-0.20 (-0.26, -0.15)
40-44	Prevalence	Both	0.58 (0.50, 0.67)	0.25 (0.16, 0.34)	-0.45 (-0.60, -0.29)	0.40 (0.35, 0.45)	0.34 (0.30, 0.37)	-0.24 (-0.31, -0.17)

45-49	Prevalence	Both	0.48 (0.39, 0.58)	0.29 (0.20, 0.39)	-0.41 (-0.58, -0.24)	0.33 (0.27, 0.39)	0.36 (0.32, 0.40)	-0.22 (-0.31, -0.13)
50-54	Prevalence	Both	0.42 (0.31, 0.53)	0.29 (0.19, 0.40)	-0.38 (-0.56, -0.19)	0.22 (0.15, 0.28)	0.35 (0.30, 0.39)	-0.19 (-0.32, -0.06)
55-59	Prevalence	Both	0.38 (0.26, 0.50)	0.26 (0.14, 0.38)	-0.32 (-0.53, -0.12)	0.07 (0.00, 0.14)	0.32 (0.26, 0.38)	-0.17 (-0.36, 0.01)
60-64	Prevalence	Both	0.38 (0.23, 0.52)	0.21 (0.06, 0.36)	-0.23 (-0.47, 0.01)	-0.04 (-0.12, 0.04)	0.30 (0.22, 0.37)	-0.20 (-0.47, 0.07)
65-69	Prevalence	Both	0.43 (0.24, 0.61)	0.18 (-0.01, 0.38)	-0.11 (-0.41, 0.19)	-0.06 (-0.16, 0.04)	0.29 (0.20, 0.39)	-0.20 (-0.58, 0.18)
70-74	Prevalence	Both	0.54 (0.26, 0.83)	0.22 (-0.09, 0.54)	0.05 (-0.38, 0.49)	-0.01 (-0.15, 0.13)	0.31 (0.17, 0.46)	-0.16 (-0.81, 0.50)
10-14	Prevalence	Male	0.67 (0.48, 0.86)	0.27 (0.13, 0.41)	0.16 (-0.04, 0.35)	1.02 (0.87, 1.17)	0.53 (0.45, 0.62)	0.17 (-0.01, 0.35)
15-19	Prevalence	Male	0.70 (0.58, 0.81)	0.33 (0.23, 0.42)	0.00 (-0.12, 0.13)	0.93 (0.85, 1.02)	0.39 (0.34, 0.45)	-0.11 (-0.22, 0.01)
20-24	Prevalence	Male	0.82 (0.73, 0.90)	0.41 (0.33, 0.49)	-0.15 (-0.26, -0.05)	0.90 (0.84, 0.96)	0.33 (0.29, 0.37)	-0.20 (-0.28, -0.11)
25-29	Prevalence	Male	0.93 (0.85, 1.01)	0.42 (0.35, 0.50)	-0.29 (-0.39, -0.19)	0.88 (0.82, 0.93)	0.34 (0.30, 0.38)	-0.17 (-0.23, -0.10)
30-34	Prevalence	Male	0.96 (0.88, 1.04)	0.40 (0.32, 0.47)	-0.38 (-0.48, -0.28)	0.80 (0.74, 0.85)	0.36 (0.33, 0.40)	-0.09 (-0.14, -0.04)
35-39	Prevalence	Male	0.92 (0.84, 1.00)	0.37 (0.28, 0.45)	-0.41 (-0.52, -0.31)	0.67 (0.62, 0.73)	0.38 (0.34, 0.42)	-0.08 (-0.13, -0.03)
40-44	Prevalence	Male	0.84 (0.75, 0.93)	0.35 (0.27, 0.44)	-0.40 (-0.51, -0.29)	0.55 (0.49, 0.61)	0.39 (0.35, 0.43)	-0.12 (-0.18, -0.06)
45-49	Prevalence	Male	0.75 (0.65, 0.85)	0.34 (0.25, 0.43)	-0.36 (-0.48, -0.24)	0.43 (0.37, 0.50)	0.38 (0.33, 0.43)	-0.14 (-0.21, -0.06)
50-54	Prevalence	Male	0.68 (0.56, 0.79)	0.29 (0.19, 0.40)	-0.33 (-0.46, -0.20)	0.32 (0.25, 0.39)	0.36 (0.31, 0.42)	-0.14 (-0.25, -0.03)
55-59	Prevalence	Male	0.59 (0.46, 0.72)	0.23 (0.11, 0.35)	-0.29 (-0.43, -0.14)	0.24 (0.16, 0.32)	0.37 (0.30, 0.44)	-0.13 (-0.30, 0.03)
60-64	Prevalence	Male	0.51 (0.36, 0.66)	0.19 (0.05, 0.33)	-0.20 (-0.37, -0.04)	0.22 (0.12, 0.32)	0.39 (0.30, 0.49)	-0.12 (-0.37, 0.14)
65-69	Prevalence	Male	0.49 (0.30, 0.68)	0.22 (0.03, 0.41)	-0.08 (-0.28, 0.11)	0.26 (0.14, 0.39)	0.43 (0.30, 0.55)	-0.09 (-0.46, 0.29)
70-74	Prevalence	Male	0.56 (0.27, 0.86)	0.36 (0.05, 0.67)	0.05 (-0.23, 0.34)	0.32 (0.14, 0.51)	0.46 (0.27, 0.66)	-0.06 (-0.71, 0.60)
10-14	Prevalence	Female	0.99 (0.82, 1.17)	0.38 (0.23, 0.53)	0.17 (-0.17, 0.52)	0.62 (0.49, 0.75)	0.73 (0.67, 0.78)	0.45 (0.33, 0.57)
15-19	Prevalence	Female	0.84 (0.73, 0.95)	0.36 (0.26, 0.46)	0.00 (-0.21, 0.21)	0.55 (0.48, 0.62)	0.60 (0.56, 0.64)	0.20 (0.11, 0.28)
20-24	Prevalence	Female	0.77 (0.68, 0.85)	0.35 (0.27, 0.44)	-0.18 (-0.35, -0.00)	0.50 (0.45, 0.56)	0.45 (0.42, 0.48)	-0.05 (-0.12, 0.02)
25-29	Prevalence	Female	0.72 (0.64, 0.79)	0.31 (0.22, 0.39)	-0.32 (-0.49, -0.15)	0.47 (0.42, 0.52)	0.31 (0.28, 0.34)	-0.26 (-0.32, -0.20)
30-34	Prevalence	Female	0.64 (0.57, 0.72)	0.24 (0.16, 0.33)	-0.41 (-0.59, -0.24)	0.44 (0.39, 0.48)	0.23 (0.20, 0.25)	-0.38 (-0.43, -0.32)
35-39	Prevalence	Female	0.55 (0.47, 0.63)	0.20 (0.11, 0.29)	-0.46 (-0.64, -0.28)	0.40 (0.35, 0.45)	0.20 (0.17, 0.23)	-0.40 (-0.46, -0.34)
40-44	Prevalence	Female	0.45 (0.36, 0.53)	0.22 (0.13, 0.31)	-0.47 (-0.67, -0.27)	0.35 (0.29, 0.40)	0.21 (0.17, 0.24)	-0.37 (-0.44, -0.30)

45-49	Prevalence	Female	0.35 (0.25, 0.44)	0.28 (0.18, 0.38)	-0.46 (-0.68, -0.24)	0.25 (0.20, 0.31)	0.23 (0.20, 0.27)	-0.32 (-0.41, -0.23)
50-54	Prevalence	Female	0.25 (0.14, 0.37)	0.31 (0.20, 0.42)	-0.45 (-0.69, -0.21)	0.12 (0.06, 0.18)	0.26 (0.21, 0.31)	-0.24 (-0.37, -0.12)
55-59	Prevalence	Female	0.16 (0.03, 0.29)	0.31 (0.18, 0.44)	-0.41 (-0.67, -0.14)	-0.03 (-0.09, 0.04)	0.29 (0.23, 0.34)	-0.16 (-0.33, 0.02)
60-64	Prevalence	Female	0.11 (-0.04, 0.27)	0.28 (0.12, 0.43)	-0.32 (-0.63, -0.00)	-0.13 (-0.21, -0.06)	0.30 (0.23, 0.37)	-0.07 (-0.31, 0.16)
65-69	Prevalence	Female	0.15 (-0.05, 0.35)	0.26 (0.05, 0.47)	-0.19 (-0.59, 0.21)	-0.16 (-0.25, -0.06)	0.31 (0.21, 0.40)	-0.02 (-0.34, 0.30)
70-74	Prevalence	Female	0.29 (-0.02, 0.60)	0.29 (-0.05, 0.63)	-0.01 (-0.60, 0.59)	-0.14 (-0.27, -0.01)	0.30 (0.15, 0.45)	0.00 (-0.52, 0.52)
10-14	Incidence	Both	0.98 (0.79, 1.17)	0.35 (0.18, 0.51)	0.21 (-0.12, 0.54)	0.91 (0.75, 1.06)	0.65 (0.58, 0.73)	0.32 (0.14, 0.50)
15-19	Incidence	Both	0.88 (0.76, 1.00)	0.44 (0.32, 0.56)	0.00 (-0.22, 0.22)	0.88 (0.79, 0.98)	0.54 (0.49, 0.59)	0.05 (-0.07, 0.18)
20-24	Incidence	Both	0.90 (0.80, 1.00)	0.51 (0.40, 0.62)	-0.23 (-0.42, -0.04)	0.89 (0.81, 0.96)	0.47 (0.43, 0.51)	-0.11 (-0.22, -0.01)
25-29	Incidence	Both	0.92 (0.83, 1.01)	0.48 (0.37, 0.59)	-0.43 (-0.62, -0.24)	0.87 (0.80, 0.93)	0.42 (0.39, 0.46)	-0.27 (-0.36, -0.19)
30-34	Incidence	Both	0.88 (0.79, 0.97)	0.39 (0.28, 0.50)	-0.55 (-0.75, -0.36)	0.78 (0.71, 0.85)	0.42 (0.38, 0.45)	-0.33 (-0.40, -0.26)
35-39	Incidence	Both	0.79 (0.70, 0.89)	0.34 (0.23, 0.45)	-0.60 (-0.80, -0.39)	0.68 (0.61, 0.75)	0.43 (0.39, 0.47)	-0.26 (-0.33, -0.19)
40-44	Incidence	Both	0.68 (0.57, 0.78)	0.36 (0.24, 0.48)	-0.58 (-0.80, -0.37)	0.58 (0.50, 0.65)	0.46 (0.41, 0.50)	-0.30 (-0.39, -0.21)
45-49	Incidence	Both	0.56 (0.44, 0.69)	0.41 (0.28, 0.54)	-0.53 (-0.76, -0.29)	0.45 (0.36, 0.53)	0.49 (0.43, 0.54)	-0.27 (-0.38, -0.15)
50-54	Incidence	Both	0.50 (0.36, 0.64)	0.40 (0.26, 0.55)	-0.47 (-0.72, -0.22)	0.26 (0.17, 0.35)	0.48 (0.41, 0.54)	-0.23 (-0.39, -0.06)
55-59	Incidence	Both	0.46 (0.30, 0.62)	0.35 (0.18, 0.52)	-0.40 (-0.67, -0.12)	0.06 (-0.03, 0.16)	0.44 (0.36, 0.53)	-0.19 (-0.43, 0.05)
60-64	Incidence	Both	0.46 (0.28, 0.65)	0.28 (0.08, 0.48)	-0.28 (-0.59, 0.04)	-0.07 (-0.18, 0.04)	0.42 (0.31, 0.52)	-0.21 (-0.56, 0.14)
65-69	Incidence	Both	0.53 (0.29, 0.77)	0.26 (-0.00, 0.53)	-0.13 (-0.51, 0.26)	-0.07 (-0.20, 0.07)	0.42 (0.28, 0.55)	-0.19 (-0.69, 0.30)
70-74	Incidence	Both	0.67 (0.29, 1.05)	0.34 (-0.09, 0.78)	0.05 (-0.50, 0.62)	0.02 (-0.18, 0.21)	0.44 (0.22, 0.66)	-0.14 (-0.98, 0.71)
10-14	Incidence	Male	0.78 (0.57, 1.00)	0.28 (0.11, 0.45)	0.16 (-0.06, 0.38)	1.26 (1.06, 1.45)	0.57 (0.47, 0.68)	0.12 (-0.09, 0.34)
15-19	Incidence	Male	0.83 (0.70, 0.97)	0.44 (0.32, 0.56)	-0.04 (-0.18, 0.11)	1.20 (1.09, 1.32)	0.44 (0.37, 0.52)	-0.17 (-0.32, -0.02)
20-24	Incidence	Male	0.98 (0.87, 1.09)	0.59 (0.47, 0.70)	-0.25 (-0.37, -0.12)	1.25 (1.16, 1.34)	0.42 (0.36, 0.48)	-0.23 (-0.34, -0.11)
25-29	Incidence	Male	1.12 (1.02, 1.22)	0.62 (0.51, 0.73)	-0.42 (-0.55, -0.30)	1.28 (1.19, 1.36)	0.46 (0.41, 0.52)	-0.19 (-0.27, -0.10)
30-34	Incidence	Male	1.14 (1.04, 1.24)	0.58 (0.47, 0.69)	-0.54 (-0.67, -0.41)	1.18 (1.10, 1.27)	0.51 (0.46, 0.56)	-0.11 (-0.18, -0.04)
35-39	Incidence	Male	1.09 (0.98, 1.19)	0.53 (0.41, 0.65)	-0.57 (-0.70, -0.43)	1.01 (0.92, 1.10)	0.54 (0.48, 0.59)	-0.10 (-0.18, -0.03)
40-44	Incidence	Male	1.00 (0.88, 1.12)	0.51 (0.39, 0.64)	-0.54 (-0.68, -0.40)	0.81 (0.72, 0.91)	0.54 (0.48, 0.60)	-0.15 (-0.24, -0.07)

45-49	Incidence	Male	0.91 (0.78, 1.05)	0.49 (0.36, 0.63)	-0.47 (-0.63, -0.32)	0.62 (0.52, 0.72)	0.53 (0.46, 0.60)	-0.17 (-0.28, -0.07)
50-54	Incidence	Male	0.85 (0.69, 1.01)	0.41 (0.26, 0.56)	-0.42 (-0.59, -0.26)	0.43 (0.32, 0.55)	0.51 (0.42, 0.60)	-0.17 (-0.33, -0.02)
55-59	Incidence	Male	0.78 (0.60, 0.95)	0.31 (0.13, 0.48)	-0.35 (-0.53, -0.17)	0.31 (0.18, 0.44)	0.51 (0.40, 0.62)	-0.16 (-0.40, 0.08)
60-64	Incidence	Male	0.70 (0.50, 0.91)	0.25 (0.04, 0.45)	-0.24 (-0.44, -0.04)	0.28 (0.14, 0.43)	0.54 (0.40, 0.69)	-0.14 (-0.50, 0.22)
65-69	Incidence	Male	0.69 (0.43, 0.95)	0.31 (0.04, 0.58)	-0.09 (-0.33, 0.15)	0.36 (0.17, 0.55)	0.59 (0.40, 0.78)	-0.11 (-0.64, 0.43)
70-74	Incidence	Male	0.78 (0.39, 1.17)	0.53 (0.09, 0.98)	0.07 (-0.27, 0.42)	0.46 (0.19, 0.73)	0.64 (0.34, 0.94)	-0.07 (-1.00, 0.87)
10-14	Incidence	Female	1.10 (0.91, 1.28)	0.41 (0.23, 0.58)	0.26 (-0.18, 0.69)	0.73 (0.58, 0.88)	0.81 (0.75, 0.87)	0.48 (0.38, 0.59)
15-19	Incidence	Female	0.93 (0.81, 1.06)	0.44 (0.32, 0.57)	0.05 (-0.24, 0.34)	0.71 (0.62, 0.80)	0.69 (0.64, 0.73)	0.20 (0.12, 0.27)
20-24	Incidence	Female	0.86 (0.76, 0.96)	0.47 (0.35, 0.58)	-0.20 (-0.46, 0.05)	0.70 (0.63, 0.78)	0.53 (0.49, 0.56)	-0.10 (-0.16, -0.03)
25-29	Incidence	Female	0.81 (0.72, 0.90)	0.41 (0.30, 0.52)	-0.42 (-0.67, -0.17)	0.69 (0.62, 0.75)	0.37 (0.34, 0.41)	-0.36 (-0.42, -0.30)
30-34	Incidence	Female	0.72 (0.63, 0.82)	0.32 (0.21, 0.44)	-0.56 (-0.82, -0.31)	0.64 (0.57, 0.70)	0.29 (0.25, 0.32)	-0.50 (-0.55, -0.45)
35-39	Incidence	Female	0.62 (0.52, 0.72)	0.27 (0.16, 0.39)	-0.62 (-0.89, -0.35)	0.58 (0.51, 0.65)	0.26 (0.22, 0.30)	-0.52 (-0.57, -0.46)
40-44	Incidence	Female	0.50 (0.40, 0.61)	0.31 (0.18, 0.43)	-0.62 (-0.90, -0.33)	0.48 (0.41, 0.56)	0.28 (0.24, 0.32)	-0.47 (-0.54, -0.41)
45-49	Incidence	Female	0.39 (0.27, 0.51)	0.38 (0.25, 0.52)	-0.59 (-0.90, -0.27)	0.33 (0.25, 0.41)	0.33 (0.28, 0.37)	-0.40 (-0.49, -0.31)
50-54	Incidence	Female	0.28 (0.14, 0.42)	0.41 (0.26, 0.56)	-0.55 (-0.88, -0.21)	0.13 (0.04, 0.21)	0.36 (0.30, 0.42)	-0.30 (-0.42, -0.17)
55-59	Incidence	Female	0.18 (0.01, 0.34)	0.40 (0.23, 0.57)	-0.48 (-0.84, -0.10)	-0.07 (-0.17, 0.02)	0.40 (0.33, 0.47)	-0.18 (-0.35, -0.01)
60-64	Incidence	Female	0.13 (-0.06, 0.32)	0.36 (0.15, 0.57)	-0.36 (-0.78, 0.07)	-0.20 (-0.30, -0.10)	0.42 (0.33, 0.51)	-0.08 (-0.31, 0.15)
65-69	Incidence	Female	0.18 (-0.07, 0.44)	0.34 (0.06, 0.62)	-0.21 (-0.74, 0.33)	-0.20 (-0.32, -0.08)	0.42 (0.30, 0.54)	-0.01 (-0.32, 0.30)
70-74	Incidence	Female	0.36 (-0.04, 0.75)	0.40 (-0.05, 0.85)	-0.00 (-0.79, 0.79)	-0.15 (-0.32, 0.03)	0.41 (0.21, 0.60)	0.01 (-0.50, 0.53)
10-14	DALYs	Both	0.94 (0.74, 1.13)	0.36 (0.20, 0.52)	0.23 (-0.09, 0.54)	0.87 (0.72, 1.01)	0.65 (0.57, 0.72)	0.35 (0.15, 0.56)
15-19	DALYs	Both	0.84 (0.72, 0.95)	0.41 (0.30, 0.52)	0.04 (-0.16, 0.24)	0.80 (0.72, 0.89)	0.53 (0.49, 0.58)	0.08 (-0.06, 0.22)
20-24	DALYs	Both	0.84 (0.75, 0.94)	0.46 (0.36, 0.56)	-0.16 (-0.32, 0.01)	0.77 (0.71, 0.84)	0.45 (0.41, 0.49)	-0.10 (-0.21, 0.01)
25-29	DALYs	Both	0.87 (0.79, 0.96)	0.44 (0.35, 0.53)	-0.32 (-0.49, -0.16)	0.72 (0.67, 0.78)	0.39 (0.35, 0.42)	-0.26 (-0.35, -0.17)
30-34	DALYs	Both	0.85 (0.77, 0.93)	0.36 (0.27, 0.46)	-0.44 (-0.61, -0.27)	0.63 (0.57, 0.68)	0.37 (0.33, 0.40)	-0.30 (-0.37, -0.23)
35-39	DALYs	Both	0.77 (0.68, 0.85)	0.31 (0.21, 0.41)	-0.49 (-0.67, -0.32)	0.52 (0.46, 0.58)	0.37 (0.33, 0.41)	-0.24 (-0.32, -0.16)
40-44	DALYs	Both	0.65 (0.55, 0.75)	0.31 (0.21, 0.42)	-0.49 (-0.67, -0.30)	0.43 (0.37, 0.49)	0.38 (0.34, 0.43)	-0.28 (-0.37, -0.19)

45-49	DALYs	Both	0.53 (0.42, 0.64)	0.35 (0.23, 0.46)	-0.44 (-0.64, -0.24)	0.33 (0.26, 0.40)	0.41 (0.36, 0.46)	-0.26 (-0.38, -0.14)
50-54	DALYs	Both	0.46 (0.33, 0.59)	0.33 (0.20, 0.46)	-0.40 (-0.62, -0.17)	0.19 (0.11, 0.26)	0.39 (0.33, 0.46)	-0.23 (-0.40, -0.05)
55-59	DALYs	Both	0.41 (0.27, 0.56)	0.28 (0.13, 0.43)	-0.32 (-0.57, -0.08)	0.02 (-0.06, 0.10)	0.36 (0.29, 0.44)	-0.21 (-0.46, 0.04)
60-64	DALYs	Both	0.41 (0.23, 0.58)	0.22 (0.04, 0.40)	-0.21 (-0.49, 0.07)	-0.10 (-0.19, -0.00)	0.34 (0.24, 0.44)	-0.22 (-0.59, 0.14)
65-69	DALYs	Both	0.46 (0.23, 0.68)	0.19 (-0.05, 0.43)	-0.07 (-0.42, 0.28)	-0.11 (-0.22, 0.01)	0.35 (0.22, 0.48)	-0.21 (-0.74, 0.32)
70-74	DALYs	Both	0.58 (0.23, 0.93)	0.24 (-0.15, 0.63)	0.10 (-0.42, 0.63)	-0.04 (-0.21, 0.13)	0.38 (0.17, 0.59)	-0.17 (-1.06, 0.74)
10-14	DALYs	Male	0.74 (0.53, 0.95)	0.29 (0.13, 0.45)	0.21 (-0.01, 0.42)	1.18 (1.00, 1.36)	0.58 (0.47, 0.69)	0.17 (-0.13, 0.48)
15-19	DALYs	Male	0.77 (0.64, 0.90)	0.40 (0.29, 0.51)	0.03 (-0.11, 0.17)	1.09 (0.99, 1.19)	0.44 (0.37, 0.51)	-0.13 (-0.33, 0.07)
20-24	DALYs	Male	0.91 (0.81, 1.01)	0.51 (0.41, 0.60)	-0.15 (-0.27, -0.04)	1.09 (1.01, 1.16)	0.38 (0.33, 0.44)	-0.23 (-0.38, -0.08)
25-29	DALYs	Male	1.05 (0.96, 1.14)	0.54 (0.45, 0.64)	-0.31 (-0.42, -0.20)	1.09 (1.02, 1.15)	0.40 (0.35, 0.45)	-0.20 (-0.31, -0.09)
30-34	DALYs	Male	1.10 (1.01, 1.18)	0.51 (0.42, 0.61)	-0.43 (-0.54, -0.31)	0.99 (0.92, 1.05)	0.43 (0.38, 0.48)	-0.11 (-0.21, -0.02)
35-39	DALYs	Male	1.04 (0.95, 1.14)	0.47 (0.37, 0.57)	-0.47 (-0.59, -0.35)	0.82 (0.75, 0.89)	0.45 (0.39, 0.50)	-0.11 (-0.20, -0.01)
40-44	DALYs	Male	0.95 (0.84, 1.05)	0.45 (0.34, 0.55)	-0.45 (-0.58, -0.32)	0.64 (0.56, 0.72)	0.45 (0.39, 0.51)	-0.15 (-0.25, -0.04)
45-49	DALYs	Male	0.84 (0.72, 0.96)	0.42 (0.31, 0.54)	-0.40 (-0.54, -0.26)	0.48 (0.39, 0.56)	0.44 (0.37, 0.51)	-0.17 (-0.31, -0.03)
50-54	DALYs	Male	0.76 (0.62, 0.89)	0.35 (0.22, 0.48)	-0.35 (-0.50, -0.20)	0.33 (0.24, 0.43)	0.42 (0.33, 0.50)	-0.18 (-0.38, 0.03)
55-59	DALYs	Male	0.67 (0.52, 0.83)	0.26 (0.11, 0.41)	-0.28 (-0.45, -0.12)	0.24 (0.14, 0.35)	0.41 (0.31, 0.52)	-0.17 (-0.48, 0.14)
60-64	DALYs	Male	0.60 (0.41, 0.78)	0.21 (0.03, 0.39)	-0.18 (-0.37, 0.01)	0.22 (0.10, 0.35)	0.44 (0.30, 0.58)	-0.15 (-0.63, 0.32)
65-69	DALYs	Male	0.58 (0.34, 0.81)	0.24 (0.01, 0.48)	-0.04 (-0.27, 0.19)	0.28 (0.13, 0.44)	0.48 (0.30, 0.66)	-0.12 (-0.83, 0.58)
70-74	DALYs	Male	0.65 (0.30, 1.01)	0.41 (0.02, 0.80)	0.11 (-0.22, 0.44)	0.36 (0.13, 0.59)	0.53 (0.23, 0.83)	-0.08 (-1.33, 1.17)
10-14	DALYs	Female	1.06 (0.86, 1.25)	0.42 (0.25, 0.58)	0.26 (-0.15, 0.67)	0.70 (0.56, 0.85)	0.80 (0.70, 0.89)	0.49 (0.21, 0.77)
15-19	DALYs	Female	0.90 (0.78, 1.02)	0.42 (0.31, 0.54)	0.06 (-0.19, 0.32)	0.65 (0.57, 0.73)	0.67 (0.61, 0.74)	0.22 (0.02, 0.42)
20-24	DALYs	Female	0.82 (0.73, 0.92)	0.43 (0.33, 0.53)	-0.15 (-0.36, 0.07)	0.61 (0.54, 0.67)	0.52 (0.46, 0.57)	-0.06 (-0.22, 0.11)
25-29	DALYs	Female	0.78 (0.69, 0.86)	0.38 (0.28, 0.48)	-0.32 (-0.53, -0.12)	0.56 (0.50, 0.62)	0.36 (0.31, 0.41)	-0.31 (-0.46, -0.16)
30-34	DALYs	Female	0.70 (0.61, 0.78)	0.30 (0.20, 0.40)	-0.45 (-0.66, -0.23)	0.49 (0.43, 0.55)	0.26 (0.21, 0.32)	-0.45 (-0.58, -0.31)
35-39	DALYs	Female	0.60 (0.51, 0.69)	0.25 (0.15, 0.35)	-0.50 (-0.72, -0.27)	0.42 (0.36, 0.48)	0.23 (0.17, 0.28)	-0.47 (-0.61, -0.34)
40-44	DALYs	Female	0.48 (0.38, 0.58)	0.26 (0.15, 0.37)	-0.51 (-0.75, -0.27)	0.34 (0.28, 0.40)	0.24 (0.17, 0.30)	-0.44 (-0.61, -0.27)

45-49	DALYs	Female	0.37 (0.26, 0.49)	0.32 (0.20, 0.44)	-0.49 (-0.76, -0.23)	0.22 (0.16, 0.29)	0.27 (0.20, 0.34)	-0.38 (-0.60, -0.16)
50-54	DALYs	Female	0.27 (0.14, 0.40)	0.33 (0.20, 0.47)	-0.47 (-0.76, -0.17)	0.06 (-0.01, 0.13)	0.30 (0.21, 0.39)	-0.29 (-0.61, 0.02)
55-59	DALYs	Female	0.16 (0.01, 0.32)	0.32 (0.17, 0.47)	-0.40 (-0.73, -0.08)	-0.11 (-0.19, -0.03)	0.33 (0.22, 0.44)	-0.20 (-0.62, 0.23)
60-64	DALYs	Female	0.11 (-0.07, 0.29)	0.28 (0.09, 0.47)	-0.29 (-0.67, 0.09)	-0.22 (-0.31, -0.13)	0.36 (0.22, 0.49)	-0.10 (-0.68, 0.48)
65-69	DALYs	Female	0.14 (-0.09, 0.38)	0.25 (0.00, 0.51)	-0.15 (-0.63, 0.34)	-0.23 (-0.34, -0.12)	0.37 (0.19, 0.55)	-0.05 (-0.84, 0.76)
70-74	DALYs	Female	0.29 (-0.08, 0.67)	0.29 (-0.12, 0.70)	0.05 (-0.67, 0.78)	-0.19 (-0.35, -0.04)	0.37 (0.08, 0.67)	-0.04 (-1.36, 1.29)

*Note.* BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.

**Table S6.** Fitted longitudinal age effects and 95% confidence intervals for depressive disorders and sex difference in each age group across BRICS-Plus and high-income North America from 1992 and 2021

Age group	Measure	Sex	Fitted longitudinal age effects (95% confidence interval)					
			BRICS-Plus	High-income North America	India	China	Brazil	Russia
10-14	Prevalence	Both	729.9 (700.5, 760.5)	2173.0 (2050.9, 2302.4)	640.2 (601.8, 681.0)	622.5 (569.9, 679.9)	1145.6 (1079.3, 1216.0)	670.4 (641.9, 700.1)
15-19	Prevalence	Both	2239.0 (2181.1, 2298.5)	5802.1 (5572.8, 6040.9)	2257.1 (2172.5, 2345.0)	1665.4 (1574.1, 1762.0)	3509.3 (3378.5, 3645.2)	2210.0 (2154.5, 2267.0)
20-24	Prevalence	Both	3426.5 (3348.9, 3505.8)	6847.9 (6594.7, 7110.8)	3814.1 (3691.8, 3940.5)	2283.0 (2171.9, 2399.9)	5056.7 (4885.2, 5234.1)	3654.4 (3577.2, 3733.3)
25-29	Prevalence	Both	3762.3 (3678.9, 3847.5)	6799.6 (6545.8, 7063.3)	4303.6 (4167.7, 4443.8)	2478.0 (2361.9, 2599.7)	4920.8 (4750.9, 5096.9)	4261.0 (4175.2, 4348.5)
30-34	Prevalence	Both	4069.0 (3979.4, 4160.7)	6804.0 (6545.5, 7072.6)	4673.3 (4526.7, 4824.7)	2716.0 (2590.7, 2847.4)	4948.0 (4774.3, 5128.0)	4670.6 (4577.9, 4765.1)
35-39	Prevalence	Both	4487.1 (4373.8, 4603.3)	7140.7 (6833.9, 7461.4)	5109.2 (4924.7, 5300.6)	3043.3 (2886.1, 3208.9)	5388.3 (5173.4, 5612.1)	4886.9 (4775.0, 5001.4)
40-44	Prevalence	Both	4830.9 (4704.5, 4960.6)	7146.1 (6825.5, 7481.7)	5328.7 (5127.3, 5538.0)	3423.9 (3245.1, 3612.7)	5672.8 (5435.2, 5920.8)	5104.1 (4983.0, 5228.2)
45-49	Prevalence	Both	5075.5 (4936.8, 5218.1)	6550.1 (6238.7, 6877.1)	5347.5 (5133.1, 5570.8)	3814.3 (3611.2, 4028.9)	5737.0 (5481.2, 6004.7)	5321.2 (5189.8, 5455.9)
50-54	Prevalence	Both	5287.8 (5135.3, 5444.9)	5841.3 (5544.1, 6154.5)	5387.3 (5156.1, 5628.8)	4169.0 (3939.1, 4412.3)	5782.4 (5507.4, 6071.1)	5431.5 (5291.6, 5575.0)
55-59	Prevalence	Both	5523.8 (5354.6, 5698.4)	5074.1 (4793.9, 5370.7)	5464.4 (5214.0, 5726.8)	4517.6 (4256.8, 4794.4)	5856.5 (5557.3, 6171.9)	5461.9 (5315.7, 5612.1)
60-64	Prevalence	Both	5732.3 (5545.7, 5925.2)	4445.7 (4174.9, 4733.9)	5500.5 (5232.1, 5782.6)	4821.7 (4530.6, 5131.4)	5785.6 (5464.0, 6126.0)	5500.2 (5345.0, 5659.9)
65-69	Prevalence	Both	5722.0 (5521.0, 5930.4)	4127.3 (3848.2, 4426.7)	5340.8 (5057.1, 5640.6)	4941.6 (4626.4, 5278.3)	5422.7 (5087.7, 5779.7)	5563.1 (5396.0, 5735.4)
70-74	Prevalence	Both	5627.3 (5406.7, 5857.0)	3811.7 (3516.8, 4131.3)	5123.5 (4815.8, 5450.9)	4984.7 (4638.5, 5356.8)	4991.3 (4639.2, 5370.1)	5675.4 (5490.3, 5866.7)
10-14	Prevalence	Male	541.5 (519.5, 564.4)	1223.3 (1169.5, 1279.6)	514.3 (483.6, 546.9)	447.1 (414.7, 481.9)	665.7 (622.8, 711.5)	609.5 (596.7, 622.5)
15-19	Prevalence	Male	1701.4 (1657.2, 1746.8)	3614.2 (3507.5, 3724.1)	1825.5 (1757.3, 1896.4)	1227.9 (1170.8, 1287.8)	2170.0 (2082.5, 2261.1)	2054.4 (2029.4, 2079.7)
20-24	Prevalence	Male	2710.8 (2649.7, 2773.3)	4949.6 (4818.0, 5084.8)	3155.4 (3054.6, 3259.6)	1768.6 (1696.4, 1843.9)	3373.4 (3252.0, 3499.3)	3433.0 (3397.9, 3468.4)
25-29	Prevalence	Male	3027.9 (2961.2, 3096.1)	5062.8 (4928.2, 5201.0)	3604.9 (3491.4, 3722.2)	1948.4 (1872.0, 2028.0)	3349.2 (3226.4, 3476.6)	3920.4 (3881.9, 3959.3)
30-34	Prevalence	Male	3308.1 (3235.9, 3382.0)	5099.4 (4961.9, 5240.7)	3973.3 (3849.4, 4101.2)	2130.7 (2048.4, 2216.4)	3374.9 (3249.0, 3505.6)	4208.8 (4167.8, 4250.2)
35-39	Prevalence	Male	3654.1 (3562.4, 3748.1)	5225.6 (5065.1, 5391.1)	4408.2 (4249.5, 4572.8)	2341.5 (2240.1, 2447.6)	3617.4 (3463.7, 3778.0)	4315.5 (4266.9, 4364.7)
40-44	Prevalence	Male	3945.9 (3843.3, 4051.2)	5151.6 (4986.3, 5322.4)	4665.9 (4490.6, 4848.1)	2599.6 (2485.4, 2719.1)	3807.9 (3637.7, 3986.0)	4443.6 (4391.4, 4496.4)
45-49	Prevalence	Male	4156.9 (4044.0, 4273.0)	4694.2 (4534.4, 4859.6)	4732.7 (4544.4, 4928.9)	2892.1 (2762.6, 3027.7)	3912.9 (3727.0, 4108.1)	4573.1 (4516.9, 4630.1)
50-54	Prevalence	Male	4342.6 (4217.8, 4471.0)	4149.7 (3998.2, 4307.0)	4808.0 (4602.9, 5022.2)	3169.8 (3022.8, 3323.9)	4003.8 (3800.9, 4217.4)	4607.3 (4547.7, 4667.7)

55-59	Prevalence	Male	4565.4 (4425.9, 4709.2)	3570.7 (3428.5, 3718.7)	4920.2 (4695.4, 5155.7)	3454.5 (3286.9, 3630.5)	4113.0 (3889.0, 4349.9)	4590.4 (4528.0, 4653.6)
60-64	Prevalence	Male	4792.9 (4637.2, 4953.7)	3137.0 (2998.7, 3281.8)	5033.5 (4788.0, 5291.7)	3712.6 (3524.5, 3910.7)	4146.0 (3900.6, 4406.9)	4607.0 (4540.1, 4674.9)
65-69	Prevalence	Male	4852.7 (4682.5, 5029.1)	3002.6 (2855.3, 3157.5)	5017.2 (4750.5, 5298.9)	3814.9 (3610.5, 4030.9)	4003.3 (3740.4, 4284.7)	4683.1 (4609.1, 4758.2)
70-74	Prevalence	Male	4814.5 (4625.2, 5011.5)	2893.5 (2730.9, 3065.7)	4944.6 (4646.6, 5261.8)	3825.3 (3601.6, 4062.8)	3799.3 (3514.6, 4107.0)	4771.2 (4686.6, 4857.3)
10-14	Prevalence	Female	910.2 (870.5, 951.7)	3172.2 (2975.8, 3381.5)	783.3 (733.4, 836.5)	811.5 (734.4, 896.8)	1637.7 (1543.3, 1738.0)	733.7 (678.8, 793.1)
15-19	Prevalence	Female	2731.4 (2654.3, 2810.8)	8116.7 (7755.7, 8494.4)	2742.0 (2632.8, 2855.7)	2121.4 (1989.7, 2261.9)	4866.7 (4683.6, 5057.0)	2372.3 (2265.2, 2484.5)
20-24	Prevalence	Female	4056.7 (3956.1, 4159.8)	8825.5 (8451.4, 9216.2)	4526.6 (4372.2, 4686.3)	2807.1 (2651.1, 2972.3)	6742.3 (6509.6, 6983.4)	3882.9 (3735.2, 4036.5)
25-29	Prevalence	Female	4432.4 (4324.9, 4542.5)	8566.5 (8197.7, 8951.8)	5042.2 (4873.1, 5217.2)	3022.0 (2860.4, 3192.7)	6463.7 (6236.4, 6699.3)	4608.4 (4442.6, 4780.3)
30-34	Prevalence	Female	4786.2 (4670.7, 4904.6)	8506.3 (8133.1, 8896.6)	5412.5 (5231.6, 5599.6)	3318.3 (3143.5, 3502.9)	6473.0 (6241.8, 6712.8)	5135.5 (4954.4, 5323.3)
35-39	Prevalence	Female	5292.1 (5146.1, 5442.3)	9036.2 (8589.5, 9506.2)	5862.8 (5637.8, 6096.8)	3764.9 (3543.2, 4000.4)	7095.4 (6807.9, 7395.0)	5451.4 (5230.1, 5682.0)
40-44	Prevalence	Female	5703.1 (5540.1, 5870.8)	9111.1 (8641.2, 9606.7)	6071.5 (5827.2, 6326.1)	4263.4 (4009.7, 4533.1)	7465.1 (7147.6, 7796.7)	5742.0 (5501.4, 5993.1)
45-49	Prevalence	Female	5985.7 (5807.2, 6169.7)	8364.5 (7907.4, 8848.0)	6041.1 (5783.0, 6310.7)	4742.3 (4454.5, 5048.5)	7470.2 (7131.9, 7824.6)	6021.8 (5760.5, 6295.0)
50-54	Prevalence	Female	6216.3 (6020.8, 6418.2)	7481.7 (7044.8, 7945.8)	6018.2 (5743.3, 6306.3)	5156.2 (4832.3, 5501.9)	7443.9 (7084.2, 7821.9)	6169.1 (5891.6, 6459.7)
55-59	Prevalence	Female	6453.1 (6237.7, 6676.0)	6510.2 (6098.5, 6949.7)	6010.9 (5718.4, 6318.4)	5548.9 (5183.8, 5939.6)	7437.3 (7051.2, 7844.5)	6190.3 (5902.6, 6492.1)
60-64	Prevalence	Female	6624.6 (6390.0, 6867.9)	5671.6 (5277.2, 6095.6)	5926.2 (5619.7, 6249.4)	5870.1 (5466.1, 6304.0)	7226.8 (6818.8, 7659.2)	6184.3 (5883.7, 6500.2)
65-69	Prevalence	Female	6523.4 (6274.3, 6782.3)	5149.7 (4752.3, 5580.4)	5620.9 (5304.5, 5956.2)	5963.1 (5529.6, 6430.6)	6626.6 (6210.4, 7070.6)	6169.1 (5853.4, 6501.9)
70-74	Prevalence	Female	6333.9 (6064.6, 6615.1)	4614.1 (4207.1, 5060.5)	5257.0 (4923.3, 5613.3)	5985.0 (5511.9, 6498.6)	5950.4 (5523.6, 6410.2)	6232.7 (5891.8, 6593.3)
10-14	Incidence	Both	1087.7 (1040.8, 1136.7)	3689.8 (3513.1, 3875.3)	907.7 (846.0, 973.9)	936.8 (860.7, 1019.6)	1890.9 (1782.2, 2006.2)	981.7 (930.4, 1035.9)
15-19	Incidence	Both	2848.0 (2763.3, 2935.3)	7727.9 (7444.6, 8022.1)	2850.1 (2723.4, 2982.7)	2042.5 (1924.7, 2167.5)	4971.2 (4773.1, 5177.5)	2823.5 (2729.3, 2921.1)
20-24	Incidence	Both	3760.3 (3657.6, 3865.9)	8323.2 (8029.6, 8627.5)	4170.4 (4003.8, 4344.0)	2318.0 (2191.9, 2451.4)	6198.6 (5964.8, 6441.6)	4051.2 (3931.4, 4174.7)
25-29	Incidence	Both	3766.2 (3663.0, 3872.3)	7807.8 (7522.9, 8103.5)	4388.8 (4212.9, 4572.0)	2125.5 (2009.8, 2247.8)	5592.7 (5372.8, 5821.6)	4411.6 (4285.2, 4541.7)
30-34	Incidence	Both	3913.0 (3806.0, 4023.1)	7706.0 (7417.8, 8005.4)	4737.8 (4550.2, 4933.2)	2070.9 (1957.4, 2190.9)	5582.4 (5358.9, 5815.3)	4630.3 (4498.8, 4765.7)
35-39	Incidence	Both	4206.6 (4075.2, 4342.4)	8075.2 (7734.0, 8431.4)	5201.9 (4967.0, 5447.8)	2116.5 (1986.7, 2254.8)	6084.0 (5808.9, 6372.2)	4665.8 (4512.0, 4824.9)
40-44	Incidence	Both	4376.8 (4234.2, 4524.2)	7861.0 (7510.4, 8228.0)	5328.0 (5076.4, 5592.0)	2256.9 (2116.2, 2406.9)	6316.5 (6015.4, 6632.7)	4806.9 (4641.9, 4977.8)
45-49	Incidence	Both	4496.0 (4342.1, 4655.3)	7088.8 (6750.2, 7444.5)	5254.7 (4991.7, 5531.7)	2496.6 (2337.9, 2666.1)	6363.3 (6039.8, 6704.0)	5078.1 (4896.6, 5266.3)
50-54	Incidence	Both	4626.8 (4459.1, 4800.9)	6311.6 (5986.0, 6654.9)	5216.3 (4937.1, 5511.4)	2757.5 (2575.6, 2952.2)	6443.7 (6094.4, 6813.1)	5304.3 (5107.0, 5509.3)

55-59	Incidence	Both	4822.5 (4636.5, 5016.0)	5480.6 (5170.8, 5808.9)	5213.4 (4915.7, 5529.1)	3043.6 (2832.7, 3270.2)	6580.8 (6197.8, 6987.4)	5464.1 (5253.5, 5683.2)
60-64	Incidence	Both	4999.0 (4793.7, 5213.2)	4970.5 (4659.7, 5302.1)	5143.5 (4830.8, 5476.4)	3319.6 (3078.4, 3579.7)	6443.2 (6034.6, 6879.5)	5669.4 (5439.9, 5908.4)
65-69	Incidence	Both	5069.1 (4844.1, 5304.4)	4778.9 (4446.5, 5136.0)	4983.6 (4654.7, 5335.8)	3584.9 (3309.5, 3883.2)	5993.7 (5570.5, 6449.1)	5922.9 (5669.2, 6188.0)
70-74	Incidence	Both	5145.7 (4891.8, 5412.8)	4488.0 (4130.6, 4876.3)	4841.4 (4482.6, 5229.0)	3919.1 (3592.4, 4275.6)	5474.6 (5032.6, 5955.4)	6248.7 (5960.3, 6551.1)
10-14	Incidence	Male	779.4 (746.7, 813.4)	1987.9 (1912.3, 2066.6)	707.1 (660.8, 756.7)	654.1 (607.0, 704.8)	1006.9 (937.3, 1081.7)	887.6 (865.9, 909.8)
15-19	Incidence	Male	2151.6 (2090.3, 2214.7)	4894.4 (4759.7, 5032.9)	2302.6 (2204.6, 2405.0)	1512.8 (1436.9, 1592.7)	2938.5 (2803.5, 3080.0)	2669.7 (2629.2, 2710.9)
20-24	Incidence	Male	2965.5 (2888.6, 3044.3)	5997.2 (5843.4, 6155.0)	3470.8 (3338.4, 3608.4)	1803.4 (1719.0, 1891.9)	3875.9 (3708.8, 4050.6)	3863.2 (3811.3, 3915.8)
25-29	Incidence	Male	3030.2 (2951.6, 3110.9)	5774.4 (5622.6, 5930.3)	3717.3 (3575.2, 3865.2)	1684.1 (1605.4, 1766.7)	3491.0 (3333.2, 3656.2)	4110.3 (4056.2, 4165.0)
30-34	Incidence	Male	3176.1 (3094.0, 3260.4)	5676.1 (5523.3, 5833.0)	4080.7 (3926.8, 4240.6)	1625.2 (1548.5, 1705.6)	3436.9 (3278.0, 3603.6)	4193.8 (4138.6, 4249.7)
35-39	Incidence	Male	3413.6 (3312.4, 3517.9)	5738.6 (5562.8, 5920.0)	4549.6 (4353.2, 4754.7)	1605.6 (1520.5, 1695.5)	3671.9 (3479.7, 3874.7)	4104.5 (4041.6, 4168.4)
40-44	Incidence	Male	3563.5 (3453.3, 3677.2)	5480.7 (5303.1, 5664.2)	4731.4 (4518.1, 4954.7)	1676.9 (1586.2, 1772.8)	3837.4 (3625.7, 4061.5)	4139.2 (4072.6, 4206.8)
45-49	Incidence	Male	3655.2 (3536.3, 3778.0)	4902.9 (4732.4, 5079.5)	4719.1 (4493.7, 4955.9)	1832.9 (1731.7, 1940.0)	3960.1 (3727.6, 4207.1)	4282.1 (4209.9, 4355.7)
50-54	Incidence	Male	3742.6 (3613.2, 3876.5)	4329.1 (4166.1, 4498.4)	4727.7 (4485.6, 4982.9)	2001.5 (1886.7, 2123.2)	4109.0 (3852.2, 4383.0)	4385.4 (4307.6, 4464.6)
55-59	Incidence	Male	3890.7 (3747.1, 4039.8)	3734.8 (3580.0, 3896.2)	4770.2 (4508.4, 5047.1)	2187.0 (2055.2, 2327.3)	4299.6 (4011.5, 4608.4)	4463.8 (4380.9, 4548.4)
60-64	Incidence	Male	4065.7 (3905.6, 4232.3)	3442.8 (3284.5, 3608.6)	4805.0 (4523.2, 5104.2)	2375.2 (2225.0, 2535.5)	4344.4 (4028.0, 4685.7)	4639.9 (4548.1, 4733.4)
65-69	Incidence	Male	4201.6 (4022.6, 4388.6)	3442.8 (3266.9, 3628.1)	4813.8 (4507.1, 5141.5)	2565.8 (2394.0, 2749.9)	4203.9 (3864.5, 4573.1)	4896.1 (4791.6, 5002.8)
70-74	Incidence	Male	4338.5 (4132.0, 4555.4)	3374.0 (3176.5, 3583.7)	4844.4 (4496.5, 5219.1)	2795.8 (2592.0, 3015.6)	3990.1 (3623.5, 4393.6)	5165.9 (5043.4, 5291.3)
10-14	Incidence	Female	1375.5 (1308.6, 1445.9)	5481.0 (5192.1, 5786.0)	1135.6 (1050.9, 1227.2)	1241.8 (1130.9, 1363.5)	2796.7 (2641.1, 2961.5)	1078.8 (977.1, 1191.0)
15-19	Incidence	Female	3452.5 (3335.3, 3573.9)	10727.1 (10283.4, 11190.0)	3464.3 (3294.3, 3643.1)	2594.1 (2428.0, 2771.7)	7029.0 (6753.2, 7316.0)	2983.4 (2798.8, 3180.3)
20-24	Incidence	Female	4416.8 (4278.3, 4559.8)	10748.0 (10313.2, 11201.2)	4926.7 (4708.7, 5154.7)	2842.7 (2669.6, 3027.1)	8522.4 (8204.6, 8852.6)	4243.9 (4011.0, 4490.4)
25-29	Incidence	Female	4389.1 (4251.1, 4531.5)	9876.9 (9461.3, 10310.8)	5099.8 (4873.6, 5336.6)	2579.7 (2422.5, 2747.1)	7655.1 (7358.4, 7963.8)	4717.9 (4469.3, 4980.3)
30-34	Incidence	Female	4551.0 (4408.1, 4698.5)	9734.9 (9315.0, 10173.8)	5434.6 (5195.8, 5684.4)	2529.7 (2374.8, 2694.7)	7663.1 (7361.2, 7977.4)	5071.1 (4808.2, 5348.4)
35-39	Incidence	Female	4906.1 (4730.6, 5088.1)	10393.4 (9889.2, 10923.3)	5910.0 (5614.9, 6220.5)	2641.7 (2461.0, 2835.6)	8411.9 (8038.0, 8803.3)	5225.2 (4911.8, 5558.6)
40-44	Incidence	Female	5097.2 (4907.3, 5294.3)	10214.2 (9691.7, 10764.9)	6010.4 (5696.2, 6341.9)	2847.1 (2649.6, 3059.3)	8701.3 (8293.6, 9129.0)	5459.5 (5120.6, 5820.9)
45-49	Incidence	Female	5232.2 (5027.9, 5444.8)	9234.2 (8728.6, 9769.1)	5876.2 (5550.4, 6221.0)	3164.4 (2940.6, 3405.1)	8648.1 (8215.7, 9103.3)	5836.4 (5461.2, 6237.3)
50-54	Incidence	Female	5380.3 (5158.2, 5612.0)	8242.1 (7755.5, 8759.2)	5764.7 (5423.7, 6127.2)	3506.5 (3249.5, 3783.9)	8626.0 (8165.6, 9112.4)	6144.4 (5736.0, 6581.9)

55-59	Incidence	Female	5595.5 (5350.0, 5852.1)	7155.0 (6693.3, 7648.5)	5667.8 (5311.4, 6048.1)	3881.2 (3582.4, 4204.8)	8651.3 (8155.4, 9177.3)	6320.9 (5888.3, 6785.4)
60-64	Incidence	Female	5749.7 (5481.6, 6030.8)	6405.9 (5949.2, 6897.7)	5456.4 (5092.1, 5846.8)	4224.0 (3883.2, 4594.7)	8292.1 (7773.6, 8845.2)	6480.9 (6018.8, 6978.4)
65-69	Incidence	Female	5739.5 (5451.1, 6043.2)	5996.1 (5520.8, 6512.4)	5139.2 (4767.0, 5540.4)	4524.7 (4139.2, 4946.2)	7517.3 (6992.9, 8081.0)	6656.4 (6159.2, 7193.8)
70-74	Incidence	Female	5731.0 (5411.5, 6069.3)	5463.6 (4967.7, 6009.0)	4840.3 (4447.8, 5267.5)	4908.3 (4455.2, 5407.5)	6674.9 (6141.6, 7254.6)	6952.6 (6401.2, 7551.4)
10-14	DALYs	Both	125.2 (119.6, 131.0)	431.3 (407.7, 456.2)	112.3 (104.9, 120.2)	116.8 (106.9, 127.5)	111.5 (104.7, 118.8)	61.2 (58.2, 64.3)
15-19	DALYs	Both	379.3 (368.3, 390.6)	1129.8 (1085.9, 1175.6)	399.9 (383.5, 417.0)	305.1 (288.2, 323.0)	338.3 (324.9, 352.3)	200.7 (194.8, 206.8)
20-24	DALYs	Both	565.0 (550.5, 579.9)	1291.6 (1244.1, 1340.8)	668.5 (644.9, 692.9)	394.5 (374.6, 415.4)	476.7 (459.3, 494.7)	324.0 (315.9, 332.3)
25-29	DALYs	Both	595.9 (580.8, 611.4)	1243.9 (1197.2, 1292.4)	731.8 (706.2, 758.3)	394.7 (375.2, 415.2)	445.7 (429.0, 463.1)	365.5 (356.7, 374.4)
30-34	DALYs	Both	627.1 (611.2, 643.3)	1218.2 (1171.3, 1266.9)	784.3 (757.0, 812.6)	405.7 (385.7, 426.6)	437.6 (420.8, 455.0)	392.2 (382.9, 401.8)
35-39	DALYs	Both	680.8 (661.1, 701.1)	1265.2 (1210.1, 1322.8)	855.6 (821.4, 891.1)	435.0 (411.0, 460.3)	473.4 (452.8, 494.9)	400.9 (389.9, 412.2)
40-44	DALYs	Both	720.1 (698.4, 742.4)	1251.0 (1193.9, 1310.8)	884.8 (847.9, 923.4)	475.6 (449.1, 503.7)	494.4 (471.8, 518.1)	412.1 (400.3, 424.2)
45-49	DALYs	Both	745.8 (722.3, 770.1)	1131.8 (1076.8, 1189.7)	874.5 (835.8, 915.1)	526.6 (496.7, 558.4)	496.1 (471.9, 521.6)	429.2 (416.5, 442.4)
50-54	DALYs	Both	768.1 (742.5, 794.7)	1001.2 (948.7, 1056.5)	866.1 (825.0, 909.3)	575.5 (541.6, 611.6)	496.9 (471.0, 524.2)	439.1 (425.4, 453.2)
55-59	DALYs	Both	795.8 (767.6, 825.2)	860.5 (811.3, 912.7)	862.0 (818.2, 908.2)	623.2 (584.6, 664.3)	499.9 (471.8, 529.7)	442.1 (427.8, 456.9)
60-64	DALYs	Both	821.9 (790.8, 854.2)	746.5 (699.0, 797.2)	850.6 (804.5, 899.4)	665.3 (622.1, 711.4)	488.5 (458.6, 520.5)	445.5 (430.3, 461.3)
65-69	DALYs	Both	814.9 (781.4, 849.7)	687.1 (638.3, 739.8)	810.1 (762.1, 861.1)	685.2 (638.0, 735.8)	449.6 (418.8, 482.7)	451.3 (434.8, 468.3)
70-74	DALYs	Both	797.1 (760.4, 835.5)	622.9 (571.7, 678.6)	764.6 (713.1, 819.8)	699.1 (646.5, 756.0)	405.1 (373.1, 439.7)	461.0 (442.7, 480.0)
10-14	DALYs	Male	98.3 (94.1, 102.6)	238.5 (228.1, 249.2)	89.6 (83.9, 95.8)	82.8 (76.7, 89.4)	124.3 (115.4, 133.7)	111.1 (108.4, 113.9)
15-19	DALYs	Male	309.3 (300.8, 318.0)	699.3 (678.8, 720.4)	325.5 (312.5, 339.1)	224.3 (213.6, 235.6)	407.0 (388.9, 425.9)	376.5 (371.1, 382.0)
20-24	DALYs	Male	483.6 (472.0, 495.5)	935.6 (910.7, 961.1)	561.4 (542.2, 581.4)	307.1 (294.0, 320.9)	620.5 (595.6, 646.4)	616.7 (609.2, 624.3)
25-29	DALYs	Male	518.2 (505.9, 530.8)	928.6 (903.6, 954.3)	624.4 (603.2, 646.5)	312.8 (299.7, 326.5)	587.5 (563.2, 612.8)	680.1 (672.1, 688.2)
30-34	DALYs	Male	549.9 (536.9, 563.2)	914.8 (889.6, 940.6)	680.1 (657.1, 703.9)	320.9 (307.5, 334.9)	574.7 (550.4, 600.1)	713.0 (704.6, 721.5)
35-39	DALYs	Male	596.9 (580.7, 613.5)	923.5 (894.6, 953.4)	753.8 (724.4, 784.2)	335.3 (319.5, 351.8)	610.7 (581.3, 641.6)	712.1 (702.4, 722.0)
40-44	DALYs	Male	632.5 (614.6, 650.8)	896.4 (866.9, 926.9)	791.8 (759.6, 825.3)	359.6 (342.4, 377.6)	637.7 (605.4, 671.8)	720.2 (709.9, 730.7)
45-49	DALYs	Male	654.3 (635.0, 674.3)	804.8 (776.5, 834.1)	790.3 (756.2, 825.8)	395.7 (376.4, 415.9)	651.7 (616.5, 688.9)	738.5 (727.4, 749.7)
50-54	DALYs	Male	672.0 (651.0, 693.8)	704.0 (677.3, 731.7)	789.3 (752.8, 827.5)	430.3 (408.5, 453.1)	664.6 (626.3, 705.3)	743.2 (731.5, 755.2)

55-59	DALYs	Male	695.8 (672.5, 719.9)	598.5 (573.6, 624.5)	791.5 (752.2, 832.8)	465.6 (441.0, 491.7)	680.2 (638.0, 725.2)	739.2 (726.9, 751.8)
60-64	DALYs	Male	721.7 (695.9, 748.4)	521.4 (497.2, 546.9)	794.8 (752.5, 839.4)	498.0 (470.4, 527.3)	680.1 (634.1, 729.5)	741.7 (728.5, 755.2)
65-69	DALYs	Male	725.0 (696.9, 754.3)	495.4 (469.6, 522.6)	779.5 (734.2, 827.7)	513.7 (483.4, 545.9)	645.8 (597.0, 698.5)	754.8 (740.1, 769.7)
70-74	DALYs	Male	717.0 (685.6, 749.8)	468.1 (439.9, 498.1)	758.4 (708.1, 812.3)	521.4 (487.7, 557.4)	600.4 (548.3, 657.4)	770.1 (753.3, 787.3)
10-14	DALYs	Female	168.4 (160.4, 176.7)	634.3 (596.2, 674.8)	137.9 (128.1, 148.5)	153.5 (139.1, 169.3)	324.3 (304.9, 345.0)	133.9 (122.2, 146.7)
15-19	DALYs	Female	496.1 (480.8, 511.9)	1585.5 (1516.2, 1658.0)	483.3 (461.9, 505.8)	389.2 (365.0, 415.1)	950.0 (912.5, 989.1)	427.2 (404.4, 451.3)
20-24	DALYs	Female	711.9 (692.4, 732.0)	1662.6 (1592.6, 1735.6)	784.1 (754.1, 815.4)	483.6 (456.0, 512.8)	1286.5 (1239.5, 1335.3)	680.3 (649.3, 712.8)
25-29	DALYs	Female	741.7 (721.5, 762.4)	1564.6 (1496.9, 1635.3)	845.3 (813.2, 878.7)	478.8 (452.1, 507.2)	1189.7 (1145.0, 1236.2)	782.7 (748.8, 818.2)
30-34	DALYs	Female	775.7 (754.6, 797.4)	1521.2 (1453.6, 1591.9)	894.6 (860.7, 929.8)	492.9 (465.5, 522.0)	1166.4 (1121.7, 1212.9)	856.5 (820.0, 894.6)
35-39	DALYs	Female	843.0 (816.9, 870.0)	1603.6 (1523.4, 1688.1)	965.8 (924.0, 1009.5)	537.5 (504.1, 573.1)	1271.2 (1216.0, 1328.9)	890.7 (846.8, 936.8)
40-44	DALYs	Female	891.8 (863.0, 921.5)	1600.8 (1516.8, 1689.4)	990.8 (945.9, 1037.9)	593.8 (556.5, 633.7)	1326.5 (1265.9, 1390.0)	925.0 (877.9, 974.6)
45-49	DALYs	Female	923.3 (892.2, 955.5)	1452.1 (1370.9, 1538.0)	971.7 (924.8, 1020.9)	658.5 (616.2, 703.7)	1316.2 (1252.1, 1383.7)	971.6 (920.3, 1025.8)
50-54	DALYs	Female	949.8 (916.0, 984.9)	1289.9 (1212.5, 1372.3)	951.7 (902.6, 1003.4)	719.3 (671.4, 770.6)	1301.6 (1233.7, 1373.2)	999.9 (945.2, 1057.8)
55-59	DALYs	Female	978.7 (941.6, 1017.2)	1111.3 (1038.7, 1189.1)	933.6 (882.3, 988.0)	776.6 (722.4, 835.0)	1290.0 (1217.6, 1366.7)	1006.1 (949.2, 1066.4)
60-64	DALYs	Female	996.8 (956.6, 1038.7)	957.7 (888.3, 1032.6)	901.5 (848.7, 957.6)	824.4 (764.0, 889.5)	1238.6 (1162.7, 1319.4)	1006.1 (946.5, 1069.4)
65-69	DALYs	Female	971.9 (929.5, 1016.3)	861.8 (792.0, 937.8)	836.6 (783.1, 893.7)	842.0 (776.7, 912.8)	1114.7 (1038.3, 1196.7)	1004.7 (942.0, 1071.5)
70-74	DALYs	Female	936.9 (891.1, 984.9)	758.4 (687.5, 836.6)	767.9 (712.4, 827.9)	854.2 (781.8, 933.2)	979.4 (902.1, 1063.2)	1015.9 (948.2, 1088.6)
<b>Fitted longitudinal age effects (95% confidence interval)</b>								
Age group	Measure	Sex	Fitted longitudinal age effects (95% confidence interval)					
			Iran	Egypt	Ethiopia	South Africa	Saudi Arabia	UAE
10-14	Prevalence	Both	1572.0 (1534.3, 1610.6)	1713.5 (1674.0, 1754.0)	998.1 (954.2, 1044.1)	858.6 (842.0, 875.6)	1776.0 (1760.3, 1791.8)	1634.4 (1590.5, 1679.5)
15-19	Prevalence	Both	4483.9 (4412.1, 4557.0)	3806.3 (3741.2, 3872.6)	3013.1 (2919.7, 3109.5)	2927.6 (2892.5, 2963.0)	4042.2 (4016.4, 4068.2)	3650.8 (3584.1, 3718.8)
20-24	Prevalence	Both	6504.4 (6412.9, 6597.1)	4625.0 (4551.1, 4700.1)	4648.6 (4517.9, 4783.2)	4840.6 (4791.4, 4890.3)	5134.7 (5105.9, 5163.6)	4483.2 (4429.7, 4537.5)
25-29	Prevalence	Both	7199.7 (7100.9, 7299.8)	4965.1 (4885.5, 5046.1)	5377.5 (5226.8, 5532.6)	5492.1 (5438.0, 5546.7)	5560.7 (5531.1, 5590.4)	4578.4 (4532.5, 4624.8)
30-34	Prevalence	Both	7888.3 (7778.7, 7999.5)	5353.4 (5265.4, 5442.8)	5860.9 (5693.2, 6033.4)	6099.8 (6039.2, 6160.9)	5984.9 (5954.1, 6015.8)	4808.3 (4760.7, 4856.4)
35-39	Prevalence	Both	8735.6 (8589.3, 8884.4)	5959.8 (5843.9, 6078.1)	6260.7 (6046.6, 6482.3)	6885.6 (6803.9, 6968.4)	6650.8 (6609.1, 6692.8)	5369.8 (5304.4, 5436.1)
40-44	Prevalence	Both	9306.9 (9137.1, 9479.8)	6433.5 (6299.6, 6570.3)	6697.8 (6451.6, 6953.3)	7532.3 (7437.1, 7628.7)	7120.4 (7071.9, 7169.2)	5652.2 (5575.0, 5730.3)

45-49	Prevalence	Both	9390.9 (9201.7, 9584.0)	6655.6 (6505.7, 6808.9)	7247.3 (6956.4, 7550.4)	7911.6 (7803.7, 8020.9)	7212.5 (7157.5, 7267.9)	5538.3 (5451.2, 5626.7)
50-54	Prevalence	Both	9361.1 (9151.6, 9575.4)	6813.9 (6647.4, 6984.7)	7738.3 (7398.1, 8094.2)	8143.6 (8023.2, 8265.9)	7256.5 (7192.8, 7320.8)	5384.1 (5283.4, 5486.6)
55-59	Prevalence	Both	9230.9 (8999.0, 9468.9)	6929.2 (6743.5, 7119.9)	8189.0 (7795.7, 8602.2)	8299.2 (8165.1, 8435.6)	7266.3 (7192.3, 7340.9)	5230.9 (5108.3, 5356.5)
60-64	Prevalence	Both	8961.5 (8706.3, 9224.3)	6893.0 (6687.1, 7105.2)	8573.9 (8123.8, 9048.9)	8509.2 (8358.6, 8662.5)	7196.7 (7109.3, 7285.2)	5028.1 (4872.9, 5188.2)
65-69	Prevalence	Both	8504.9 (8223.8, 8795.7)	6635.7 (6406.2, 6873.3)	8862.8 (8348.7, 9408.6)	8807.9 (8634.1, 8985.2)	6896.2 (6793.9, 7000.1)	4736.3 (4529.9, 4952.0)
70-74	Prevalence	Both	7981.7 (7668.7, 8307.5)	6375.9 (6100.1, 6664.2)	9165.9 (8562.8, 9811.4)	9083.5 (8879.4, 9292.2)	6534.4 (6409.6, 6661.7)	4387.8 (4090.1, 4707.1)
10-14	Prevalence	Male	1112.9 (1083.7, 1143.0)	1254.8 (1226.5, 1283.7)	872.9 (845.3, 901.4)	612.1 (598.0, 626.4)	1401.7 (1384.0, 1419.5)	1442.2 (1400.7, 1484.9)
15-19	Prevalence	Male	3251.2 (3194.8, 3308.6)	2829.7 (2782.5, 2877.7)	2639.7 (2580.6, 2700.3)	2283.3 (2252.0, 2315.1)	3274.6 (3245.5, 3303.8)	3356.9 (3295.0, 3420.0)
20-24	Prevalence	Male	4904.8 (4831.0, 4979.8)	3514.7 (3460.1, 3570.2)	4082.7 (3999.2, 4168.0)	4052.1 (4005.9, 4098.9)	4290.7 (4258.1, 4323.6)	4250.6 (4206.1, 4295.5)
25-29	Prevalence	Male	5520.0 (5439.1, 5602.1)	3755.1 (3696.5, 3814.5)	4700.8 (4604.1, 4799.6)	4570.5 (4519.9, 4621.6)	4668.4 (4635.2, 4701.9)	4269.4 (4232.9, 4306.2)
30-34	Prevalence	Male	6095.5 (6005.1, 6187.2)	4056.2 (3991.6, 4121.9)	5171.5 (5062.8, 5282.4)	5000.3 (4944.3, 5057.0)	5071.8 (5037.4, 5106.4)	4457.3 (4419.6, 4495.4)
35-39	Prevalence	Male	6740.1 (6619.4, 6863.0)	4571.8 (4485.6, 4659.7)	5608.3 (5468.2, 5752.0)	5469.6 (5395.1, 5545.2)	5681.4 (5634.6, 5728.6)	5000.7 (4947.5, 5054.4)
40-44	Prevalence	Male	7204.7 (7063.9, 7348.4)	4950.5 (4850.6, 5052.4)	6061.5 (5899.7, 6227.7)	5988.0 (5900.5, 6076.8)	6110.5 (6056.1, 6165.4)	5323.4 (5260.1, 5387.5)
45-49	Prevalence	Male	7331.1 (7172.5, 7493.1)	5068.6 (4957.8, 5182.0)	6569.8 (6379.4, 6766.0)	6564.7 (6461.0, 6670.2)	6196.7 (6135.1, 6258.8)	5294.2 (5221.8, 5367.6)
50-54	Prevalence	Male	7381.8 (7204.0, 7564.1)	5134.5 (5012.4, 5259.7)	7017.6 (6795.2, 7247.3)	7045.6 (6924.7, 7168.6)	6228.7 (6157.6, 6300.6)	5198.1 (5113.7, 5284.0)
55-59	Prevalence	Male	7367.2 (7167.5, 7572.5)	5180.3 (5045.2, 5318.9)	7443.3 (7186.4, 7709.5)	7470.1 (7330.0, 7612.9)	6242.9 (6160.6, 6326.4)	5090.6 (4986.5, 5196.9)
60-64	Prevalence	Male	7276.3 (7052.4, 7507.3)	5229.7 (5079.0, 5384.9)	7877.0 (7581.9, 8183.6)	7740.2 (7579.7, 7904.1)	6225.1 (6127.0, 6324.9)	4898.6 (4765.5, 5035.4)
65-69	Prevalence	Male	7130.3 (6876.9, 7393.1)	5260.4 (5087.0, 5439.7)	8314.5 (7974.3, 8669.2)	7786.4 (7602.4, 7974.9)	6122.3 (6005.6, 6241.2)	4645.7 (4464.4, 4834.3)
70-74	Prevalence	Male	6921.7 (6633.9, 7222.1)	5269.2 (5054.2, 5493.4)	8754.5 (8353.7, 9174.6)	7801.4 (7585.4, 8023.5)	5967.3 (5822.4, 6115.7)	4391.9 (4118.7, 4683.3)
10-14	Prevalence	Female	2045.0 (1994.3, 2097.0)	2206.3 (2152.2, 2261.7)	1128.0 (1065.6, 1194.1)	1105.1 (1084.0, 1126.5)	2158.1 (2140.0, 2176.3)	1919.2 (1879.7, 1959.4)
15-19	Prevalence	Female	5744.0 (5648.0, 5841.6)	4840.5 (4752.5, 4930.1)	3390.6 (3259.0, 3527.6)	3559.1 (3516.3, 3602.4)	4893.0 (4862.7, 4923.5)	4200.6 (4137.8, 4264.2)
20-24	Prevalence	Female	8112.1 (7992.4, 8233.7)	5774.5 (5676.3, 5874.4)	5191.2 (5009.1, 5379.9)	5620.7 (5562.6, 5679.4)	6161.3 (6127.2, 6195.6)	5240.7 (5178.0, 5304.3)
25-29	Prevalence	Female	8910.6 (8782.2, 9041.0)	6209.9 (6103.8, 6317.8)	6002.0 (5793.8, 6217.7)	6421.0 (6356.7, 6486.0)	6741.5 (6705.7, 6777.5)	5842.8 (5780.8, 5905.4)
30-34	Prevalence	Female	9733.7 (9591.4, 9878.2)	6705.3 (6587.8, 6824.9)	6502.8 (6272.6, 6741.5)	7225.7 (7153.1, 7299.1)	7353.3 (7314.9, 7391.9)	6452.1 (6384.8, 6520.1)
35-39	Prevalence	Female	10818.2 (10627.9, 11012.0)	7421.8 (7267.9, 7579.1)	6887.7 (6595.2, 7193.3)	8311.5 (8212.5, 8411.8)	8203.3 (8150.8, 8256.0)	7285.2 (7195.5, 7376.0)

40-44	Prevalence	Female	11499.0 (11279.0, 11723.3)	8021.5 (7843.3, 8203.7)	7348.0 (7010.9, 7701.3)	9061.5 (8947.0, 9177.4)	8759.3 (8698.1, 8820.9)	7663.8 (7558.0, 7771.2)
45-49	Prevalence	Female	11528.9 (11285.5, 11777.5)	8375.6 (8174.6, 8581.5)	7985.4 (7583.2, 8409.0)	9216.5 (9091.2, 9343.5)	8803.6 (8734.6, 8873.3)	7303.6 (7187.0, 7422.2)
50-54	Prevalence	Female	11391.6 (11125.0, 11664.7)	8660.9 (8435.7, 8892.1)	8525.2 (8054.4, 9023.6)	9222.3 (9086.3, 9360.2)	8754.1 (8674.9, 8833.9)	6886.5 (6756.3, 7019.3)
55-59	Prevalence	Female	11126.7 (10834.6, 11426.6)	8929.8 (8675.2, 9191.9)	9007.5 (8462.8, 9587.3)	9130.0 (8983.0, 9279.4)	8676.8 (8585.8, 8768.8)	6467.3 (6316.0, 6622.2)
60-64	Prevalence	Female	10636.6 (10320.5, 10962.5)	8912.9 (8628.2, 9207.0)	9347.6 (8726.1, 10013.5)	9214.6 (9053.1, 9378.9)	8429.1 (8323.7, 8535.8)	5995.4 (5814.6, 6181.8)
65-69	Prevalence	Female	9849.9 (9509.1, 10202.8)	8366.8 (8054.6, 8691.1)	9485.1 (8780.4, 10246.4)	9596.2 (9410.7, 9785.2)	7879.3 (7757.8, 8002.7)	5426.6 (5202.8, 5660.2)
70-74	Prevalence	Female	9009.7 (8636.8, 9398.6)	7751.7 (7387.3, 8134.1)	9635.2 (8812.4, 10534.7)	9935.4 (9719.7, 10155.9)	7262.5 (7116.6, 7411.3)	4833.9 (4535.8, 5151.6)
10-14	Incidence	Both	2523.6 (2456.5, 2592.6)	2661.6 (2588.9, 2736.4)	1469.9 (1390.5, 1553.8)	1272.8 (1242.4, 1303.9)	2723.1 (2692.7, 2753.8)	2520.9 (2446.1, 2597.9)
15-19	Incidence	Both	6109.1 (5992.0, 6228.5)	4790.3 (4685.6, 4897.3)	3622.2 (3472.5, 3778.3)	3775.3 (3715.1, 3836.5)	5137.9 (5093.3, 5182.9)	4644.1 (4543.0, 4747.4)
20-24	Incidence	Both	8011.7 (7872.5, 8153.3)	5235.1 (5124.8, 5347.9)	4861.3 (4671.4, 5058.9)	5386.7 (5310.3, 5464.2)	5904.0 (5857.5, 5950.9)	5138.0 (5061.3, 5215.8)
25-29	Incidence	Both	8536.5 (8390.2, 8685.4)	5324.1 (5209.5, 5441.3)	5306.9 (5097.1, 5525.4)	5691.8 (5612.0, 5772.8)	6089.0 (6042.7, 6135.7)	4924.2 (4861.1, 4988.2)
30-34	Incidence	Both	9327.0 (9164.8, 9492.0)	5728.1 (5601.7, 5857.4)	5762.1 (5529.6, 6004.3)	6316.0 (6226.8, 6406.4)	6543.6 (6495.6, 6591.9)	5180.2 (5115.1, 5246.0)
35-39	Incidence	Both	10362.3 (10145.2, 10584.1)	6460.3 (6291.8, 6633.2)	6225.5 (5927.3, 6538.7)	7270.0 (7147.1, 7395.0)	7354.9 (7289.2, 7421.2)	5880.2 (5789.7, 5972.1)
40-44	Incidence	Both	10877.4 (10627.3, 11133.3)	6949.1 (6754.3, 7149.6)	6884.6 (6532.4, 7255.8)	8016.8 (7872.0, 8164.2)	7773.0 (7697.1, 7849.6)	6060.4 (5955.8, 6166.8)
45-49	Incidence	Both	10869.1 (10591.3, 11154.1)	7217.6 (6998.2, 7443.9)	7733.1 (7304.4, 8186.9)	8559.0 (8392.0, 8729.4)	7820.7 (7734.7, 7907.7)	5840.0 (5723.5, 5958.9)
50-54	Incidence	Both	10796.4 (10488.5, 11113.3)	7489.2 (7242.0, 7744.7)	8511.9 (7999.8, 9056.8)	9018.1 (8827.4, 9212.9)	7894.2 (7793.9, 7995.9)	5631.7 (5497.7, 5769.0)
55-59	Incidence	Both	10623.8 (10282.2, 10962.5)	7737.5 (7457.9, 8027.5)	9249.1 (8646.8, 9893.3)	9414.9 (9198.1, 9636.9)	7953.8 (7836.3, 8073.1)	5443.0 (5280.0, 5611.0)

			10976.8)						
60-64	Incidence	Both	10248.6 (9873.0, 10638.4)	7713.1 (7402.1, 8037.2)	9876.4 (9179.9, 10625.7)	9985.4 (9735.3, 10241.9)	7881.7 (7742.0, 8023.9)	5170.3 (4965.4, 5383.6)	
65-69	Incidence	Both	9719.3 (9304.1, 10153.1)	7482.4 (7133.0, 7848.8)	10443.2 (9638.4, 11315.3)	10722.5 (10425.8, 11027.6)	7598.3 (7433.4, 7766.8)	4853.1 (4581.0, 5141.4)	
70-74	Incidence	Both	9165.3 (8699.5, 9656.0)	7313.2 (6887.6, 7765.2)	11044.3 (10091.8, 12086.8)	11449.4 (11093.0, 11817.4)	7296.9 (7093.2, 7506.6)	4514.3 (4121.0, 4945.2)	
10-14	Incidence	Male	1760.8 (1709.0, 1814.3)	1917.6 (1863.6, 1973.1)	1334.0 (1285.8, 1383.9)	862.6 (836.5, 889.6)	2125.8 (2091.0, 2161.3)	2256.6 (2178.5, 2337.5)	
15-19	Incidence	Male	4435.8 (4343.3, 4530.4)	3489.1 (3410.3, 3569.6)	3391.1 (3298.1, 3486.7)	2989.7 (2932.3, 3048.2)	4101.4 (4050.2, 4153.3)	4358.7 (4254.4, 4465.5)	
20-24	Incidence	Male	6030.2 (5917.4, 6145.1)	3829.3 (3745.7, 3914.8)	4633.2 (4513.2, 4756.3)	4554.4 (4478.1, 4632.1)	4796.9 (4743.5, 4850.9)	4886.3 (4816.1, 4957.6)	
25-29	Incidence	Male	6548.5 (6427.9, 6671.2)	3826.4 (3740.9, 3913.8)	5073.1 (4939.0, 5210.8)	4758.6 (4679.5, 4839.0)	4934.3 (4881.9, 4987.3)	4559.2 (4504.3, 4614.9)	
30-34	Incidence	Male	7207.5 (7072.8, 7344.7)	4147.0 (4052.4, 4243.9)	5533.6 (5384.0, 5687.3)	5096.8 (5010.6, 5184.4)	5369.2 (5315.2, 5423.9)	4770.5 (4714.0, 4827.6)	
35-39	Incidence	Male	8006.3 (7825.5, 8191.1)	4794.8 (4665.9, 4927.3)	6010.2 (5818.0, 6208.7)	5550.4 (5435.4, 5667.8)	6123.5 (6048.7, 6199.3)	5455.9 (5375.2, 5537.9)	
40-44	Incidence	Male	8465.1 (8254.8, 8680.7)	5177.7 (5027.9, 5331.9)	6591.7 (6367.2, 6824.2)	6202.8 (6064.5, 6344.2)	6528.5 (6441.8, 6616.3)	5717.7 (5622.9, 5814.1)	
45-49	Incidence	Male	8547.8 (8311.3, 8791.0)	5293.8 (5127.0, 5466.0)	7288.2 (7019.6, 7567.0)	7077.8 (6907.2, 7252.6)	6578.7 (6480.7, 6678.2)	5619.0 (5511.6, 5728.6)	
50-54	Incidence	Male	8586.9 (8320.8, 8861.5)	5399.9 (5214.4, 5591.9)	7934.4 (7616.5, 8265.7)	7923.5 (7716.7, 8135.9)	6623.2 (6509.3, 6739.1)	5488.5 (5363.5, 5616.4)	
55-59	Incidence	Male	8560.2 (8260.2, 8871.2)	5495.6 (5288.7, 5710.6)	8566.3 (8194.5, 8954.9)	8740.3 (8492.1, 8995.7)	6662.4 (6529.4, 6798.1)	5359.7 (5205.7, 5518.2)	
60-64	Incidence	Male	8454.4 (8116.3, 8806.6)	5628.2 (5394.2, 5872.5)	9232.0 (8800.0, 9685.2)	9274.6 (8984.8, 9573.7)	6666.6 (6506.9, 6830.3)	5104.1 (4908.5, 5307.4)	
65-69	Incidence	Male	8358.0 (7970.4, 8764.5)	5804.4 (5529.3, 6093.2)	9952.4 (9447.6, 10484.2)	9564.4 (9226.4, 9914.7)	6646.4 (6453.9, 6844.6)	4840.2 (4574.0, 5121.8)	
70-74	Incidence	Male	8228.9 (7781.6, 8701.9)	6011.4 (5661.6, 6382.9)	10696.8 (10095.1, 11334.3)	9862.2 (9458.4, 10283.3)	6623.0 (6379.7, 6875.7)	4621.3 (4218.7, 5062.3)	
10-14	Incidence	Female	3309.4 (3221.0, 3400.3)	3461.7 (3363.3, 3563.0)	1611.9 (1497.8, 1734.6)	1683.9 (1645.4, 1723.2)	3331.7 (3300.5, 3363.2)	2919.3 (2868.9, 2970.6)	
15-19	Incidence	Female	7818.3 (7666.4, 7973.2)	6169.7 (6029.7, 6312.8)	3856.9 (3646.6, 4079.3)	4543.0 (4471.4, 4615.7)	6285.7 (6239.2, 6332.7)	5229.9 (5159.4, 5301.4)	
20-24	Incidence	Female	10002.0 (9824.7, 10182.5)	6691.1 (6544.9, 6840.6)	5080.2 (4818.1, 5356.4)	6209.7 (6121.6, 6299.0)	7251.3 (7201.9, 7301.1)	5968.9 (5902.0, 6036.6)	
25-29	Incidence	Female	10561.4 (10376.4, 10749.7)	6864.0 (6710.9, 7020.5)	5522.9 (5236.7, 5824.8)	6634.5 (6541.6, 6728.7)	7618.0 (7567.4, 7668.9)	6390.6 (6326.4, 6455.6)	
30-34	Incidence	Female	11509.9 (11305.5, 11718.1)	7375.8 (7206.9, 7548.5)	5974.6 (5659.2, 6307.5)	7559.0 (7453.2, 7666.2)	8306.7 (8252.6, 8361.1)	7080.8 (7011.2, 7151.0)	

35-39	Incidence	Female	12824.5 (12550.3, 13104.6)	8217.4 (7994.9, 8446.1)	6431.8 (6027.5, 6863.1)	8974.5 (8826.1, 9125.4)	9334.3 (9260.0, 9409.2)	8082.6 (7989.2, 8177.1)
40-44	Incidence	Female	13399.4 (13085.7, 13720.7)	8850.2 (8592.5, 9115.6)	7181.5 (6698.4, 7699.5)	9789.4 (9617.2, 9964.8)	9803.0 (9717.2, 9889.5)	8239.7 (8132.4, 8348.4)
45-49	Incidence	Female	13288.3 (12943.0, 13642.9)	9304.8 (9011.8, 9607.4)	8210.2 (7610.7, 8856.9)	10000.3 (9810.4, 10193.9)	9775.5 (9678.8, 9873.1)	7641.8 (7526.1, 7759.3)
50-54	Incidence	Female	13075.2 (12696.9, 13464.8)	9785.7 (9452.1, 10131.1)	9127.9 (8405.9, 9911.9)	10143.8 (9935.0, 10356.9)	9751.0 (9639.6, 9863.7)	7102.8 (6974.7, 7233.3)
55-59	Incidence	Female	12739.3 (12324.4, 13168.1)	10297.7 (9913.6, 10696.7)	9977.9 (9124.3, 10911.3)	10198.9 (9970.2, 10432.9)	9736.5 (9607.1, 9867.6)	6602.8 (6454.7, 6754.3)
60-64	Incidence	Female	12059.3 (11612.2, 12523.5)	10252.5 (9823.2, 10700.5)	10569.0 (9586.1, 11652.7)	10706.3 (10447.0, 10972.1)	9422.2 (9272.2, 9574.6)	6025.8 (5850.0, 6206.8)
65-69	Incidence	Female	11099.7 (10618.5, 11602.8)	9619.1 (9147.9, 10114.6)	10978.0 (9853.3, 12231.1)	11619.3 (11312.0, 11934.9)	8813.1 (8639.2, 8990.5)	5403.0 (5185.7, 5629.4)
70-74	Incidence	Female	10143.0 (9615.0, 10700.0)	8973.3 (8419.9, 9563.1)	11419.4 (10097.5, 12914.5)	12462.4 (12096.3, 12839.6)	8175.7 (7965.1, 8391.9)	4788.6 (4498.8, 5097.1)
<hr/>								
10-14	DALYs	Both	305.0 (296.8, 313.4)	332.8 (324.1, 341.7)	181.0 (171.7, 190.8)	156.3 (152.8, 159.9)	343.3 (339.4, 347.2)	317.6 (306.9, 328.7)
15-19	DALYs	Both	860.4 (844.9, 876.3)	718.2 (704.1, 732.5)	534.6 (515.0, 554.9)	531.5 (524.0, 539.0)	762.6 (756.3, 768.9)	690.4 (674.4, 706.8)
20-24	DALYs	Both	1228.3 (1208.6, 1248.3)	839.4 (823.9, 855.3)	800.1 (773.3, 828.0)	859.5 (849.2, 869.9)	940.0 (933.2, 946.9)	822.2 (809.6, 835.1)
25-29	DALYs	Both	1328.8 (1307.9, 1350.0)	872.3 (855.9, 888.9)	902.7 (872.3, 934.1)	937.9 (927.0, 949.1)	989.9 (983.0, 996.8)	813.0 (802.4, 823.8)
30-34	DALYs	Both	1440.3 (1417.3, 1463.7)	928.8 (910.9, 947.0)	978.5 (944.9, 1013.3)	1025.3 (1013.2, 1037.6)	1051.0 (1043.8, 1058.1)	841.1 (830.3, 852.1)
35-39	DALYs	Both	1589.5 (1558.9, 1620.7)	1035.8 (1012.2, 1060.0)	1048.7 (1005.7, 1093.5)	1155.6 (1139.1, 1172.2)	1169.7 (1160.1, 1179.4)	942.4 (927.5, 957.6)
40-44	DALYs	Both	1683.2 (1647.8, 1719.4)	1117.6 (1090.2, 1145.6)	1133.4 (1083.6, 1185.6)	1262.5 (1243.4, 1282.0)	1245.7 (1234.5, 1256.9)	987.4 (969.8, 1005.2)
45-49	DALYs	Both	1683.6 (1644.3, 1723.9)	1152.6 (1122.0, 1184.1)	1245.2 (1185.6, 1307.8)	1329.6 (1307.8, 1351.7)	1248.0 (1235.3, 1260.7)	952.7 (933.2, 972.7)
50-54	DALYs	Both	1665.9 (1622.5, 1710.5)	1179.9 (1145.8, 1214.9)	1343.9 (1273.7, 1418.1)	1374.7 (1350.2, 1399.5)	1244.1 (1229.5, 1258.8)	913.5 (891.1, 936.4)
55-59	DALYs	Both	1625.2 (1577.4, 1674.4)	1196.8 (1158.8, 1236.0)	1430.5 (1349.0, 1516.9)	1408.7 (1381.4, 1436.7)	1234.0 (1217.2, 1251.0)	870.7 (843.8, 898.6)

60-64	DALYs	Both	1553.6 (1501.5, 1607.6)	1179.4 (1137.5, 1222.8)	1499.2 (1406.0, 1598.6)	1444.4 (1413.7, 1475.8)	1202.8 (1183.0, 1222.8)	818.8 (785.1, 853.9)
65-69	DALYs	Both	1445.6 (1388.8, 1504.7)	1116.6 (1070.4, 1164.8)	1541.1 (1435.2, 1654.7)	1496.0 (1460.5, 1532.4)	1128.1 (1105.3, 1151.5)	751.7 (707.5, 798.6)
70-74	DALYs	Both	1329.7 (1267.1, 1395.3)	1055.6 (1000.5, 1113.7)	1578.3 (1455.3, 1711.6)	1537.1 (1495.5, 1579.8)	1049.2 (1021.5, 1077.6)	677.8 (615.1, 746.8)
10-14	DALYs	Male	214.9 (208.6, 221.3)	242.1 (235.7, 248.6)	162.4 (156.6, 168.4)	108.8 (105.9, 111.9)	269.8 (265.1, 274.5)	282.6 (268.7, 297.2)
15-19	DALYs	Male	624.8 (612.7, 637.2)	528.6 (518.1, 539.3)	486.5 (474.1, 499.2)	415.9 (409.1, 422.8)	613.1 (605.5, 620.8)	640.6 (620.1, 661.8)
20-24	DALYs	Male	932.2 (916.5, 948.3)	630.6 (618.8, 642.6)	737.0 (719.9, 754.6)	734.2 (724.2, 744.4)	780.5 (772.1, 789.0)	786.4 (771.8, 801.2)
25-29	DALYs	Male	1030.4 (1013.4, 1047.7)	652.7 (640.4, 665.3)	830.1 (810.5, 850.2)	797.0 (786.4, 807.8)	827.1 (818.7, 835.6)	762.3 (750.6, 774.2)
30-34	DALYs	Male	1130.7 (1111.8, 1149.9)	698.6 (685.1, 712.4)	906.7 (884.8, 929.0)	852.4 (840.9, 864.2)	887.9 (879.3, 896.6)	782.4 (770.5, 794.5)
35-39	DALYs	Male	1250.2 (1224.9, 1276.1)	795.0 (776.8, 813.6)	982.9 (954.8, 1011.9)	919.9 (904.6, 935.4)	998.3 (986.6, 1010.1)	881.6 (864.8, 898.7)
40-44	DALYs	Male	1331.1 (1301.5, 1361.3)	862.5 (841.4, 884.2)	1065.5 (1032.9, 1099.1)	1004.8 (986.9, 1023.2)	1070.1 (1056.5, 1083.9)	935.7 (915.8, 956.1)
45-49	DALYs	Male	1343.0 (1309.9, 1377.0)	877.8 (854.4, 901.8)	1161.0 (1122.5, 1200.8)	1113.8 (1092.2, 1135.8)	1072.9 (1057.6, 1088.4)	917.4 (894.9, 940.4)
50-54	DALYs	Male	1339.1 (1302.1, 1377.1)	885.1 (859.3, 911.6)	1243.6 (1198.5, 1290.3)	1211.2 (1185.7, 1237.3)	1064.6 (1047.1, 1082.4)	888.6 (862.6, 915.4)
55-59	DALYs	Male	1319.0 (1277.7, 1361.5)	885.4 (857.0, 914.6)	1318.4 (1266.4, 1372.5)	1299.1 (1269.2, 1329.7)	1053.9 (1033.7, 1074.4)	853.5 (821.9, 886.3)
60-64	DALYs	Male	1281.6 (1235.8, 1329.2)	885.2 (853.8, 917.9)	1392.5 (1332.9, 1454.8)	1348.7 (1314.3, 1383.9)	1031.3 (1007.5, 1055.7)	804.5 (764.6, 846.5)
65-69	DALYs	Male	1234.7 (1183.2, 1288.4)	881.4 (845.4, 919.0)	1460.2 (1391.8, 1531.9)	1349.0 (1309.8, 1389.4)	993.2 (965.2, 1022.0)	744.8 (691.3, 802.3)
70-74	DALYs	Male	1177.9 (1119.9, 1238.9)	875.4 (830.8, 922.4)	1521.3 (1441.4, 1605.6)	1343.3 (1297.4, 1390.8)	951.0 (916.5, 986.8)	687.9 (609.0, 777.0)
10-14	DALYs	Female	397.8 (386.9, 409.0)	430.2 (418.4, 442.2)	200.4 (187.2, 214.5)	203.9 (199.5, 208.4)	418.4 (412.2, 424.6)	368.2 (351.0, 386.2)
15-19	DALYs	Female	1101.2 (1080.7, 1122.2)	918.9 (900.1, 938.1)	583.2 (555.8, 612.0)	644.5 (635.6, 653.5)	928.4 (918.2, 938.7)	782.7 (755.7, 810.6)
20-24	DALYs	Female	1525.7 (1500.4, 1551.5)	1055.6 (1035.1, 1076.5)	860.7 (823.6, 899.3)	983.3 (971.4, 995.2)	1134.2 (1123.0, 1145.6)	940.7 (914.3, 967.9)
25-29	DALYs	Female	1632.7 (1606.1, 1659.8)	1098.0 (1076.4, 1120.0)	969.6 (928.1, 1012.9)	1080.2 (1067.5, 1093.1)	1205.4 (1193.8, 1217.1)	1019.0 (993.4, 1045.3)
30-34	DALYs	Female	1759.3 (1730.1, 1789.0)	1168.6 (1145.0, 1192.7)	1045.4 (999.8, 1093.1)	1202.3 (1188.1, 1216.7)	1295.3 (1283.1, 1307.7)	1112.7 (1085.2, 1140.9)
35-39	DALYs	Female	1944.4 (1905.5, 1984.1)	1289.5 (1258.6, 1321.2)	1112.0 (1053.8, 1173.3)	1390.9 (1371.4, 1410.7)	1444.3 (1427.6, 1461.2)	1255.2 (1218.7, 1292.8)
40-44	DALYs	Female	2051.7 (2006.9, 2097.4)	1391.0 (1355.2, 1427.7)	1202.8 (1135.1, 1274.6)	1514.8 (1492.2, 1537.7)	1530.6 (1511.2, 1550.3)	1306.7 (1264.1, 1350.8)
45-49	DALYs	Female	2038.7 (1989.4, 2089.2)	1450.7 (1410.3, 1492.2)	1336.5 (1254.3, 1424.1)	1537.7 (1513.0, 1562.7)	1522.2 (1500.4, 1544.4)	1221.4 (1175.1, 1269.5)
50-54	DALYs	Female	2002.5 (1948.6, 2057.9)	1503.9 (1458.4, 1550.7)	1452.4 (1354.9, 1556.9)	1537.9 (1511.2, 1565.2)	1505.5 (1480.6, 1530.9)	1135.1 (1084.0, 1188.6)
55-59	DALYs	Female	1937.7 (1879.0, 1998.3)	1552.4 (1500.9, 1605.7)	1551.9 (1438.3, 1674.5)	1525.8 (1496.8, 1555.3)	1482.4 (1453.8, 1511.6)	1047.6 (989.1, 1109.6)

60-64	DALYs	Female	1825.0 (1762.0, 1890.3)	1536.5 (1479.2, 1596.1)	1615.8 (1486.1, 1756.7)	1538.4 (1506.6, 1570.9)	1420.8 (1387.8, 1454.5)	948.8 (880.1, 1022.8)
65-69	DALYs	Female	1654.3 (1587.2, 1724.1)	1414.2 (1352.1, 1479.1)	1631.0 (1485.0, 1791.3)	1608.0 (1571.4, 1645.5)	1300.5 (1263.0, 1339.2)	835.8 (752.6, 928.2)
70-74	DALYs	Female	1480.5 (1408.0, 1556.7)	1282.5 (1210.9, 1358.3)	1641.3 (1472.7, 1829.2)	1659.4 (1616.9, 1703.0)	1176.6 (1131.9, 1223.0)	720.2 (612.9, 846.2)

*Note.* BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.

**Table S7.** Relative risk of each period compared with the reference (2012–2016) and the corresponding 95% confidence intervals for depressive disorders and sex difference across BRICS-Plus and high-income North America from 1992 and 2021

Period	Measure	Sex	Relative risk (95% confidence interval)					
			BRICS-Plus	High-income North America	India	China	Brazil	Russia
1992-1996	Prevalence	Both	1.10 (1.09, 1.12)	0.96 (0.93, 0.98)	1.19 (1.16, 1.22)	1.18 (1.14, 1.21)	1.08 (1.05, 1.11)	1.05 (1.03, 1.06)
1997-2001	Prevalence	Both	1.09 (1.08, 1.11)	1.02 (0.99, 1.05)	1.19 (1.16, 1.22)	1.10 (1.07, 1.14)	1.21 (1.18, 1.25)	1.05 (1.03, 1.06)
2002-2006	Prevalence	Both	1.10 (1.08, 1.12)	1.02 (0.99, 1.05)	1.21 (1.19, 1.24)	1.06 (1.03, 1.09)	1.25 (1.21, 1.28)	1.03 (1.01, 1.04)
2007-2011	Prevalence	Both	1.02 (1.00, 1.03)	1.01 (0.98, 1.04)	1.05 (1.03, 1.08)	1.01 (0.99, 1.04)	1.08 (1.05, 1.11)	0.99 (0.97, 1.00)
2012-2016	Prevalence	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Prevalence	Both	1.04 (1.03, 1.06)	1.06 (1.04, 1.09)	1.04 (1.02, 1.07)	1.01 (0.98, 1.03)	1.07 (1.04, 1.09)	1.05 (1.04, 1.07)
1992-1996	Prevalence	Male	1.09 (1.07, 1.10)	0.97 (0.95, 0.99)	1.14 (1.11, 1.16)	1.19 (1.16, 1.22)	1.04 (1.01, 1.07)	1.06 (1.05, 1.07)
1997-2001	Prevalence	Male	1.08 (1.07, 1.10)	1.03 (1.01, 1.05)	1.15 (1.12, 1.18)	1.12 (1.09, 1.15)	1.24 (1.21, 1.28)	1.08 (1.07, 1.09)
2002-2006	Prevalence	Male	1.09 (1.08, 1.11)	1.02 (1.00, 1.04)	1.19 (1.17, 1.22)	1.08 (1.06, 1.11)	1.27 (1.24, 1.31)	1.05 (1.04, 1.06)
2007-2011	Prevalence	Male	1.02 (1.00, 1.04)	1.01 (0.99, 1.03)	1.04 (1.02, 1.07)	1.03 (1.00, 1.05)	1.10 (1.07, 1.13)	1.00 (0.99, 1.01)
2012-2016	Prevalence	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Prevalence	Male	1.05 (1.03, 1.06)	1.07 (1.05, 1.09)	1.05 (1.03, 1.08)	1.00 (0.98, 1.03)	1.07 (1.04, 1.10)	1.05 (1.04, 1.06)
1992-1996	Prevalence	Female	1.13 (1.11, 1.15)	0.95 (0.92, 0.98)	1.23 (1.20, 1.26)	1.18 (1.14, 1.22)	1.10 (1.06, 1.13)	1.04 (1.02, 1.07)
1997-2001	Prevalence	Female	1.10 (1.08, 1.12)	1.02 (0.99, 1.06)	1.23 (1.19, 1.26)	1.09 (1.06, 1.13)	1.20 (1.16, 1.23)	1.03 (1.00, 1.05)
2002-2006	Prevalence	Female	1.10 (1.08, 1.12)	1.02 (0.99, 1.06)	1.23 (1.20, 1.26)	1.05 (1.02, 1.09)	1.23 (1.20, 1.27)	1.01 (0.98, 1.03)
2007-2011	Prevalence	Female	1.02 (1.00, 1.03)	1.01 (0.98, 1.05)	1.06 (1.04, 1.09)	1.01 (0.97, 1.04)	1.07 (1.05, 1.10)	0.98 (0.95, 1.00)
2012-2016	Prevalence	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Prevalence	Female	1.04 (1.02, 1.06)	1.06 (1.03, 1.10)	1.04 (1.01, 1.06)	1.01 (0.98, 1.04)	1.07 (1.04, 1.09)	1.05 (1.03, 1.08)
1992-1996	Incidence	Both	1.16 (1.13, 1.18)	0.88 (0.86, 0.91)	1.28 (1.24, 1.32)	1.24 (1.20, 1.29)	1.10 (1.06, 1.14)	1.08 (1.06, 1.10)
1997-2001	Incidence	Both	1.13 (1.11, 1.16)	1.04 (1.01, 1.07)	1.29 (1.25, 1.33)	1.11 (1.07, 1.15)	1.27 (1.23, 1.31)	1.08 (1.06, 1.10)
2002-2006	Incidence	Both	1.13 (1.11, 1.16)	1.06 (1.03, 1.09)	1.32 (1.28, 1.36)	1.03 (1.00, 1.07)	1.32 (1.28, 1.36)	1.04 (1.02, 1.06)
2007-2011	Incidence	Both	1.01 (0.99, 1.03)	1.06 (1.03, 1.09)	1.08 (1.05, 1.11)	0.96 (0.93, 1.00)	1.11 (1.08, 1.14)	0.98 (0.96, 1.00)

2012-2016	Incidence	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Incidence	Both	1.07 (1.05, 1.09)	1.07 (1.04, 1.10)	1.07 (1.04, 1.10)	1.01 (0.98, 1.05)	1.08 (1.05, 1.12)	1.08 (1.06, 1.10)
1992-1996	Incidence	Male	1.13 (1.10, 1.15)	0.89 (0.87, 0.91)	1.20 (1.17, 1.24)	1.26 (1.22, 1.30)	1.05 (1.01, 1.09)	1.09 (1.08, 1.10)
1997-2001	Incidence	Male	1.12 (1.09, 1.14)	1.05 (1.03, 1.07)	1.22 (1.19, 1.26)	1.15 (1.11, 1.18)	1.34 (1.29, 1.38)	1.12 (1.11, 1.13)
2002-2006	Incidence	Male	1.13 (1.11, 1.15)	1.06 (1.04, 1.08)	1.28 (1.24, 1.31)	1.07 (1.04, 1.11)	1.38 (1.34, 1.43)	1.08 (1.07, 1.09)
2007-2011	Incidence	Male	1.01 (0.99, 1.03)	1.06 (1.04, 1.08)	1.06 (1.04, 1.10)	0.99 (0.96, 1.02)	1.15 (1.11, 1.19)	1.00 (0.99, 1.01)
2012-2016	Incidence	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Incidence	Male	1.07 (1.05, 1.09)	1.08 (1.05, 1.10)	1.07 (1.05, 1.10)	1.01 (0.98, 1.04)	1.09 (1.06, 1.13)	1.08 (1.07, 1.09)
1992-1996	Incidence	Female	1.19 (1.16, 1.22)	0.87 (0.84, 0.91)	1.36 (1.31, 1.40)	1.23 (1.18, 1.29)	1.12 (1.08, 1.16)	1.07 (1.03, 1.11)
1997-2001	Incidence	Female	1.14 (1.12, 1.17)	1.03 (1.00, 1.07)	1.35 (1.30, 1.39)	1.09 (1.04, 1.13)	1.24 (1.21, 1.28)	1.05 (1.01, 1.08)
2002-2006	Incidence	Female	1.13 (1.11, 1.16)	1.05 (1.02, 1.09)	1.35 (1.31, 1.40)	1.01 (0.97, 1.05)	1.29 (1.25, 1.33)	1.01 (0.98, 1.05)
2007-2011	Incidence	Female	1.00 (0.98, 1.03)	1.06 (1.03, 1.10)	1.09 (1.06, 1.13)	0.94 (0.91, 0.98)	1.09 (1.06, 1.13)	0.97 (0.93, 1.00)
2012-2016	Incidence	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Incidence	Female	1.07 (1.05, 1.09)	1.07 (1.04, 1.11)	1.06 (1.03, 1.10)	1.02 (0.98, 1.06)	1.08 (1.05, 1.11)	1.08 (1.04, 1.12)
1992-1996	DALYs	Both	1.12 (1.10, 1.14)	0.92 (0.90, 0.95)	1.23 (1.19, 1.26)	1.21 (1.17, 1.25)	1.09 (1.05, 1.12)	1.06 (1.04, 1.08)
1997-2001	DALYs	Both	1.10 (1.08, 1.12)	1.03 (1.00, 1.07)	1.23 (1.20, 1.27)	1.11 (1.07, 1.15)	1.24 (1.20, 1.28)	1.06 (1.04, 1.07)
2002-2006	DALYs	Both	1.10 (1.08, 1.12)	1.04 (1.01, 1.07)	1.26 (1.23, 1.30)	1.05 (1.02, 1.09)	1.28 (1.24, 1.32)	1.03 (1.01, 1.04)
2007-2011	DALYs	Both	1.01 (0.99, 1.03)	1.04 (1.01, 1.07)	1.07 (1.04, 1.09)	0.99 (0.96, 1.03)	1.09 (1.06, 1.13)	0.98 (0.96, 1.00)
2012-2016	DALYs	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	DALYs	Both	1.06 (1.04, 1.08)	1.06 (1.03, 1.09)	1.06 (1.03, 1.08)	1.01 (0.98, 1.04)	1.08 (1.05, 1.11)	1.06 (1.05, 1.08)
1992-1996	DALYs	Male	1.10 (1.08, 1.13)	0.93 (0.91, 0.96)	1.16 (1.13, 1.19)	1.23 (1.19, 1.26)	1.05 (1.01, 1.08)	1.07 (1.06, 1.08)
1997-2001	DALYs	Male	1.10 (1.08, 1.12)	1.04 (1.02, 1.06)	1.18 (1.15, 1.21)	1.14 (1.11, 1.17)	1.29 (1.25, 1.33)	1.09 (1.08, 1.10)
2002-2006	DALYs	Male	1.11 (1.09, 1.13)	1.04 (1.02, 1.06)	1.23 (1.20, 1.26)	1.08 (1.05, 1.11)	1.33 (1.29, 1.37)	1.06 (1.05, 1.07)
2007-2011	DALYs	Male	1.02 (1.00, 1.03)	1.03 (1.01, 1.06)	1.05 (1.03, 1.08)	1.02 (0.99, 1.04)	1.12 (1.09, 1.16)	1.00 (0.99, 1.00)
2012-2016	DALYs	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	DALYs	Male	1.06 (1.04, 1.08)	1.07 (1.05, 1.09)	1.07 (1.04, 1.09)	1.00 (0.98, 1.03)	1.08 (1.05, 1.12)	1.07 (1.06, 1.08)

1992-1996	DALYs	Female	1.15 (1.13, 1.18)	0.92 (0.88, 0.95)	1.28 (1.25, 1.32)	1.21 (1.16, 1.25)	1.11 (1.07, 1.14)	1.05 (1.02, 1.09)
1997-2001	DALYs	Female	1.12 (1.10, 1.14)	1.03 (0.99, 1.06)	1.28 (1.24, 1.32)	1.09 (1.05, 1.14)	1.22 (1.18, 1.26)	1.03 (1.00, 1.06)
2002-2006	DALYs	Female	1.11 (1.09, 1.13)	1.04 (1.01, 1.08)	1.29 (1.25, 1.33)	1.04 (1.00, 1.08)	1.26 (1.22, 1.30)	1.00 (0.97, 1.03)
2007-2011	DALYs	Female	1.01 (0.99, 1.03)	1.04 (1.01, 1.08)	1.08 (1.05, 1.11)	0.98 (0.95, 1.02)	1.08 (1.05, 1.11)	0.97 (0.94, 1.00)
2012-2016	DALYs	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	DALYs	Female	1.05 (1.03, 1.07)	1.06 (1.03, 1.10)	1.05 (1.02, 1.08)	1.01 (0.98, 1.05)	1.07 (1.04, 1.10)	1.07 (1.03, 1.10)
			Relative risk (95% confidence interval)					
Period	Measure	Sex	Iran	Egypt	Ethiopia	South Africa	Saudi Arabia	UAE
1992-1996	Prevalence	Both	0.90 (0.89, 0.91)	1.00 (0.98, 1.01)	1.10 (1.07, 1.13)	0.98 (0.97, 0.99)	0.96 (0.95, 0.96)	1.08 (1.06, 1.09)
1997-2001	Prevalence	Both	0.88 (0.87, 0.90)	0.97 (0.96, 0.98)	1.07 (1.05, 1.10)	0.97 (0.96, 0.98)	0.96 (0.96, 0.97)	1.06 (1.05, 1.08)
2002-2006	Prevalence	Both	0.89 (0.88, 0.90)	0.97 (0.95, 0.98)	1.05 (1.02, 1.07)	0.95 (0.94, 0.96)	0.98 (0.97, 0.98)	1.04 (1.02, 1.05)
2007-2011	Prevalence	Both	0.96 (0.94, 0.97)	0.96 (0.95, 0.98)	1.01 (0.99, 1.04)	0.97 (0.96, 0.97)	0.99 (0.99, 0.99)	0.99 (0.98, 1.00)
2012-2016	Prevalence	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Prevalence	Both	1.02 (1.01, 1.03)	1.08 (1.07, 1.09)	1.04 (1.02, 1.06)	1.08 (1.07, 1.09)	1.06 (1.05, 1.06)	1.06 (1.06, 1.07)
1992-1996	Prevalence	Male	0.87 (0.86, 0.88)	0.99 (0.97, 1.00)	1.09 (1.07, 1.11)	0.94 (0.93, 0.95)	0.95 (0.94, 0.96)	1.06 (1.05, 1.08)
1997-2001	Prevalence	Male	0.87 (0.85, 0.88)	0.95 (0.94, 0.97)	1.07 (1.05, 1.09)	0.92 (0.91, 0.93)	0.96 (0.95, 0.96)	1.04 (1.03, 1.05)
2002-2006	Prevalence	Male	0.88 (0.87, 0.90)	0.94 (0.93, 0.96)	1.05 (1.03, 1.07)	0.93 (0.93, 0.94)	0.97 (0.97, 0.98)	1.02 (1.01, 1.03)
2007-2011	Prevalence	Male	0.97 (0.96, 0.98)	0.94 (0.93, 0.96)	1.02 (1.01, 1.04)	0.95 (0.95, 0.96)	0.99 (0.98, 0.99)	0.99 (0.98, 0.99)
2012-2016	Prevalence	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Prevalence	Male	1.02 (1.00, 1.03)	1.08 (1.06, 1.09)	1.04 (1.02, 1.06)	1.08 (1.07, 1.09)	1.05 (1.05, 1.06)	1.06 (1.05, 1.06)
1992-1996	Prevalence	Female	0.93 (0.91, 0.94)	1.00 (0.98, 1.01)	1.11 (1.07, 1.14)	1.00 (0.99, 1.01)	0.97 (0.96, 0.98)	1.08 (1.06, 1.09)
1997-2001	Prevalence	Female	0.90 (0.89, 0.91)	0.98 (0.96, 0.99)	1.08 (1.04, 1.11)	0.99 (0.98, 1.00)	0.97 (0.97, 0.98)	1.08 (1.06, 1.09)
2002-2006	Prevalence	Female	0.90 (0.89, 0.92)	0.97 (0.96, 0.99)	1.05 (1.02, 1.08)	0.95 (0.95, 0.96)	0.98 (0.97, 0.98)	1.05 (1.04, 1.06)
2007-2011	Prevalence	Female	0.95 (0.94, 0.96)	0.97 (0.96, 0.99)	1.01 (0.98, 1.04)	0.97 (0.96, 0.98)	0.99 (0.99, 1.00)	1.00 (0.99, 1.01)
2012-2016	Prevalence	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Prevalence	Female	1.02 (1.00, 1.03)	1.08 (1.07, 1.10)	1.04 (1.01, 1.07)	1.08 (1.08, 1.09)	1.06 (1.05, 1.06)	1.07 (1.06, 1.07)

1992-1996	Incidence	Both	0.89 (0.87, 0.90)	1.00 (0.98, 1.02)	1.13 (1.09, 1.17)	0.97 (0.96, 0.98)	0.95 (0.94, 0.95)	1.10 (1.08, 1.12)
1997-2001	Incidence	Both	0.87 (0.85, 0.88)	0.96 (0.94, 0.98)	1.10 (1.07, 1.14)	0.96 (0.94, 0.97)	0.96 (0.95, 0.96)	1.08 (1.06, 1.10)
2002-2006	Incidence	Both	0.88 (0.87, 0.89)	0.95 (0.94, 0.97)	1.07 (1.04, 1.11)	0.93 (0.92, 0.94)	0.97 (0.96, 0.98)	1.05 (1.03, 1.06)
2007-2011	Incidence	Both	0.95 (0.93, 0.96)	0.95 (0.93, 0.97)	1.02 (0.99, 1.06)	0.95 (0.94, 0.96)	0.99 (0.98, 0.99)	0.98 (0.97, 0.99)
2012-2016	Incidence	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Incidence	Both	1.03 (1.01, 1.04)	1.11 (1.09, 1.13)	1.06 (1.03, 1.09)	1.12 (1.11, 1.13)	1.08 (1.07, 1.09)	1.09 (1.08, 1.10)
1992-1996	Incidence	Male	0.84 (0.83, 0.86)	0.99 (0.97, 1.01)	1.12 (1.09, 1.15)	0.92 (0.90, 0.93)	0.93 (0.92, 0.94)	1.09 (1.06, 1.11)
1997-2001	Incidence	Male	0.84 (0.82, 0.85)	0.93 (0.91, 0.95)	1.10 (1.07, 1.12)	0.89 (0.87, 0.90)	0.94 (0.93, 0.95)	1.05 (1.03, 1.07)
2002-2006	Incidence	Male	0.86 (0.84, 0.87)	0.92 (0.90, 0.94)	1.07 (1.05, 1.09)	0.91 (0.89, 0.92)	0.96 (0.95, 0.97)	1.03 (1.01, 1.04)
2007-2011	Incidence	Male	0.97 (0.95, 0.98)	0.92 (0.90, 0.94)	1.03 (1.01, 1.06)	0.93 (0.92, 0.95)	0.98 (0.97, 0.99)	0.98 (0.97, 0.99)
2012-2016	Incidence	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Incidence	Male	1.02 (1.00, 1.04)	1.11 (1.09, 1.13)	1.05 (1.03, 1.07)	1.12 (1.11, 1.14)	1.08 (1.07, 1.08)	1.08 (1.07, 1.09)
1992-1996	Incidence	Female	0.92 (0.91, 0.94)	1.00 (0.98, 1.02)	1.13 (1.08, 1.19)	1.00 (0.99, 1.01)	0.97 (0.96, 0.97)	1.11 (1.09, 1.12)
1997-2001	Incidence	Female	0.89 (0.88, 0.91)	0.97 (0.95, 0.99)	1.11 (1.06, 1.17)	0.99 (0.98, 1.00)	0.97 (0.96, 0.98)	1.10 (1.09, 1.12)
2002-2006	Incidence	Female	0.90 (0.88, 0.91)	0.97 (0.95, 0.98)	1.07 (1.03, 1.12)	0.94 (0.92, 0.95)	0.97 (0.97, 0.98)	1.07 (1.05, 1.08)
2007-2011	Incidence	Female	0.94 (0.92, 0.95)	0.96 (0.95, 0.98)	1.01 (0.97, 1.06)	0.96 (0.95, 0.97)	0.99 (0.98, 0.99)	1.00 (0.99, 1.01)
2012-2016	Incidence	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	Incidence	Female	1.03 (1.01, 1.04)	1.11 (1.10, 1.13)	1.06 (1.02, 1.10)	1.12 (1.11, 1.13)	1.08 (1.08, 1.09)	1.09 (1.08, 1.10)
1992-1996	DALYs	Both	0.89 (0.88, 0.91)	1.00 (0.98, 1.01)	1.10 (1.07, 1.14)	0.98 (0.97, 0.99)	0.95 (0.94, 0.96)	1.09 (1.07, 1.11)
1997-2001	DALYs	Both	0.87 (0.86, 0.89)	0.96 (0.95, 0.98)	1.08 (1.05, 1.11)	0.96 (0.95, 0.97)	0.96 (0.95, 0.97)	1.07 (1.05, 1.09)
2002-2006	DALYs	Both	0.89 (0.87, 0.90)	0.96 (0.94, 0.98)	1.05 (1.02, 1.08)	0.94 (0.93, 0.95)	0.97 (0.97, 0.98)	1.04 (1.03, 1.06)
2007-2011	DALYs	Both	0.95 (0.94, 0.96)	0.96 (0.94, 0.97)	1.02 (0.99, 1.04)	0.96 (0.95, 0.97)	0.99 (0.98, 0.99)	0.99 (0.97, 1.00)
2012-2016	DALYs	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	DALYs	Both	1.02 (1.01, 1.03)	1.09 (1.08, 1.11)	1.05 (1.02, 1.08)	1.10 (1.09, 1.11)	1.07 (1.06, 1.07)	1.08 (1.06, 1.09)
1992-1996	DALYs	Male	0.85 (0.84, 0.87)	0.98 (0.97, 1.00)	1.10 (1.07, 1.12)	0.93 (0.92, 0.94)	0.94 (0.93, 0.95)	1.08 (1.05, 1.11)
1997-2001	DALYs	Male	0.85 (0.84, 0.86)	0.94 (0.92, 0.96)	1.08 (1.06, 1.10)	0.90 (0.89, 0.91)	0.95 (0.94, 0.96)	1.05 (1.02, 1.07)

2002-2006	DALYs	Male	0.87 (0.86, 0.88)	0.93 (0.92, 0.95)	1.06 (1.03, 1.08)	0.92 (0.91, 0.93)	0.97 (0.96, 0.98)	1.02 (1.00, 1.04)
2007-2011	DALYs	Male	0.97 (0.95, 0.98)	0.93 (0.92, 0.95)	1.03 (1.01, 1.05)	0.94 (0.93, 0.95)	0.98 (0.97, 0.99)	0.98 (0.97, 1.00)
2012-2016	DALYs	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	DALYs	Male	1.02 (1.01, 1.03)	1.09 (1.08, 1.11)	1.05 (1.03, 1.07)	1.10 (1.09, 1.11)	1.06 (1.05, 1.07)	1.07 (1.05, 1.08)
1992-1996	DALYs	Female	0.92 (0.91, 0.94)	1.00 (0.98, 1.02)	1.11 (1.07, 1.16)	1.01 (1.00, 1.02)	0.97 (0.96, 0.98)	1.09 (1.06, 1.13)
1997-2001	DALYs	Female	0.90 (0.88, 0.91)	0.97 (0.96, 0.99)	1.09 (1.04, 1.13)	1.00 (0.99, 1.01)	0.97 (0.96, 0.98)	1.09 (1.06, 1.13)
2002-2006	DALYs	Female	0.90 (0.89, 0.91)	0.97 (0.95, 0.99)	1.05 (1.01, 1.09)	0.95 (0.94, 0.95)	0.98 (0.97, 0.98)	1.06 (1.03, 1.09)
2007-2011	DALYs	Female	0.94 (0.93, 0.95)	0.97 (0.95, 0.98)	1.01 (0.97, 1.04)	0.96 (0.95, 0.97)	0.99 (0.98, 1.00)	1.00 (0.98, 1.02)
2012-2016	DALYs	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
2017-2021	DALYs	Female	1.02 (1.01, 1.04)	1.10 (1.08, 1.11)	1.05 (1.02, 1.09)	1.10 (1.09, 1.11)	1.07 (1.06, 1.08)	1.08 (1.06, 1.10)

*Note.* BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.

**Table S8.** Relative risk of each cohort compared with the reference (cohort 1985–1989) and the corresponding 95% confidence intervals for depressive disorders and sex difference across BRICS-Plus and high-income North America from 1992 and 2021

Cohort	Measure	Sex	Relative risk (95% confidence interval)					
			BRICS-Plus	High-income North America	India	China	Brazil	Russia
1920-1924	Prevalence	Both	1.22 (1.12, 1.32)	0.97 (0.83, 1.14)	1.64 (1.44, 1.88)	1.24 (1.08, 1.42)	1.35 (1.15, 1.58)	1.09 (1.03, 1.16)
1925-1929	Prevalence	Both	1.23 (1.16, 1.30)	0.93 (0.84, 1.04)	1.59 (1.45, 1.73)	1.31 (1.19, 1.44)	1.22 (1.10, 1.35)	1.10 (1.06, 1.14)
1930-1934	Prevalence	Both	1.24 (1.19, 1.30)	0.91 (0.83, 1.00)	1.57 (1.46, 1.68)	1.35 (1.25, 1.46)	1.16 (1.07, 1.26)	1.10 (1.06, 1.13)
1935-1939	Prevalence	Both	1.26 (1.21, 1.31)	0.91 (0.84, 0.98)	1.57 (1.48, 1.66)	1.38 (1.29, 1.49)	1.16 (1.08, 1.24)	1.09 (1.05, 1.12)
1940-1944	Prevalence	Both	1.27 (1.22, 1.31)	0.92 (0.86, 0.98)	1.55 (1.47, 1.63)	1.39 (1.30, 1.49)	1.17 (1.10, 1.24)	1.06 (1.03, 1.10)
1945-1949	Prevalence	Both	1.24 (1.20, 1.28)	0.93 (0.87, 0.98)	1.50 (1.43, 1.57)	1.38 (1.30, 1.47)	1.16 (1.10, 1.23)	1.03 (1.00, 1.06)
1950-1954	Prevalence	Both	1.21 (1.18, 1.25)	0.94 (0.89, 0.99)	1.44 (1.38, 1.51)	1.37 (1.29, 1.45)	1.15 (1.10, 1.21)	1.01 (0.99, 1.04)
1955-1959	Prevalence	Both	1.19 (1.15, 1.22)	0.96 (0.91, 1.01)	1.37 (1.32, 1.43)	1.34 (1.27, 1.42)	1.14 (1.09, 1.20)	0.99 (0.97, 1.02)
1960-1964	Prevalence	Both	1.16 (1.13, 1.19)	0.98 (0.93, 1.02)	1.31 (1.26, 1.37)	1.30 (1.24, 1.38)	1.12 (1.08, 1.17)	0.98 (0.95, 1.00)
1965-1969	Prevalence	Both	1.11 (1.08, 1.14)	0.99 (0.95, 1.03)	1.25 (1.20, 1.30)	1.26 (1.20, 1.33)	1.10 (1.05, 1.14)	0.97 (0.95, 0.99)
1970-1974	Prevalence	Both	1.08 (1.05, 1.11)	0.99 (0.95, 1.03)	1.18 (1.14, 1.22)	1.20 (1.14, 1.26)	1.06 (1.02, 1.10)	0.98 (0.96, 1.00)
1975-1979	Prevalence	Both	1.07 (1.04, 1.09)	0.96 (0.92, 1.00)	1.10 (1.07, 1.14)	1.13 (1.07, 1.19)	1.03 (0.99, 1.07)	0.99 (0.97, 1.01)
1980-1984	Prevalence	Both	1.04 (1.02, 1.07)	0.97 (0.93, 1.01)	1.04 (1.00, 1.08)	1.05 (0.99, 1.11)	1.00 (0.97, 1.04)	1.00 (0.98, 1.02)
1985-1989	Prevalence	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Prevalence	Both	1.01 (0.98, 1.04)	1.04 (1.00, 1.09)	1.00 (0.96, 1.04)	0.95 (0.89, 1.02)	0.98 (0.94, 1.02)	1.00 (0.97, 1.03)
1995-1999	Prevalence	Both	1.03 (1.00, 1.07)	1.11 (1.05, 1.17)	1.03 (0.98, 1.08)	0.91 (0.83, 0.99)	0.91 (0.86, 0.95)	1.01 (0.97, 1.05)
2000-2004	Prevalence	Both	1.06 (1.01, 1.11)	1.22 (1.14, 1.30)	1.11 (1.04, 1.18)	0.87 (0.77, 0.99)	0.81 (0.75, 0.88)	1.04 (0.98, 1.10)
2005-2009	Prevalence	Both	1.11 (1.02, 1.22)	1.36 (1.22, 1.52)	1.26 (1.12, 1.42)	0.85 (0.69, 1.06)	0.71 (0.61, 0.83)	1.10 (1.00, 1.22)
1920-1924	Prevalence	Male	1.16 (1.07, 1.26)	0.97 (0.87, 1.09)	1.38 (1.21, 1.58)	1.29 (1.15, 1.45)	1.32 (1.12, 1.57)	1.14 (1.10, 1.19)
1925-1929	Prevalence	Male	1.18 (1.12, 1.25)	0.93 (0.86, 1.01)	1.37 (1.25, 1.50)	1.35 (1.25, 1.46)	1.18 (1.05, 1.32)	1.14 (1.11, 1.16)
1930-1934	Prevalence	Male	1.20 (1.14, 1.25)	0.92 (0.86, 0.98)	1.37 (1.28, 1.47)	1.39 (1.30, 1.48)	1.12 (1.02, 1.22)	1.13 (1.11, 1.15)
1935-1939	Prevalence	Male	1.22 (1.17, 1.27)	0.92 (0.87, 0.97)	1.39 (1.31, 1.47)	1.42 (1.34, 1.50)	1.13 (1.04, 1.21)	1.11 (1.09, 1.13)

1940-1944	Prevalence	Male	1.23 (1.19, 1.28)	0.94 (0.89, 0.98)	1.40 (1.33, 1.48)	1.42 (1.34, 1.50)	1.15 (1.07, 1.23)	1.09 (1.07, 1.10)
1945-1949	Prevalence	Male	1.21 (1.17, 1.25)	0.95 (0.91, 0.99)	1.38 (1.31, 1.44)	1.41 (1.33, 1.48)	1.16 (1.09, 1.23)	1.06 (1.04, 1.07)
1950-1954	Prevalence	Male	1.18 (1.14, 1.21)	0.97 (0.93, 1.00)	1.34 (1.28, 1.40)	1.39 (1.32, 1.45)	1.16 (1.10, 1.22)	1.04 (1.03, 1.05)
1955-1959	Prevalence	Male	1.16 (1.13, 1.19)	0.99 (0.95, 1.02)	1.30 (1.24, 1.35)	1.35 (1.29, 1.42)	1.15 (1.09, 1.21)	1.02 (1.01, 1.04)
1960-1964	Prevalence	Male	1.13 (1.10, 1.16)	1.00 (0.97, 1.04)	1.25 (1.20, 1.30)	1.30 (1.25, 1.37)	1.13 (1.08, 1.19)	1.01 (1.00, 1.02)
1965-1969	Prevalence	Male	1.07 (1.05, 1.10)	1.01 (0.98, 1.04)	1.20 (1.15, 1.24)	1.25 (1.20, 1.31)	1.11 (1.06, 1.16)	1.00 (0.99, 1.01)
1970-1974	Prevalence	Male	1.05 (1.03, 1.08)	1.00 (0.97, 1.03)	1.13 (1.09, 1.17)	1.19 (1.14, 1.24)	1.07 (1.03, 1.12)	1.00 (0.99, 1.01)
1975-1979	Prevalence	Male	1.05 (1.02, 1.08)	0.98 (0.95, 1.01)	1.07 (1.04, 1.11)	1.12 (1.07, 1.17)	1.04 (1.00, 1.08)	1.00 (0.99, 1.02)
1980-1984	Prevalence	Male	1.04 (1.01, 1.06)	0.98 (0.95, 1.01)	1.02 (0.99, 1.06)	1.05 (1.00, 1.10)	1.02 (0.98, 1.06)	1.01 (1.00, 1.02)
1985-1989	Prevalence	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Prevalence	Male	1.01 (0.98, 1.04)	1.04 (1.01, 1.08)	1.01 (0.97, 1.05)	0.95 (0.90, 1.00)	0.97 (0.92, 1.02)	0.98 (0.97, 1.00)
1995-1999	Prevalence	Male	1.05 (1.01, 1.08)	1.11 (1.07, 1.15)	1.04 (0.99, 1.09)	0.89 (0.83, 0.96)	0.90 (0.85, 0.96)	0.98 (0.96, 1.00)
2000-2004	Prevalence	Male	1.09 (1.04, 1.14)	1.21 (1.15, 1.27)	1.11 (1.04, 1.19)	0.85 (0.76, 0.94)	0.84 (0.77, 0.91)	1.00 (0.98, 1.03)
2005-2009	Prevalence	Male	1.14 (1.05, 1.25)	1.34 (1.23, 1.46)	1.25 (1.11, 1.42)	0.82 (0.68, 0.99)	0.77 (0.65, 0.92)	1.07 (1.02, 1.12)
1920-1924	Prevalence	Female	1.27 (1.17, 1.39)	0.95 (0.80, 1.14)	1.91 (1.66, 2.20)	1.22 (1.05, 1.42)	1.38 (1.17, 1.62)	1.04 (0.95, 1.13)
1925-1929	Prevalence	Female	1.29 (1.22, 1.37)	0.92 (0.81, 1.04)	1.81 (1.65, 1.99)	1.30 (1.17, 1.45)	1.25 (1.12, 1.39)	1.07 (1.00, 1.14)
1930-1934	Prevalence	Female	1.31 (1.25, 1.38)	0.90 (0.81, 1.00)	1.76 (1.63, 1.89)	1.36 (1.24, 1.49)	1.18 (1.08, 1.28)	1.07 (1.01, 1.14)
1935-1939	Prevalence	Female	1.33 (1.27, 1.39)	0.90 (0.82, 0.98)	1.72 (1.62, 1.83)	1.39 (1.28, 1.51)	1.17 (1.09, 1.26)	1.06 (1.01, 1.12)
1940-1944	Prevalence	Female	1.33 (1.28, 1.38)	0.90 (0.84, 0.98)	1.68 (1.59, 1.78)	1.40 (1.30, 1.51)	1.18 (1.10, 1.25)	1.04 (0.99, 1.10)
1945-1949	Prevalence	Female	1.30 (1.25, 1.35)	0.91 (0.85, 0.98)	1.61 (1.53, 1.70)	1.39 (1.30, 1.49)	1.17 (1.10, 1.24)	1.01 (0.96, 1.06)
1950-1954	Prevalence	Female	1.26 (1.22, 1.30)	0.92 (0.87, 0.98)	1.53 (1.46, 1.60)	1.38 (1.29, 1.47)	1.15 (1.09, 1.21)	0.99 (0.94, 1.04)
1955-1959	Prevalence	Female	1.23 (1.19, 1.27)	0.94 (0.89, 1.00)	1.44 (1.38, 1.51)	1.35 (1.27, 1.44)	1.13 (1.08, 1.19)	0.97 (0.92, 1.01)
1960-1964	Prevalence	Female	1.19 (1.16, 1.23)	0.96 (0.91, 1.02)	1.36 (1.31, 1.42)	1.31 (1.23, 1.40)	1.11 (1.07, 1.17)	0.95 (0.91, 0.99)
1965-1969	Prevalence	Female	1.14 (1.11, 1.17)	0.98 (0.93, 1.03)	1.28 (1.23, 1.34)	1.27 (1.20, 1.35)	1.09 (1.04, 1.13)	0.95 (0.91, 0.99)
1970-1974	Prevalence	Female	1.10 (1.08, 1.13)	0.98 (0.93, 1.03)	1.21 (1.16, 1.25)	1.22 (1.15, 1.29)	1.05 (1.01, 1.09)	0.96 (0.92, 1.00)
1975-1979	Prevalence	Female	1.08 (1.05, 1.11)	0.95 (0.91, 1.00)	1.12 (1.08, 1.16)	1.13 (1.07, 1.20)	1.02 (0.98, 1.06)	0.98 (0.94, 1.02)

1980-1984	Prevalence	Female	1.05 (1.02, 1.08)	0.96 (0.92, 1.01)	1.05 (1.01, 1.09)	1.05 (0.99, 1.12)	1.00 (0.96, 1.03)	0.99 (0.95, 1.03)
1985-1989	Prevalence	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Prevalence	Female	1.01 (0.98, 1.04)	1.04 (0.99, 1.10)	0.99 (0.95, 1.03)	0.96 (0.89, 1.04)	0.98 (0.94, 1.03)	1.01 (0.96, 1.07)
1995-1999	Prevalence	Female	1.04 (1.00, 1.08)	1.11 (1.04, 1.17)	1.01 (0.96, 1.07)	0.94 (0.85, 1.03)	0.91 (0.86, 0.96)	1.04 (0.97, 1.11)
2000-2004	Prevalence	Female	1.07 (1.02, 1.13)	1.22 (1.13, 1.31)	1.09 (1.02, 1.17)	0.91 (0.79, 1.04)	0.80 (0.74, 0.87)	1.07 (0.97, 1.18)
2005-2009	Prevalence	Female	1.13 (1.03, 1.24)	1.37 (1.22, 1.55)	1.25 (1.10, 1.43)	0.89 (0.70, 1.14)	0.69 (0.59, 0.81)	1.13 (0.95, 1.35)
1920-1924	Incidence	Both	1.33 (1.20, 1.47)	0.90 (0.77, 1.06)	2.05 (1.74, 2.42)	1.28 (1.08, 1.51)	1.49 (1.25, 1.79)	1.13 (1.05, 1.23)
1925-1929	Incidence	Both	1.32 (1.24, 1.42)	0.85 (0.75, 0.95)	1.96 (1.76, 2.18)	1.33 (1.19, 1.50)	1.31 (1.16, 1.47)	1.15 (1.08, 1.21)
1930-1934	Incidence	Both	1.33 (1.26, 1.41)	0.82 (0.74, 0.90)	1.91 (1.76, 2.08)	1.39 (1.26, 1.53)	1.22 (1.11, 1.34)	1.14 (1.09, 1.20)
1935-1939	Incidence	Both	1.36 (1.30, 1.43)	0.81 (0.75, 0.88)	1.89 (1.76, 2.04)	1.45 (1.33, 1.58)	1.21 (1.12, 1.32)	1.13 (1.08, 1.18)
1940-1944	Incidence	Both	1.38 (1.32, 1.44)	0.83 (0.77, 0.89)	1.85 (1.73, 1.97)	1.50 (1.38, 1.63)	1.23 (1.14, 1.32)	1.10 (1.05, 1.15)
1945-1949	Incidence	Both	1.34 (1.29, 1.40)	0.84 (0.79, 0.90)	1.76 (1.66, 1.87)	1.53 (1.42, 1.65)	1.22 (1.15, 1.30)	1.05 (1.01, 1.10)
1950-1954	Incidence	Both	1.29 (1.25, 1.35)	0.87 (0.82, 0.92)	1.66 (1.57, 1.76)	1.55 (1.44, 1.66)	1.21 (1.14, 1.28)	1.02 (0.99, 1.06)
1955-1959	Incidence	Both	1.28 (1.23, 1.32)	0.90 (0.86, 0.95)	1.56 (1.48, 1.65)	1.53 (1.43, 1.64)	1.20 (1.13, 1.26)	0.99 (0.96, 1.03)
1960-1964	Incidence	Both	1.24 (1.19, 1.28)	0.94 (0.90, 0.98)	1.48 (1.40, 1.55)	1.49 (1.39, 1.59)	1.17 (1.11, 1.23)	0.97 (0.93, 1.00)
1965-1969	Incidence	Both	1.16 (1.12, 1.20)	0.97 (0.93, 1.01)	1.38 (1.32, 1.45)	1.42 (1.33, 1.51)	1.14 (1.08, 1.19)	0.95 (0.92, 0.99)
1970-1974	Incidence	Both	1.13 (1.09, 1.16)	0.98 (0.94, 1.02)	1.28 (1.22, 1.33)	1.32 (1.24, 1.40)	1.09 (1.04, 1.14)	0.97 (0.93, 1.00)
1975-1979	Incidence	Both	1.11 (1.08, 1.14)	0.96 (0.93, 1.00)	1.17 (1.12, 1.22)	1.20 (1.13, 1.27)	1.04 (1.00, 1.09)	0.98 (0.95, 1.02)
1980-1984	Incidence	Both	1.07 (1.04, 1.10)	0.96 (0.92, 1.00)	1.06 (1.02, 1.11)	1.07 (1.01, 1.14)	1.01 (0.97, 1.05)	1.00 (0.97, 1.03)
1985-1989	Incidence	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Incidence	Both	1.00 (0.96, 1.03)	1.06 (1.01, 1.10)	0.99 (0.94, 1.04)	0.93 (0.87, 1.00)	0.99 (0.94, 1.04)	1.00 (0.96, 1.04)
1995-1999	Incidence	Both	1.02 (0.98, 1.06)	1.14 (1.09, 1.20)	1.02 (0.96, 1.08)	0.87 (0.79, 0.95)	0.91 (0.86, 0.96)	1.01 (0.96, 1.06)
2000-2004	Incidence	Both	1.04 (0.98, 1.10)	1.29 (1.21, 1.36)	1.10 (1.02, 1.18)	0.81 (0.72, 0.92)	0.81 (0.75, 0.88)	1.04 (0.97, 1.11)
2005-2009	Incidence	Both	1.10 (1.00, 1.20)	1.48 (1.35, 1.62)	1.31 (1.14, 1.49)	0.78 (0.63, 0.96)	0.68 (0.59, 0.80)	1.11 (0.99, 1.26)
1920-1924	Incidence	Male	1.23 (1.11, 1.37)	0.92 (0.82, 1.04)	1.62 (1.38, 1.91)	1.37 (1.18, 1.59)	1.48 (1.21, 1.82)	1.21 (1.16, 1.27)
1925-1929	Incidence	Male	1.25 (1.17, 1.34)	0.86 (0.79, 0.93)	1.60 (1.44, 1.77)	1.43 (1.29, 1.59)	1.26 (1.10, 1.44)	1.20 (1.17, 1.24)

1930-1934	Incidence	Male	1.26 (1.19, 1.33)	0.83 (0.77, 0.89)	1.58 (1.46, 1.72)	1.48 (1.36, 1.62)	1.17 (1.05, 1.31)	1.19 (1.16, 1.22)
1935-1939	Incidence	Male	1.29 (1.23, 1.35)	0.83 (0.78, 0.88)	1.60 (1.49, 1.72)	1.55 (1.43, 1.67)	1.17 (1.07, 1.29)	1.17 (1.15, 1.20)
1940-1944	Incidence	Male	1.32 (1.26, 1.38)	0.85 (0.81, 0.89)	1.60 (1.50, 1.70)	1.59 (1.48, 1.70)	1.21 (1.11, 1.31)	1.14 (1.11, 1.16)
1945-1949	Incidence	Male	1.29 (1.24, 1.34)	0.87 (0.84, 0.91)	1.55 (1.46, 1.64)	1.60 (1.50, 1.71)	1.22 (1.13, 1.31)	1.09 (1.07, 1.12)
1950-1954	Incidence	Male	1.25 (1.20, 1.29)	0.90 (0.87, 0.94)	1.50 (1.42, 1.58)	1.60 (1.51, 1.70)	1.22 (1.14, 1.31)	1.07 (1.05, 1.08)
1955-1959	Incidence	Male	1.23 (1.19, 1.28)	0.94 (0.90, 0.97)	1.43 (1.36, 1.51)	1.57 (1.48, 1.67)	1.22 (1.15, 1.30)	1.04 (1.02, 1.06)
1960-1964	Incidence	Male	1.19 (1.15, 1.23)	0.98 (0.94, 1.01)	1.37 (1.31, 1.44)	1.50 (1.42, 1.59)	1.20 (1.13, 1.27)	1.01 (1.00, 1.03)
1965-1969	Incidence	Male	1.12 (1.08, 1.15)	1.00 (0.97, 1.03)	1.29 (1.24, 1.35)	1.41 (1.34, 1.49)	1.16 (1.10, 1.23)	1.00 (0.98, 1.01)
1970-1974	Incidence	Male	1.09 (1.06, 1.12)	1.00 (0.97, 1.03)	1.21 (1.16, 1.26)	1.30 (1.24, 1.37)	1.11 (1.05, 1.17)	0.99 (0.98, 1.01)
1975-1979	Incidence	Male	1.08 (1.05, 1.11)	0.98 (0.95, 1.01)	1.12 (1.07, 1.17)	1.18 (1.12, 1.24)	1.06 (1.01, 1.12)	1.00 (0.99, 1.02)
1980-1984	Incidence	Male	1.06 (1.03, 1.09)	0.97 (0.95, 1.00)	1.04 (1.00, 1.09)	1.07 (1.01, 1.12)	1.03 (0.98, 1.08)	1.01 (0.99, 1.02)
1985-1989	Incidence	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Incidence	Male	1.01 (0.97, 1.04)	1.05 (1.02, 1.09)	1.00 (0.95, 1.05)	0.93 (0.88, 0.99)	0.97 (0.92, 1.03)	0.98 (0.96, 1.00)
1995-1999	Incidence	Male	1.04 (1.00, 1.08)	1.14 (1.10, 1.19)	1.04 (0.98, 1.10)	0.86 (0.79, 0.93)	0.90 (0.84, 0.96)	0.97 (0.94, 0.99)
2000-2004	Incidence	Male	1.07 (1.02, 1.13)	1.28 (1.22, 1.34)	1.12 (1.04, 1.20)	0.80 (0.71, 0.89)	0.83 (0.75, 0.91)	0.99 (0.96, 1.02)
2005-2009	Incidence	Male	1.15 (1.05, 1.25)	1.46 (1.36, 1.57)	1.32 (1.16, 1.50)	0.76 (0.63, 0.91)	0.74 (0.61, 0.88)	1.07 (1.01, 1.13)
<hr/>								
1920-1924	Incidence	Female	1.41 (1.25, 1.58)	0.88 (0.73, 1.05)	2.49 (2.08, 2.98)	1.23 (1.02, 1.47)	1.52 (1.27, 1.81)	1.05 (0.93, 1.20)
1925-1929	Incidence	Female	1.40 (1.30, 1.52)	0.83 (0.72, 0.94)	2.33 (2.07, 2.62)	1.30 (1.14, 1.48)	1.34 (1.19, 1.51)	1.09 (1.00, 1.20)
1930-1934	Incidence	Female	1.42 (1.34, 1.52)	0.80 (0.72, 0.90)	2.22 (2.03, 2.44)	1.36 (1.22, 1.52)	1.24 (1.13, 1.37)	1.11 (1.01, 1.20)
1935-1939	Incidence	Female	1.46 (1.38, 1.54)	0.80 (0.73, 0.88)	2.15 (1.99, 2.33)	1.43 (1.30, 1.58)	1.23 (1.14, 1.33)	1.10 (1.01, 1.19)
1940-1944	Incidence	Female	1.47 (1.39, 1.55)	0.81 (0.75, 0.88)	2.08 (1.93, 2.23)	1.48 (1.36, 1.63)	1.24 (1.15, 1.33)	1.07 (0.99, 1.15)
1945-1949	Incidence	Female	1.42 (1.35, 1.49)	0.83 (0.77, 0.89)	1.95 (1.82, 2.09)	1.51 (1.39, 1.64)	1.22 (1.15, 1.30)	1.02 (0.95, 1.10)
1950-1954	Incidence	Female	1.36 (1.30, 1.42)	0.85 (0.80, 0.90)	1.81 (1.70, 1.93)	1.53 (1.41, 1.66)	1.20 (1.14, 1.27)	0.99 (0.92, 1.06)
1955-1959	Incidence	Female	1.33 (1.28, 1.39)	0.88 (0.83, 0.93)	1.68 (1.58, 1.78)	1.52 (1.41, 1.65)	1.18 (1.12, 1.25)	0.96 (0.90, 1.02)
1960-1964	Incidence	Female	1.29 (1.24, 1.34)	0.92 (0.87, 0.97)	1.56 (1.48, 1.65)	1.49 (1.38, 1.60)	1.15 (1.10, 1.21)	0.93 (0.87, 0.99)
1965-1969	Incidence	Female	1.21 (1.16, 1.25)	0.95 (0.91, 1.00)	1.44 (1.37, 1.52)	1.43 (1.33, 1.53)	1.12 (1.07, 1.17)	0.92 (0.86, 0.98)

1970-1974	Incidence	Female	1.16 (1.13, 1.21)	0.97 (0.93, 1.02)	1.32 (1.26, 1.39)	1.34 (1.25, 1.43)	1.08 (1.03, 1.12)	0.94 (0.89, 1.00)
1975-1979	Incidence	Female	1.13 (1.10, 1.17)	0.95 (0.91, 1.00)	1.20 (1.14, 1.25)	1.21 (1.13, 1.29)	1.03 (0.99, 1.07)	0.97 (0.91, 1.02)
1980-1984	Incidence	Female	1.08 (1.04, 1.11)	0.96 (0.91, 1.00)	1.08 (1.03, 1.13)	1.08 (1.00, 1.15)	1.00 (0.96, 1.04)	0.98 (0.93, 1.04)
1985-1989	Incidence	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Incidence	Female	1.00 (0.96, 1.04)	1.06 (1.01, 1.11)	0.97 (0.92, 1.03)	0.94 (0.87, 1.02)	0.99 (0.95, 1.04)	1.02 (0.95, 1.09)
1995-1999	Incidence	Female	1.02 (0.97, 1.07)	1.14 (1.08, 1.21)	1.00 (0.93, 1.06)	0.89 (0.80, 0.98)	0.92 (0.87, 0.97)	1.04 (0.95, 1.15)
2000-2004	Incidence	Female	1.04 (0.98, 1.11)	1.29 (1.20, 1.37)	1.08 (0.99, 1.17)	0.84 (0.73, 0.96)	0.81 (0.75, 0.88)	1.08 (0.95, 1.23)
2005-2009	Incidence	Female	1.11 (1.00, 1.23)	1.48 (1.34, 1.64)	1.28 (1.11, 1.49)	0.81 (0.64, 1.01)	0.67 (0.57, 0.78)	1.15 (0.92, 1.43)
1920-1924	DALYs	Both	1.23 (1.11, 1.35)	0.97 (0.82, 1.14)	1.81 (1.55, 2.10)	1.27 (1.09, 1.48)	1.41 (1.17, 1.68)	1.10 (1.02, 1.18)
1925-1929	DALYs	Both	1.22 (1.15, 1.31)	0.91 (0.81, 1.03)	1.74 (1.57, 1.92)	1.34 (1.21, 1.49)	1.25 (1.11, 1.41)	1.11 (1.06, 1.16)
1930-1934	DALYs	Both	1.26 (1.19, 1.32)	0.88 (0.80, 0.97)	1.71 (1.58, 1.85)	1.39 (1.27, 1.51)	1.18 (1.08, 1.30)	1.10 (1.06, 1.15)
1935-1939	DALYs	Both	1.29 (1.23, 1.35)	0.87 (0.80, 0.95)	1.70 (1.59, 1.82)	1.43 (1.33, 1.55)	1.18 (1.09, 1.27)	1.09 (1.05, 1.14)
1940-1944	DALYs	Both	1.31 (1.26, 1.37)	0.88 (0.82, 0.95)	1.67 (1.58, 1.78)	1.46 (1.36, 1.57)	1.19 (1.11, 1.27)	1.07 (1.03, 1.11)
1945-1949	DALYs	Both	1.29 (1.24, 1.33)	0.90 (0.84, 0.95)	1.61 (1.53, 1.70)	1.46 (1.37, 1.56)	1.19 (1.11, 1.26)	1.03 (0.99, 1.06)
1950-1954	DALYs	Both	1.25 (1.20, 1.29)	0.91 (0.86, 0.96)	1.54 (1.46, 1.61)	1.46 (1.37, 1.55)	1.18 (1.11, 1.24)	1.01 (0.97, 1.04)
1955-1959	DALYs	Both	1.22 (1.18, 1.26)	0.94 (0.89, 0.99)	1.46 (1.39, 1.53)	1.43 (1.35, 1.52)	1.16 (1.11, 1.23)	0.98 (0.95, 1.01)
1960-1964	DALYs	Both	1.19 (1.15, 1.23)	0.97 (0.92, 1.01)	1.38 (1.32, 1.45)	1.39 (1.31, 1.47)	1.14 (1.09, 1.20)	0.96 (0.94, 0.99)
1965-1969	DALYs	Both	1.14 (1.11, 1.17)	0.98 (0.94, 1.03)	1.30 (1.25, 1.36)	1.33 (1.26, 1.41)	1.11 (1.06, 1.16)	0.96 (0.93, 0.99)
1970-1974	DALYs	Both	1.11 (1.07, 1.14)	0.98 (0.94, 1.03)	1.22 (1.17, 1.27)	1.26 (1.19, 1.33)	1.07 (1.02, 1.12)	0.97 (0.94, 1.00)
1975-1979	DALYs	Both	1.08 (1.05, 1.11)	0.96 (0.92, 1.00)	1.13 (1.08, 1.17)	1.16 (1.09, 1.22)	1.03 (0.99, 1.07)	0.99 (0.96, 1.01)
1980-1984	DALYs	Both	1.05 (1.02, 1.08)	0.96 (0.92, 1.00)	1.05 (1.01, 1.09)	1.06 (1.00, 1.12)	1.00 (0.96, 1.05)	1.00 (0.97, 1.02)
1985-1989	DALYs	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	DALYs	Both	1.01 (0.98, 1.04)	1.05 (1.00, 1.10)	1.00 (0.95, 1.04)	0.94 (0.88, 1.01)	0.98 (0.93, 1.02)	1.00 (0.97, 1.03)
1995-1999	DALYs	Both	1.04 (1.00, 1.08)	1.13 (1.07, 1.19)	1.03 (0.98, 1.08)	0.89 (0.81, 0.97)	0.90 (0.85, 0.95)	1.01 (0.96, 1.05)
2000-2004	DALYs	Both	1.07 (1.02, 1.13)	1.26 (1.18, 1.34)	1.12 (1.05, 1.20)	0.84 (0.74, 0.95)	0.80 (0.74, 0.87)	1.04 (0.98, 1.11)
2005-2009	DALYs	Both	1.14 (1.04, 1.26)	1.43 (1.28, 1.59)	1.31 (1.14, 1.49)	0.82 (0.66, 1.02)	0.69 (0.59, 0.82)	1.12 (0.99, 1.25)

1920-1924	DALYs	Male	1.19 (1.08, 1.31)	0.97 (0.86, 1.10)	1.47 (1.26, 1.71)	1.35 (1.18, 1.54)	1.39 (1.14, 1.69)	1.15 (1.10, 1.20)
1925-1929	DALYs	Male	1.21 (1.13, 1.28)	0.91 (0.84, 1.00)	1.45 (1.32, 1.60)	1.41 (1.29, 1.54)	1.21 (1.06, 1.38)	1.14 (1.11, 1.17)
1930-1934	DALYs	Male	1.22 (1.16, 1.29)	0.89 (0.83, 0.96)	1.45 (1.35, 1.57)	1.45 (1.35, 1.57)	1.14 (1.02, 1.26)	1.13 (1.11, 1.16)
1935-1939	DALYs	Male	1.25 (1.20, 1.31)	0.89 (0.84, 0.94)	1.47 (1.38, 1.57)	1.50 (1.40, 1.60)	1.14 (1.05, 1.25)	1.11 (1.09, 1.13)
1940-1944	DALYs	Male	1.27 (1.22, 1.32)	0.90 (0.86, 0.95)	1.48 (1.40, 1.57)	1.51 (1.42, 1.61)	1.17 (1.08, 1.26)	1.09 (1.06, 1.11)
1945-1949	DALYs	Male	1.24 (1.20, 1.29)	0.92 (0.88, 0.96)	1.45 (1.37, 1.53)	1.51 (1.42, 1.59)	1.18 (1.10, 1.27)	1.05 (1.04, 1.07)
1950-1954	DALYs	Male	1.21 (1.17, 1.25)	0.94 (0.90, 0.98)	1.41 (1.34, 1.48)	1.49 (1.41, 1.57)	1.19 (1.11, 1.26)	1.03 (1.02, 1.05)
1955-1959	DALYs	Male	1.19 (1.15, 1.23)	0.97 (0.93, 1.00)	1.35 (1.29, 1.42)	1.45 (1.38, 1.53)	1.18 (1.11, 1.25)	1.02 (1.00, 1.03)
1960-1964	DALYs	Male	1.15 (1.12, 1.19)	0.99 (0.96, 1.03)	1.30 (1.25, 1.36)	1.40 (1.33, 1.47)	1.16 (1.10, 1.22)	1.00 (0.98, 1.01)
1965-1969	DALYs	Male	1.09 (1.06, 1.12)	1.01 (0.97, 1.04)	1.23 (1.19, 1.29)	1.33 (1.27, 1.39)	1.13 (1.07, 1.18)	0.99 (0.98, 1.00)
1970-1974	DALYs	Male	1.07 (1.04, 1.09)	1.00 (0.97, 1.03)	1.16 (1.12, 1.21)	1.24 (1.19, 1.30)	1.08 (1.03, 1.14)	0.99 (0.98, 1.01)
1975-1979	DALYs	Male	1.06 (1.03, 1.09)	0.98 (0.95, 1.01)	1.09 (1.05, 1.13)	1.15 (1.09, 1.20)	1.05 (1.00, 1.10)	1.00 (0.99, 1.01)
1980-1984	DALYs	Male	1.04 (1.02, 1.07)	0.97 (0.95, 1.00)	1.03 (0.99, 1.07)	1.06 (1.01, 1.11)	1.02 (0.98, 1.07)	1.01 (0.99, 1.02)
1985-1989	DALYs	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	DALYs	Male	1.01 (0.98, 1.04)	1.05 (1.02, 1.08)	1.01 (0.97, 1.05)	0.94 (0.89, 0.99)	0.97 (0.92, 1.02)	0.98 (0.97, 1.00)
1995-1999	DALYs	Male	1.04 (1.01, 1.08)	1.13 (1.09, 1.17)	1.04 (0.99, 1.10)	0.87 (0.81, 0.94)	0.90 (0.84, 0.95)	0.97 (0.95, 1.00)
2000-2004	DALYs	Male	1.09 (1.03, 1.14)	1.25 (1.20, 1.32)	1.13 (1.06, 1.21)	0.82 (0.74, 0.91)	0.82 (0.75, 0.90)	1.00 (0.97, 1.03)
2005-2009	DALYs	Male	1.15 (1.05, 1.26)	1.41 (1.29, 1.53)	1.31 (1.15, 1.49)	0.79 (0.65, 0.96)	0.75 (0.62, 0.90)	1.08 (1.02, 1.14)
1920-1924	DALYs	Female	1.33 (1.20, 1.47)	0.94 (0.78, 1.14)	2.15 (1.83, 2.53)	1.23 (1.04, 1.46)	1.43 (1.19, 1.71)	1.04 (0.93, 1.16)
1925-1929	DALYs	Female	1.34 (1.25, 1.44)	0.89 (0.78, 1.02)	2.03 (1.83, 2.26)	1.32 (1.17, 1.48)	1.28 (1.14, 1.44)	1.07 (0.99, 1.16)
1930-1934	DALYs	Female	1.36 (1.29, 1.44)	0.87 (0.78, 0.97)	1.96 (1.81, 2.13)	1.38 (1.25, 1.52)	1.20 (1.10, 1.32)	1.08 (1.01, 1.16)
1935-1939	DALYs	Female	1.39 (1.32, 1.45)	0.86 (0.78, 0.95)	1.91 (1.78, 2.05)	1.43 (1.31, 1.56)	1.19 (1.10, 1.29)	1.07 (1.01, 1.15)
1940-1944	DALYs	Female	1.39 (1.33, 1.46)	0.87 (0.80, 0.94)	1.85 (1.74, 1.98)	1.46 (1.34, 1.58)	1.20 (1.12, 1.28)	1.05 (0.98, 1.12)
1945-1949	DALYs	Female	1.35 (1.30, 1.41)	0.88 (0.82, 0.94)	1.76 (1.66, 1.87)	1.46 (1.35, 1.57)	1.19 (1.12, 1.26)	1.01 (0.95, 1.07)
1950-1954	DALYs	Female	1.31 (1.26, 1.36)	0.89 (0.84, 0.95)	1.65 (1.56, 1.74)	1.45 (1.36, 1.56)	1.17 (1.11, 1.24)	0.98 (0.93, 1.04)
1955-1959	DALYs	Female	1.28 (1.23, 1.32)	0.92 (0.87, 0.97)	1.55 (1.47, 1.63)	1.43 (1.34, 1.54)	1.15 (1.09, 1.21)	0.96 (0.91, 1.01)

1960-1964	DALYs	Female	1.23 (1.19, 1.28)	0.95 (0.90, 1.00)	1.45 (1.38, 1.52)	1.39 (1.30, 1.49)	1.13 (1.08, 1.18)	0.94 (0.89, 0.99)
1965-1969	DALYs	Female	1.17 (1.13, 1.21)	0.97 (0.92, 1.02)	1.35 (1.29, 1.42)	1.34 (1.26, 1.43)	1.10 (1.05, 1.15)	0.93 (0.89, 0.98)
1970-1974	DALYs	Female	1.13 (1.10, 1.17)	0.98 (0.93, 1.03)	1.26 (1.20, 1.31)	1.27 (1.20, 1.35)	1.06 (1.01, 1.10)	0.95 (0.91, 1.00)
1975-1979	DALYs	Female	1.10 (1.07, 1.14)	0.95 (0.91, 1.00)	1.15 (1.10, 1.20)	1.17 (1.10, 1.24)	1.02 (0.98, 1.06)	0.97 (0.93, 1.02)
1980-1984	DALYs	Female	1.06 (1.03, 1.09)	0.96 (0.91, 1.00)	1.06 (1.02, 1.11)	1.06 (1.00, 1.13)	1.00 (0.96, 1.04)	0.99 (0.94, 1.04)
1985-1989	DALYs	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	DALYs	Female	1.00 (0.97, 1.04)	1.05 (1.00, 1.11)	0.99 (0.94, 1.04)	0.95 (0.88, 1.03)	0.98 (0.94, 1.03)	1.02 (0.95, 1.08)
1995-1999	DALYs	Female	1.03 (0.99, 1.07)	1.13 (1.06, 1.19)	1.01 (0.96, 1.07)	0.91 (0.83, 1.01)	0.90 (0.85, 0.96)	1.04 (0.96, 1.13)
2000-2004	DALYs	Female	1.06 (1.00, 1.12)	1.26 (1.17, 1.35)	1.11 (1.03, 1.20)	0.87 (0.76, 1.00)	0.79 (0.73, 0.86)	1.08 (0.97, 1.21)
2005-2009	DALYs	Female	1.12 (1.02, 1.24)	1.43 (1.27, 1.61)	1.30 (1.12, 1.49)	0.85 (0.67, 1.08)	0.67 (0.57, 0.79)	1.15 (0.93, 1.41)
Cohort	Measure	Sex	Relative risk (95% CI)					
			Iran	Egypt	Ethiopia	South Africa	Saudi Arabia	UAE
1920-1924	Prevalence	Both	0.68 (0.62, 0.74)	0.83 (0.75, 0.92)	1.15 (1.00, 1.33)	0.85 (0.81, 0.89)	0.81 (0.77, 0.85)	1.15 (0.93, 1.42)
1925-1929	Prevalence	Both	0.71 (0.67, 0.76)	0.85 (0.80, 0.91)	1.18 (1.07, 1.30)	0.85 (0.83, 0.88)	0.82 (0.80, 0.85)	1.15 (1.02, 1.30)
1930-1934	Prevalence	Both	0.73 (0.70, 0.77)	0.87 (0.83, 0.91)	1.19 (1.10, 1.29)	0.86 (0.84, 0.89)	0.84 (0.82, 0.86)	1.15 (1.06, 1.25)
1935-1939	Prevalence	Both	0.75 (0.72, 0.78)	0.87 (0.84, 0.91)	1.20 (1.12, 1.28)	0.86 (0.84, 0.88)	0.85 (0.84, 0.87)	1.14 (1.07, 1.21)
1940-1944	Prevalence	Both	0.77 (0.74, 0.79)	0.88 (0.85, 0.91)	1.19 (1.12, 1.26)	0.85 (0.83, 0.87)	0.86 (0.85, 0.87)	1.12 (1.08, 1.17)
1945-1949	Prevalence	Both	0.78 (0.76, 0.80)	0.88 (0.86, 0.91)	1.16 (1.11, 1.23)	0.85 (0.83, 0.86)	0.87 (0.86, 0.88)	1.11 (1.08, 1.14)
1950-1954	Prevalence	Both	0.79 (0.77, 0.81)	0.90 (0.87, 0.92)	1.15 (1.10, 1.21)	0.85 (0.83, 0.86)	0.89 (0.88, 0.90)	1.10 (1.08, 1.12)
1955-1959	Prevalence	Both	0.81 (0.79, 0.83)	0.91 (0.89, 0.94)	1.13 (1.08, 1.18)	0.86 (0.85, 0.87)	0.90 (0.90, 0.91)	1.10 (1.08, 1.12)
1960-1964	Prevalence	Both	0.83 (0.81, 0.84)	0.93 (0.91, 0.95)	1.11 (1.06, 1.15)	0.88 (0.86, 0.89)	0.92 (0.92, 0.93)	1.09 (1.07, 1.11)
1965-1969	Prevalence	Both	0.85 (0.84, 0.87)	0.94 (0.92, 0.96)	1.08 (1.04, 1.12)	0.90 (0.88, 0.91)	0.94 (0.93, 0.95)	1.06 (1.05, 1.08)
1970-1974	Prevalence	Both	0.88 (0.87, 0.90)	0.95 (0.93, 0.97)	1.05 (1.02, 1.09)	0.91 (0.90, 0.93)	0.95 (0.95, 0.96)	1.05 (1.04, 1.06)
1975-1979	Prevalence	Both	0.92 (0.90, 0.93)	0.96 (0.94, 0.97)	1.03 (1.00, 1.06)	0.94 (0.92, 0.95)	0.97 (0.96, 0.97)	1.04 (1.03, 1.05)
1980-1984	Prevalence	Both	0.96 (0.94, 0.97)	0.98 (0.96, 0.99)	1.01 (0.98, 1.04)	0.96 (0.95, 0.98)	0.98 (0.98, 0.99)	1.05 (1.04, 1.06)
1985-1989	Prevalence	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)

1990-1994	Prevalence	Both	1.03 (1.02, 1.05)	1.02 (1.00, 1.04)	1.00 (0.97, 1.03)	1.03 (1.02, 1.05)	1.02 (1.02, 1.03)	1.01 (0.99, 1.03)
1995-1999	Prevalence	Both	1.07 (1.04, 1.09)	1.03 (1.01, 1.06)	1.01 (0.97, 1.05)	1.06 (1.05, 1.08)	1.05 (1.04, 1.06)	1.05 (1.03, 1.08)
2000-2004	Prevalence	Both	1.12 (1.09, 1.16)	1.04 (1.01, 1.07)	1.03 (0.98, 1.08)	1.11 (1.09, 1.13)	1.09 (1.08, 1.10)	1.07 (1.04, 1.11)
2005-2009	Prevalence	Both	1.20 (1.14, 1.27)	1.07 (1.02, 1.12)	1.05 (0.96, 1.14)	1.17 (1.13, 1.22)	1.14 (1.12, 1.16)	1.12 (1.07, 1.18)
1920-1924	Prevalence	Male	0.61 (0.56, 0.68)	0.78 (0.71, 0.87)	1.14 (1.04, 1.25)	0.72 (0.68, 0.77)	0.77 (0.73, 0.82)	1.07 (0.86, 1.32)
1925-1929	Prevalence	Male	0.65 (0.61, 0.69)	0.82 (0.77, 0.87)	1.15 (1.08, 1.23)	0.74 (0.71, 0.77)	0.79 (0.76, 0.82)	1.07 (0.95, 1.20)
1930-1934	Prevalence	Male	0.67 (0.64, 0.70)	0.84 (0.81, 0.88)	1.17 (1.11, 1.23)	0.76 (0.73, 0.78)	0.81 (0.79, 0.84)	1.07 (0.98, 1.16)
1935-1939	Prevalence	Male	0.68 (0.66, 0.71)	0.85 (0.82, 0.89)	1.18 (1.12, 1.23)	0.77 (0.75, 0.79)	0.83 (0.81, 0.85)	1.06 (1.01, 1.12)
1940-1944	Prevalence	Male	0.70 (0.67, 0.72)	0.86 (0.83, 0.89)	1.17 (1.12, 1.22)	0.78 (0.76, 0.80)	0.85 (0.84, 0.87)	1.06 (1.02, 1.10)
1945-1949	Prevalence	Male	0.71 (0.69, 0.74)	0.86 (0.84, 0.89)	1.15 (1.11, 1.19)	0.78 (0.77, 0.80)	0.87 (0.85, 0.88)	1.05 (1.03, 1.08)
1950-1954	Prevalence	Male	0.74 (0.72, 0.76)	0.87 (0.85, 0.90)	1.13 (1.10, 1.17)	0.79 (0.78, 0.81)	0.88 (0.87, 0.89)	1.05 (1.03, 1.07)
1955-1959	Prevalence	Male	0.76 (0.74, 0.78)	0.89 (0.87, 0.91)	1.12 (1.08, 1.15)	0.80 (0.79, 0.82)	0.90 (0.89, 0.91)	1.04 (1.02, 1.05)
1960-1964	Prevalence	Male	0.79 (0.77, 0.81)	0.90 (0.88, 0.92)	1.10 (1.07, 1.13)	0.82 (0.81, 0.83)	0.91 (0.90, 0.92)	1.03 (1.01, 1.04)
1965-1969	Prevalence	Male	0.82 (0.81, 0.84)	0.92 (0.90, 0.94)	1.07 (1.05, 1.10)	0.84 (0.83, 0.86)	0.93 (0.92, 0.94)	1.02 (1.01, 1.03)
1970-1974	Prevalence	Male	0.86 (0.85, 0.88)	0.94 (0.92, 0.95)	1.05 (1.02, 1.08)	0.87 (0.86, 0.88)	0.95 (0.94, 0.96)	1.02 (1.01, 1.03)
1975-1979	Prevalence	Male	0.91 (0.89, 0.92)	0.95 (0.94, 0.97)	1.03 (1.00, 1.05)	0.91 (0.90, 0.92)	0.97 (0.96, 0.98)	1.02 (1.01, 1.03)
1980-1984	Prevalence	Male	0.95 (0.94, 0.97)	0.97 (0.96, 0.99)	1.01 (0.99, 1.03)	0.95 (0.94, 0.96)	0.98 (0.98, 0.99)	1.02 (1.01, 1.03)
1985-1989	Prevalence	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Prevalence	Male	1.03 (1.01, 1.05)	1.02 (1.00, 1.04)	1.00 (0.98, 1.03)	1.04 (1.03, 1.06)	1.01 (1.01, 1.02)	0.97 (0.96, 0.99)
1995-1999	Prevalence	Male	1.05 (1.03, 1.08)	1.03 (1.01, 1.05)	1.01 (0.98, 1.04)	1.09 (1.07, 1.10)	1.04 (1.02, 1.05)	0.98 (0.95, 1.00)
2000-2004	Prevalence	Male	1.09 (1.05, 1.12)	1.03 (1.00, 1.06)	1.03 (0.99, 1.06)	1.15 (1.12, 1.18)	1.08 (1.06, 1.09)	1.01 (0.98, 1.04)
2005-2009	Prevalence	Male	1.14 (1.08, 1.22)	1.05 (1.01, 1.10)	1.05 (0.99, 1.11)	1.24 (1.18, 1.30)	1.13 (1.10, 1.16)	1.07 (1.02, 1.13)
1920-1924	Prevalence	Female	0.76 (0.69, 0.84)	0.82 (0.74, 0.92)	1.18 (0.97, 1.44)	0.91 (0.87, 0.95)	0.84 (0.80, 0.88)	1.14 (0.97, 1.35)
1925-1929	Prevalence	Female	0.79 (0.74, 0.84)	0.85 (0.79, 0.91)	1.21 (1.07, 1.38)	0.91 (0.88, 0.93)	0.85 (0.83, 0.88)	1.14 (1.03, 1.26)
1930-1934	Prevalence	Female	0.81 (0.77, 0.85)	0.86 (0.82, 0.91)	1.22 (1.11, 1.35)	0.91 (0.89, 0.93)	0.86 (0.85, 0.88)	1.14 (1.06, 1.22)
1935-1939	Prevalence	Female	0.82 (0.78, 0.85)	0.87 (0.83, 0.91)	1.23 (1.13, 1.33)	0.90 (0.88, 0.92)	0.88 (0.86, 0.89)	1.14 (1.08, 1.20)

1940-1944	Prevalence	Female	0.82 (0.79, 0.85)	0.88 (0.85, 0.91)	1.21 (1.12, 1.30)	0.89 (0.87, 0.91)	0.89 (0.88, 0.91)	1.14 (1.10, 1.19)
1945-1949	Prevalence	Female	0.82 (0.80, 0.85)	0.89 (0.86, 0.92)	1.18 (1.11, 1.26)	0.88 (0.86, 0.89)	0.91 (0.89, 0.92)	1.14 (1.10, 1.17)
1950-1954	Prevalence	Female	0.83 (0.80, 0.85)	0.91 (0.88, 0.93)	1.16 (1.09, 1.23)	0.88 (0.86, 0.89)	0.92 (0.91, 0.93)	1.13 (1.10, 1.15)
1955-1959	Prevalence	Female	0.84 (0.82, 0.86)	0.92 (0.90, 0.95)	1.14 (1.08, 1.20)	0.88 (0.87, 0.89)	0.93 (0.92, 0.94)	1.11 (1.09, 1.14)
1960-1964	Prevalence	Female	0.85 (0.83, 0.87)	0.94 (0.92, 0.96)	1.11 (1.05, 1.16)	0.90 (0.88, 0.91)	0.94 (0.93, 0.95)	1.10 (1.08, 1.11)
1965-1969	Prevalence	Female	0.87 (0.85, 0.89)	0.95 (0.93, 0.97)	1.08 (1.03, 1.13)	0.91 (0.90, 0.92)	0.95 (0.95, 0.96)	1.07 (1.06, 1.09)
1970-1974	Prevalence	Female	0.89 (0.88, 0.91)	0.95 (0.93, 0.97)	1.06 (1.01, 1.10)	0.93 (0.92, 0.94)	0.96 (0.95, 0.97)	1.05 (1.04, 1.06)
1975-1979	Prevalence	Female	0.92 (0.91, 0.94)	0.96 (0.94, 0.98)	1.03 (0.99, 1.08)	0.95 (0.94, 0.96)	0.97 (0.96, 0.97)	1.03 (1.02, 1.04)
1980-1984	Prevalence	Female	0.96 (0.95, 0.98)	0.98 (0.96, 0.99)	1.01 (0.97, 1.05)	0.97 (0.96, 0.98)	0.98 (0.97, 0.99)	1.01 (1.00, 1.02)
1985-1989	Prevalence	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Prevalence	Female	1.04 (1.02, 1.06)	1.02 (1.00, 1.04)	1.00 (0.96, 1.04)	1.03 (1.02, 1.04)	1.03 (1.03, 1.04)	1.01 (1.00, 1.03)
1995-1999	Prevalence	Female	1.08 (1.05, 1.10)	1.03 (1.01, 1.06)	1.01 (0.97, 1.06)	1.06 (1.04, 1.07)	1.08 (1.07, 1.08)	1.05 (1.03, 1.07)
2000-2004	Prevalence	Female	1.15 (1.11, 1.18)	1.05 (1.01, 1.08)	1.03 (0.97, 1.10)	1.09 (1.07, 1.12)	1.12 (1.11, 1.13)	1.08 (1.05, 1.10)
2005-2009	Prevalence	Female	1.24 (1.17, 1.31)	1.08 (1.03, 1.13)	1.05 (0.94, 1.17)	1.14 (1.10, 1.19)	1.17 (1.15, 1.19)	1.12 (1.08, 1.17)
1920-1924	Incidence	Both	0.63 (0.56, 0.71)	0.77 (0.67, 0.88)	1.21 (1.01, 1.46)	0.78 (0.74, 0.83)	0.75 (0.70, 0.80)	1.17 (0.89, 1.54)
1925-1929	Incidence	Both	0.67 (0.62, 0.72)	0.80 (0.73, 0.87)	1.24 (1.09, 1.40)	0.79 (0.76, 0.83)	0.77 (0.74, 0.80)	1.17 (1.00, 1.37)
1930-1934	Incidence	Both	0.70 (0.66, 0.74)	0.82 (0.77, 0.87)	1.25 (1.13, 1.39)	0.81 (0.78, 0.84)	0.79 (0.76, 0.81)	1.17 (1.05, 1.31)
1935-1939	Incidence	Both	0.71 (0.68, 0.75)	0.83 (0.79, 0.87)	1.26 (1.16, 1.38)	0.81 (0.78, 0.83)	0.80 (0.78, 0.82)	1.16 (1.08, 1.25)
1940-1944	Incidence	Both	0.73 (0.70, 0.76)	0.84 (0.80, 0.87)	1.25 (1.16, 1.35)	0.80 (0.77, 0.82)	0.82 (0.80, 0.84)	1.15 (1.09, 1.21)
1945-1949	Incidence	Both	0.75 (0.72, 0.78)	0.84 (0.81, 0.87)	1.22 (1.14, 1.31)	0.79 (0.77, 0.81)	0.83 (0.82, 0.85)	1.13 (1.09, 1.18)
1950-1954	Incidence	Both	0.77 (0.74, 0.79)	0.86 (0.83, 0.89)	1.20 (1.13, 1.29)	0.79 (0.77, 0.81)	0.86 (0.84, 0.87)	1.12 (1.09, 1.15)
1955-1959	Incidence	Both	0.78 (0.76, 0.80)	0.88 (0.85, 0.91)	1.18 (1.11, 1.25)	0.80 (0.78, 0.82)	0.88 (0.86, 0.89)	1.12 (1.09, 1.14)
1960-1964	Incidence	Both	0.80 (0.78, 0.82)	0.90 (0.87, 0.93)	1.15 (1.08, 1.21)	0.82 (0.81, 0.84)	0.90 (0.89, 0.91)	1.11 (1.08, 1.13)
1965-1969	Incidence	Both	0.83 (0.81, 0.85)	0.92 (0.89, 0.94)	1.11 (1.05, 1.17)	0.85 (0.83, 0.86)	0.92 (0.91, 0.93)	1.08 (1.06, 1.10)
1970-1974	Incidence	Both	0.86 (0.85, 0.88)	0.93 (0.90, 0.95)	1.08 (1.03, 1.13)	0.88 (0.86, 0.89)	0.94 (0.93, 0.95)	1.06 (1.04, 1.08)
1975-1979	Incidence	Both	0.91 (0.89, 0.92)	0.94 (0.92, 0.96)	1.04 (1.00, 1.09)	0.91 (0.89, 0.92)	0.96 (0.95, 0.96)	1.05 (1.03, 1.06)

1980-1984	Incidence	Both	0.95 (0.93, 0.97)	0.96 (0.94, 0.99)	1.02 (0.97, 1.06)	0.95 (0.93, 0.96)	0.98 (0.97, 0.98)	1.06 (1.04, 1.07)
1985-1989	Incidence	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Incidence	Both	1.04 (1.02, 1.06)	1.03 (1.01, 1.06)	1.00 (0.96, 1.05)	1.05 (1.03, 1.07)	1.03 (1.02, 1.04)	1.01 (0.99, 1.03)
1995-1999	Incidence	Both	1.08 (1.05, 1.11)	1.04 (1.01, 1.07)	1.02 (0.97, 1.07)	1.08 (1.06, 1.11)	1.06 (1.05, 1.07)	1.05 (1.02, 1.08)
2000-2004	Incidence	Both	1.13 (1.09, 1.18)	1.04 (1.00, 1.07)	1.04 (0.98, 1.11)	1.13 (1.10, 1.16)	1.10 (1.08, 1.11)	1.07 (1.03, 1.11)
2005-2009	Incidence	Both	1.23 (1.16, 1.31)	1.06 (1.01, 1.12)	1.06 (0.96, 1.18)	1.20 (1.15, 1.26)	1.15 (1.13, 1.18)	1.13 (1.07, 1.19)
<hr/>								
1920-1924	Incidence	Male	0.54 (0.48, 0.61)	0.70 (0.61, 0.81)	1.19 (1.06, 1.34)	0.63 (0.58, 0.69)	0.70 (0.63, 0.77)	1.08 (0.80, 1.46)
1925-1929	Incidence	Male	0.58 (0.53, 0.63)	0.75 (0.69, 0.82)	1.21 (1.12, 1.31)	0.65 (0.61, 0.69)	0.72 (0.68, 0.77)	1.08 (0.91, 1.28)
1930-1934	Incidence	Male	0.61 (0.57, 0.65)	0.78 (0.73, 0.84)	1.23 (1.16, 1.31)	0.67 (0.64, 0.70)	0.75 (0.71, 0.78)	1.08 (0.96, 1.22)
1935-1939	Incidence	Male	0.62 (0.59, 0.66)	0.80 (0.76, 0.84)	1.24 (1.17, 1.31)	0.69 (0.66, 0.72)	0.77 (0.75, 0.80)	1.08 (1.00, 1.16)
1940-1944	Incidence	Male	0.64 (0.61, 0.67)	0.80 (0.77, 0.84)	1.23 (1.17, 1.30)	0.70 (0.67, 0.72)	0.80 (0.78, 0.82)	1.07 (1.02, 1.13)
1945-1949	Incidence	Male	0.67 (0.64, 0.69)	0.81 (0.77, 0.84)	1.21 (1.15, 1.27)	0.70 (0.68, 0.72)	0.82 (0.80, 0.84)	1.06 (1.02, 1.10)
1950-1954	Incidence	Male	0.69 (0.67, 0.72)	0.82 (0.79, 0.85)	1.19 (1.14, 1.24)	0.71 (0.69, 0.73)	0.84 (0.82, 0.85)	1.06 (1.03, 1.09)
1955-1959	Incidence	Male	0.72 (0.70, 0.74)	0.84 (0.81, 0.87)	1.17 (1.12, 1.21)	0.72 (0.71, 0.74)	0.86 (0.84, 0.87)	1.04 (1.02, 1.07)
1960-1964	Incidence	Male	0.76 (0.73, 0.78)	0.86 (0.84, 0.89)	1.14 (1.10, 1.18)	0.75 (0.73, 0.77)	0.88 (0.87, 0.89)	1.03 (1.01, 1.06)
1965-1969	Incidence	Male	0.79 (0.77, 0.81)	0.88 (0.86, 0.91)	1.11 (1.07, 1.15)	0.78 (0.76, 0.80)	0.91 (0.89, 0.92)	1.02 (1.01, 1.04)
1970-1974	Incidence	Male	0.84 (0.82, 0.86)	0.91 (0.88, 0.93)	1.07 (1.04, 1.11)	0.82 (0.80, 0.84)	0.93 (0.92, 0.94)	1.02 (1.00, 1.04)
1975-1979	Incidence	Male	0.89 (0.87, 0.91)	0.93 (0.91, 0.95)	1.04 (1.01, 1.07)	0.87 (0.85, 0.89)	0.96 (0.95, 0.97)	1.02 (1.00, 1.03)
1980-1984	Incidence	Male	0.94 (0.93, 0.96)	0.96 (0.94, 0.98)	1.02 (0.99, 1.04)	0.93 (0.91, 0.95)	0.98 (0.97, 0.99)	1.02 (1.00, 1.03)
1985-1989	Incidence	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Incidence	Male	1.04 (1.02, 1.06)	1.03 (1.00, 1.06)	1.00 (0.97, 1.03)	1.06 (1.04, 1.08)	1.02 (1.00, 1.03)	0.97 (0.95, 0.99)
1995-1999	Incidence	Male	1.06 (1.03, 1.09)	1.04 (1.01, 1.07)	1.01 (0.98, 1.05)	1.11 (1.08, 1.14)	1.04 (1.02, 1.05)	0.97 (0.94, 1.00)
2000-2004	Incidence	Male	1.10 (1.06, 1.15)	1.03 (0.99, 1.06)	1.03 (0.99, 1.07)	1.18 (1.14, 1.22)	1.08 (1.06, 1.10)	0.99 (0.95, 1.03)
2005-2009	Incidence	Male	1.17 (1.09, 1.25)	1.04 (0.99, 1.09)	1.05 (0.98, 1.13)	1.30 (1.22, 1.38)	1.14 (1.10, 1.18)	1.07 (1.00, 1.14)
<hr/>								
1920-1924	Incidence	Female	0.73 (0.64, 0.83)	0.77 (0.66, 0.89)	1.25 (0.96, 1.61)	0.87 (0.82, 0.92)	0.79 (0.75, 0.85)	1.18 (1.00, 1.39)
1925-1929	Incidence	Female	0.77 (0.71, 0.83)	0.80 (0.73, 0.88)	1.28 (1.07, 1.52)	0.86 (0.83, 0.90)	0.81 (0.78, 0.84)	1.18 (1.07, 1.30)

1930-1934	Incidence	Female	0.79 (0.74, 0.84)	0.82 (0.77, 0.88)	1.29 (1.12, 1.48)	0.87 (0.84, 0.90)	0.82 (0.80, 0.85)	1.18 (1.10, 1.27)
1935-1939	Incidence	Female	0.80 (0.76, 0.84)	0.83 (0.79, 0.88)	1.29 (1.15, 1.46)	0.86 (0.84, 0.89)	0.84 (0.82, 0.86)	1.18 (1.12, 1.25)
1940-1944	Incidence	Female	0.80 (0.76, 0.83)	0.84 (0.80, 0.88)	1.28 (1.15, 1.42)	0.85 (0.83, 0.87)	0.86 (0.84, 0.88)	1.19 (1.14, 1.23)
1945-1949	Incidence	Female	0.80 (0.77, 0.83)	0.86 (0.82, 0.89)	1.24 (1.13, 1.37)	0.84 (0.82, 0.86)	0.88 (0.86, 0.89)	1.18 (1.15, 1.22)
1950-1954	Incidence	Female	0.81 (0.78, 0.83)	0.88 (0.84, 0.91)	1.22 (1.12, 1.33)	0.83 (0.81, 0.85)	0.90 (0.88, 0.91)	1.17 (1.15, 1.20)
1955-1959	Incidence	Female	0.82 (0.79, 0.84)	0.90 (0.87, 0.93)	1.19 (1.10, 1.28)	0.84 (0.82, 0.85)	0.91 (0.90, 0.92)	1.15 (1.13, 1.17)
1960-1964	Incidence	Female	0.83 (0.81, 0.86)	0.92 (0.89, 0.95)	1.15 (1.07, 1.24)	0.85 (0.84, 0.87)	0.93 (0.92, 0.94)	1.13 (1.11, 1.15)
1965-1969	Incidence	Female	0.86 (0.84, 0.88)	0.93 (0.90, 0.96)	1.11 (1.04, 1.19)	0.88 (0.86, 0.89)	0.94 (0.93, 0.95)	1.10 (1.09, 1.12)
1970-1974	Incidence	Female	0.88 (0.86, 0.90)	0.94 (0.91, 0.96)	1.08 (1.01, 1.15)	0.90 (0.89, 0.92)	0.95 (0.94, 0.96)	1.07 (1.06, 1.08)
1975-1979	Incidence	Female	0.91 (0.90, 0.93)	0.95 (0.92, 0.97)	1.05 (0.99, 1.11)	0.93 (0.92, 0.95)	0.96 (0.95, 0.97)	1.04 (1.03, 1.05)
1980-1984	Incidence	Female	0.95 (0.94, 0.97)	0.97 (0.94, 0.99)	1.02 (0.96, 1.08)	0.96 (0.95, 0.98)	0.98 (0.97, 0.98)	1.02 (1.00, 1.03)
1985-1989	Incidence	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	Incidence	Female	1.05 (1.02, 1.07)	1.03 (1.00, 1.05)	1.01 (0.95, 1.07)	1.04 (1.02, 1.06)	1.04 (1.03, 1.05)	1.02 (1.00, 1.03)
1995-1999	Incidence	Female	1.09 (1.06, 1.12)	1.04 (1.01, 1.07)	1.03 (0.96, 1.10)	1.07 (1.05, 1.09)	1.09 (1.08, 1.10)	1.05 (1.04, 1.07)
2000-2004	Incidence	Female	1.16 (1.12, 1.20)	1.05 (1.01, 1.09)	1.06 (0.97, 1.15)	1.11 (1.08, 1.14)	1.14 (1.12, 1.15)	1.09 (1.07, 1.11)
2005-2009	Incidence	Female	1.27 (1.20, 1.35)	1.08 (1.02, 1.14)	1.07 (0.94, 1.23)	1.16 (1.10, 1.21)	1.19 (1.17, 1.21)	1.13 (1.10, 1.17)
1920-1924	DALYs	Both	0.65 (0.58, 0.73)	0.80 (0.71, 0.91)	1.15 (0.97, 1.36)	0.83 (0.79, 0.88)	0.78 (0.73, 0.83)	1.17 (0.87, 1.57)
1925-1929	DALYs	Both	0.69 (0.64, 0.74)	0.83 (0.77, 0.89)	1.18 (1.05, 1.32)	0.84 (0.81, 0.87)	0.80 (0.77, 0.83)	1.17 (0.99, 1.38)
1930-1934	DALYs	Both	0.71 (0.68, 0.75)	0.84 (0.80, 0.89)	1.20 (1.09, 1.31)	0.85 (0.83, 0.88)	0.82 (0.79, 0.84)	1.17 (1.04, 1.31)
1935-1939	DALYs	Both	0.73 (0.70, 0.76)	0.85 (0.81, 0.89)	1.21 (1.12, 1.31)	0.85 (0.83, 0.87)	0.83 (0.81, 0.85)	1.15 (1.07, 1.25)
1940-1944	DALYs	Both	0.74 (0.72, 0.77)	0.85 (0.82, 0.89)	1.20 (1.12, 1.29)	0.84 (0.82, 0.86)	0.84 (0.83, 0.86)	1.14 (1.08, 1.20)
1945-1949	DALYs	Both	0.76 (0.74, 0.79)	0.86 (0.83, 0.89)	1.18 (1.11, 1.25)	0.83 (0.81, 0.84)	0.85 (0.84, 0.87)	1.13 (1.08, 1.17)
1950-1954	DALYs	Both	0.77 (0.75, 0.80)	0.87 (0.85, 0.90)	1.16 (1.10, 1.23)	0.83 (0.81, 0.84)	0.87 (0.86, 0.88)	1.11 (1.08, 1.15)
1955-1959	DALYs	Both	0.79 (0.77, 0.81)	0.89 (0.87, 0.92)	1.14 (1.08, 1.20)	0.84 (0.82, 0.85)	0.89 (0.88, 0.90)	1.11 (1.08, 1.13)
1960-1964	DALYs	Both	0.81 (0.79, 0.83)	0.91 (0.89, 0.93)	1.11 (1.06, 1.17)	0.85 (0.84, 0.87)	0.91 (0.90, 0.92)	1.10 (1.07, 1.12)
1965-1969	DALYs	Both	0.84 (0.82, 0.86)	0.92 (0.90, 0.95)	1.08 (1.04, 1.13)	0.87 (0.86, 0.89)	0.93 (0.92, 0.94)	1.07 (1.05, 1.09)

1970-1974	DALYs	Both	0.87 (0.85, 0.89)	0.93 (0.91, 0.96)	1.06 (1.01, 1.10)	0.89 (0.88, 0.91)	0.95 (0.94, 0.95)	1.05 (1.04, 1.07)
1975-1979	DALYs	Both	0.91 (0.89, 0.93)	0.95 (0.93, 0.97)	1.03 (0.99, 1.07)	0.92 (0.91, 0.93)	0.96 (0.95, 0.97)	1.04 (1.03, 1.06)
1980-1984	DALYs	Both	0.95 (0.94, 0.97)	0.97 (0.95, 0.99)	1.01 (0.97, 1.05)	0.96 (0.94, 0.97)	0.98 (0.97, 0.98)	1.05 (1.03, 1.06)
1985-1989	DALYs	Both	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	DALYs	Both	1.04 (1.02, 1.06)	1.03 (1.00, 1.05)	1.00 (0.96, 1.05)	1.04 (1.03, 1.06)	1.03 (1.02, 1.03)	1.01 (0.98, 1.03)
1995-1999	DALYs	Both	1.07 (1.04, 1.10)	1.04 (1.01, 1.06)	1.02 (0.97, 1.07)	1.07 (1.06, 1.09)	1.06 (1.05, 1.07)	1.05 (1.02, 1.08)
2000-2004	DALYs	Both	1.13 (1.09, 1.17)	1.04 (1.01, 1.07)	1.04 (0.98, 1.10)	1.12 (1.10, 1.15)	1.10 (1.08, 1.11)	1.07 (1.03, 1.12)
2005-2009	DALYs	Both	1.22 (1.15, 1.30)	1.07 (1.02, 1.12)	1.07 (0.96, 1.18)	1.20 (1.14, 1.26)	1.15 (1.13, 1.18)	1.13 (1.06, 1.20)
1920-1924	DALYs	Male	0.58 (0.51, 0.65)	0.74 (0.65, 0.84)	1.14 (1.02, 1.27)	0.68 (0.64, 0.74)	0.74 (0.67, 0.82)	1.09 (0.72, 1.63)
1925-1929	DALYs	Male	0.61 (0.57, 0.66)	0.78 (0.73, 0.85)	1.16 (1.07, 1.25)	0.70 (0.67, 0.74)	0.76 (0.72, 0.81)	1.09 (0.87, 1.36)
1930-1934	DALYs	Male	0.63 (0.60, 0.67)	0.81 (0.77, 0.86)	1.18 (1.11, 1.25)	0.72 (0.69, 0.75)	0.79 (0.75, 0.82)	1.09 (0.93, 1.27)
1935-1939	DALYs	Male	0.65 (0.62, 0.68)	0.82 (0.78, 0.86)	1.19 (1.13, 1.25)	0.74 (0.71, 0.76)	0.81 (0.78, 0.84)	1.08 (0.98, 1.19)
1940-1944	DALYs	Male	0.66 (0.64, 0.69)	0.83 (0.79, 0.86)	1.18 (1.13, 1.24)	0.74 (0.72, 0.77)	0.83 (0.81, 0.85)	1.07 (1.00, 1.15)
1945-1949	DALYs	Male	0.69 (0.66, 0.71)	0.83 (0.80, 0.86)	1.16 (1.12, 1.21)	0.75 (0.73, 0.77)	0.84 (0.83, 0.86)	1.06 (1.02, 1.12)
1950-1954	DALYs	Male	0.71 (0.69, 0.73)	0.84 (0.81, 0.87)	1.15 (1.11, 1.19)	0.76 (0.74, 0.77)	0.86 (0.85, 0.88)	1.06 (1.02, 1.09)
1955-1959	DALYs	Male	0.74 (0.72, 0.76)	0.86 (0.83, 0.88)	1.13 (1.09, 1.17)	0.77 (0.75, 0.78)	0.88 (0.87, 0.89)	1.05 (1.02, 1.08)
1960-1964	DALYs	Male	0.76 (0.75, 0.78)	0.88 (0.85, 0.90)	1.11 (1.07, 1.15)	0.78 (0.77, 0.80)	0.90 (0.89, 0.91)	1.03 (1.01, 1.06)
1965-1969	DALYs	Male	0.80 (0.78, 0.82)	0.90 (0.88, 0.92)	1.08 (1.05, 1.11)	0.81 (0.80, 0.82)	0.92 (0.91, 0.93)	1.03 (1.00, 1.05)
1970-1974	DALYs	Male	0.85 (0.83, 0.86)	0.92 (0.90, 0.94)	1.05 (1.02, 1.08)	0.84 (0.83, 0.86)	0.94 (0.93, 0.95)	1.02 (1.00, 1.04)
1975-1979	DALYs	Male	0.90 (0.88, 0.91)	0.94 (0.92, 0.96)	1.03 (1.00, 1.06)	0.89 (0.87, 0.90)	0.96 (0.95, 0.97)	1.02 (1.00, 1.04)
1980-1984	DALYs	Male	0.95 (0.93, 0.97)	0.97 (0.95, 0.99)	1.01 (0.98, 1.04)	0.94 (0.93, 0.96)	0.98 (0.97, 0.99)	1.02 (1.00, 1.04)
1985-1989	DALYs	Male	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	DALYs	Male	1.03 (1.01, 1.06)	1.03 (1.00, 1.05)	1.00 (0.98, 1.03)	1.05 (1.04, 1.07)	1.02 (1.00, 1.03)	0.97 (0.94, 1.00)
1995-1999	DALYs	Male	1.06 (1.03, 1.09)	1.03 (1.01, 1.06)	1.02 (0.98, 1.05)	1.10 (1.07, 1.12)	1.04 (1.02, 1.06)	0.97 (0.93, 1.02)
2000-2004	DALYs	Male	1.09 (1.05, 1.14)	1.03 (1.00, 1.06)	1.04 (0.99, 1.08)	1.17 (1.14, 1.20)	1.08 (1.06, 1.11)	1.01 (0.95, 1.06)
2005-2009	DALYs	Male	1.16 (1.08, 1.24)	1.05 (1.00, 1.10)	1.06 (0.99, 1.13)	1.28 (1.21, 1.36)	1.14 (1.10, 1.18)	1.08 (0.98, 1.18)

---

1920-1924	DALYs	Female	0.74 (0.66, 0.84)	0.81 (0.71, 0.92)	1.18 (0.93, 1.49)	0.92 (0.87, 0.97)	0.81 (0.74, 0.89)	1.18 (0.77, 1.81)
1925-1929	DALYs	Female	0.78 (0.72, 0.84)	0.83 (0.77, 0.90)	1.21 (1.04, 1.42)	0.91 (0.88, 0.95)	0.83 (0.78, 0.87)	1.17 (0.91, 1.50)
1930-1934	DALYs	Female	0.80 (0.76, 0.85)	0.85 (0.80, 0.90)	1.23 (1.09, 1.38)	0.91 (0.89, 0.94)	0.84 (0.81, 0.88)	1.17 (0.98, 1.40)
1935-1939	DALYs	Female	0.81 (0.77, 0.84)	0.85 (0.81, 0.90)	1.23 (1.11, 1.37)	0.90 (0.88, 0.93)	0.86 (0.83, 0.89)	1.17 (1.02, 1.34)
1940-1944	DALYs	Female	0.81 (0.77, 0.84)	0.86 (0.83, 0.90)	1.22 (1.12, 1.34)	0.89 (0.87, 0.91)	0.88 (0.85, 0.90)	1.17 (1.06, 1.29)
1945-1949	DALYs	Female	0.81 (0.78, 0.84)	0.87 (0.84, 0.90)	1.19 (1.10, 1.30)	0.87 (0.86, 0.89)	0.89 (0.87, 0.91)	1.17 (1.09, 1.25)
1950-1954	DALYs	Female	0.81 (0.79, 0.84)	0.89 (0.86, 0.92)	1.17 (1.09, 1.26)	0.87 (0.85, 0.88)	0.91 (0.89, 0.92)	1.15 (1.09, 1.22)
1955-1959	DALYs	Female	0.82 (0.80, 0.85)	0.91 (0.88, 0.93)	1.15 (1.07, 1.23)	0.87 (0.86, 0.89)	0.92 (0.91, 0.94)	1.14 (1.09, 1.19)
1960-1964	DALYs	Female	0.84 (0.82, 0.86)	0.92 (0.90, 0.95)	1.12 (1.05, 1.19)	0.88 (0.87, 0.90)	0.93 (0.92, 0.95)	1.11 (1.07, 1.16)
1965-1969	DALYs	Female	0.86 (0.84, 0.88)	0.93 (0.91, 0.96)	1.08 (1.03, 1.15)	0.90 (0.89, 0.91)	0.94 (0.93, 0.96)	1.09 (1.05, 1.13)
1970-1974	DALYs	Female	0.89 (0.87, 0.90)	0.94 (0.92, 0.96)	1.06 (1.01, 1.12)	0.92 (0.91, 0.93)	0.95 (0.94, 0.96)	1.06 (1.03, 1.10)
1975-1979	DALYs	Female	0.92 (0.90, 0.93)	0.95 (0.93, 0.97)	1.03 (0.99, 1.09)	0.94 (0.93, 0.95)	0.96 (0.95, 0.97)	1.04 (1.01, 1.07)
1980-1984	DALYs	Female	0.96 (0.94, 0.97)	0.97 (0.95, 0.99)	1.01 (0.96, 1.06)	0.97 (0.95, 0.98)	0.98 (0.97, 0.99)	1.01 (0.99, 1.04)
1985-1989	DALYs	Female	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)	1.00 (1.00, 1.00)
1990-1994	DALYs	Female	1.04 (1.02, 1.06)	1.02 (1.00, 1.05)	1.01 (0.96, 1.06)	1.04 (1.02, 1.05)	1.04 (1.03, 1.05)	1.02 (0.98, 1.06)
1995-1999	DALYs	Female	1.08 (1.06, 1.11)	1.04 (1.01, 1.07)	1.03 (0.97, 1.09)	1.07 (1.05, 1.08)	1.09 (1.07, 1.10)	1.06 (1.01, 1.10)
2000-2004	DALYs	Female	1.15 (1.11, 1.20)	1.05 (1.02, 1.09)	1.05 (0.97, 1.13)	1.10 (1.08, 1.13)	1.13 (1.11, 1.15)	1.09 (1.03, 1.15)
2005-2009	DALYs	Female	1.26 (1.18, 1.34)	1.09 (1.03, 1.14)	1.07 (0.94, 1.22)	1.16 (1.11, 1.21)	1.19 (1.15, 1.22)	1.13 (1.04, 1.24)

---

*Note.* BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.

**Table S9.** Model selection for joinpoint trend analysis

Measure	Location	The numbers of joinpoint						
		0	1	2	3	4	5	6
DALYs	Brazil	-1.10	-1.46	-2.64	-3.12	-3.11	-3.66*	-3.52
DALYs	China	-3.63	-3.96	-4.96	-5.06	-5.15*	-5.09	-4.98
DALYs	Egypt	-2.57	-3.68	-4.28*	-4.12	-4.09	-3.90	-3.60
DALYs	Ethiopia	-3.73	-4.80	-5.49	-5.70*	-5.44	-5.22	-4.91
DALYs	High-income North America	-1.69	-1.88	-3.39*	-3.12	-2.90	-2.63	-2.31
DALYs	India	-1.53	-1.59	-2.54	-3.17	-3.52*	-3.35	-3.05
DALYs	Iran	-3.03	-3.94	-3.81	-4.04*	-3.88	-3.58	-3.31
DALYs	Russia	-2.37	-4.09	-4.26	-5.53	-6.00	-6.51*	-6.29
DALYs	Saudi Arabia	-3.59	-4.21*	-3.91	-3.59	-3.34	-2.95	-2.64
DALYs	South Africa	-1.97	-2.97	-4.39*	-4.18	-3.87	-3.55	-3.25
DALYs	UAE	-2.76	-4.25	-4.60	-4.90*	-4.61	-4.29	-3.99
Incidence	Brazil	0.98	0.59	-0.44	-1.07	-1.08	-1.63*	-1.51
Incidence	China	-0.67	-1.34	-1.81	-1.99	-2.23	-2.24*	-2.15
Incidence	Egypt	-1.05	-2.20	-2.55	-2.62	-2.77*	-2.73	-2.48
Incidence	Ethiopia	-1.95	-2.70	-3.61	-3.96*	-3.81	-3.67	-3.35
Incidence	High-income North America	0.64	0.18	-1.22*	-1.03	-0.95	-0.66	-0.37
Incidence	India	0.51	0.46	-0.53	-1.20	-1.57*	-1.41	-1.12
Incidence	Iran	-1.49	-2.42	-2.34	-2.53*	-2.38	-2.07	-1.80
Incidence	Russia	-0.50	-2.13	-2.14	-3.73	-4.21	-4.59*	-4.38
Incidence	Saudi Arabia	-2.52	-3.09*	-2.86	-2.55	-2.23	-1.96	-1.60
Incidence	South Africa	-0.07	-0.89	-2.50*	-2.36	-2.07	-1.78	-1.46
Incidence	UAE	-1.65	-2.76	-3.28	-3.91*	-3.62	-3.31	-3.03
Prevalence	Brazil	0.93	0.51	-0.48	-1.10	-1.12	-1.79*	-1.65
Prevalence	China	-2.19	-2.39	-3.51	-3.46	-3.54	-3.99	-4.19*
Prevalence	Egypt	-1.29	-2.42	-2.86	-2.86	-2.99*	-2.92	-2.63
Prevalence	Ethiopia	-2.10	-3.14	-3.82	-4.23*	-3.98	-3.77	-3.46
Prevalence	High-income North America	0.13	-0.25	-1.51*	-1.29	-1.05	-0.74	-0.42
Prevalence	India	0.36	0.30	-0.59	-1.29	-1.62*	-1.50	-1.20
Prevalence	Iran	-1.36	-2.33	-2.17	-2.46*	-2.33	-2.05	-1.78
Prevalence	Russia	-0.74	-2.42	-2.46	-4.00	-4.54	-5.03*	-4.82
Prevalence	Saudi Arabia	-2.65	-3.18*	-2.94	-2.62	-2.31	-2.02	-1.69
Prevalence	South Africa	-0.21	-1.09	-2.65*	-2.51	-2.21	-1.91	-1.60
Prevalence	UAE	-1.73	-2.93	-3.40	-4.04*	-3.74	-3.44	-3.16

The number in the table represents the Widely Applicable Bayesian Information Criterion (WBIC). The model with the smallest WBIC is considered the best (indicated by \*).

**Table S10.** Annual percentage change (% APC) and the corresponding 95% confidence intervals (CI) for depressive disorders across BRICS-Plus and high-income North America from 1990 and 2021

Measure	location	Model	Segment	Period	APC (95% CI) *
Prevalence	High-income North America	2	0	1990-1997	2.29 (1.61, 3.71) *
Prevalence	High-income North America	2	1	1997-2019	-0.10 (-0.24, 0.01)
Prevalence	High-income North America	2	2	2019-2021	13.22 (8.21, 16.74) *
Prevalence	India	4	0	1990-1993	2.76 (1.21, 4.90) *
Prevalence	India	4	1	1993-2006	0.08 (-0.20, 0.27)
Prevalence	India	4	2	2006-2010	-4.55 (-5.86, -3.51) *
Prevalence	India	4	3	2010-2019	0.05 (-0.23, 0.32)
Prevalence	India	4	4	2019-2021	7.66 (4.91, 9.50) *
Prevalence	China	6	0	1990-1992	1.67 (1.26, 2.02) *
Prevalence	China	6	1	1992-1995	0.48 (-0.32, 0.67)
Prevalence	China	6	2	1995-2000	-1.06 (-1.28, -0.92) *
Prevalence	China	6	3	2000-2005	-0.22 (-0.39, 0.04)
Prevalence	China	6	4	2005-2010	-1.02 (-1.25, -0.85) *
Prevalence	China	6	5	2010-2019	-0.15 (-0.22, -0.09) *
Prevalence	China	6	6	2019-2021	0.96 (0.49, 1.29) *
Prevalence	Brazil	5	0	1990-1995	-0.00 (-0.79, 0.54)
Prevalence	Brazil	5	1	1995-2000	2.87 (2.29, 4.06) *
Prevalence	Brazil	5	2	2000-2006	-0.19 (-0.80, 0.35)
Prevalence	Brazil	5	3	2006-2010	-4.21 (-5.16, -3.48) *
Prevalence	Brazil	5	4	2010-2019	-0.56 (-0.74, -0.36) *
Prevalence	Brazil	5	5	2019-2021	11.40 (9.92, 13.07) *
Prevalence	Russia	5	0	1990-1996	0.24 (0.14, 0.40) *
Prevalence	Russia	5	1	1996-2002	-0.26 (-0.42, -0.11) *
Prevalence	Russia	5	2	2002-2010	-0.85 (-0.93, -0.80) *
Prevalence	Russia	5	3	2010-2015	0.61 (0.51, 0.76) *
Prevalence	Russia	5	4	2015-2019	-0.23 (-0.47, -0.06) *
Prevalence	Russia	5	5	2019-2021	9.64 (9.29, 9.99) *
Prevalence	Iran	3	0	1990-2002	-0.42 (-0.64, -0.21) *
Prevalence	Iran	3	1	2002-2013	1.27 (1.04, 2.01) *
Prevalence	Iran	3	2	2013-2019	-0.13 (-1.60, 0.40)
Prevalence	Iran	3	3	2019-2021	4.74 (2.36, 6.88) *
Prevalence	Egypt	4	0	1990-1995	0.40 (-0.07, 1.57)
Prevalence	Egypt	4	1	1995-1999	-1.05 (-1.67, -0.53) *
Prevalence	Egypt	4	2	1999-2010	0.01 (-0.09, 0.14)
Prevalence	Egypt	4	3	2010-2019	0.85 (0.67, 1.04) *
Prevalence	Egypt	4	4	2019-2021	6.60 (4.55, 8.24) *
Prevalence	Ethiopia	3	0	1990-2003	-0.12 (-0.18, -0.03) *
Prevalence	Ethiopia	3	1	2003-2015	-0.63 (-0.76, -0.56) *
Prevalence	Ethiopia	3	2	2015-2019	0.34 (-0.00, 0.73)
Prevalence	Ethiopia	3	3	2019-2021	4.35 (3.38, 5.19) *

Prevalence	South Africa	2	0	1990-2005	-0.43 (-0.55, -0.32) *
Prevalence	South Africa	2	1	2005-2019	0.60 (0.49, 0.72) *
Prevalence	South Africa	2	2	2019-2021	9.62 (6.34, 11.46) *
Prevalence	Saudi Arabia	1	0	1990-2018	0.21 (0.14, 0.27) *
Prevalence	Saudi Arabia	1	1	2018-2021	3.47 (1.56, 5.98) *
Prevalence	UAE	3	0	1990-2004	-0.28 (-0.36, -0.14) *
Prevalence	UAE	3	1	2004-2010	-0.95 (-1.59, -0.68) *
Prevalence	UAE	3	2	2010-2019	0.38 (0.23, 0.55) *
Prevalence	UAE	3	3	2019-2021	7.88 (5.55, 9.50) *
<hr/>					
Incidence	High-income North America	2	0	1990-2000	3.31 (2.77, 3.97) *
Incidence	High-income North America	2	1	2000-2019	-0.42 (-0.64, -0.24) *
Incidence	High-income North America	2	2	2019-2021	17.13 (10.53, 21.69) *
Incidence	India	4	0	1990-1993	3.75 (1.69, 6.72) *
Incidence	India	4	1	1993-2006	0.07 (-0.27, 0.31)
Incidence	India	4	2	2006-2010	-6.41 (-8.15, -5.08) *
Incidence	India	4	3	2010-2019	0.14 (-0.24, 0.49)
Incidence	India	4	4	2019-2021	10.93 (6.97, 13.59) *
Incidence	China	5	0	1990-1995	1.57 (1.07, 2.44) *
Incidence	China	5	1	1995-2000	-2.74 (-3.53, -2.19) *
Incidence	China	5	2	2000-2005	-0.41 (-0.96, 0.42)
Incidence	China	5	3	2005-2010	-1.45 (-2.23, -0.92) *
Incidence	China	5	4	2010-2015	1.37 (0.81, 2.30) *
Incidence	China	5	5	2015-2021	-0.35 (-1.23, 0.06)
Incidence	Brazil	5	0	1990-1995	-0.01 (-1.11, 0.69)
Incidence	Brazil	5	1	1995-2000	3.55 (2.76, 5.32) *
Incidence	Brazil	5	2	2000-2006	-0.20 (-1.05, 0.55)
Incidence	Brazil	5	3	2006-2010	-5.23 (-6.42, -4.29) *
Incidence	Brazil	5	4	2010-2019	-0.76 (-1.01, -0.51) *
Incidence	Brazil	5	5	2019-2021	14.93 (12.84, 17.24) *
Incidence	Russia	5	0	1990-1996	0.35 (0.19, 0.66) *
Incidence	Russia	5	1	1996-2002	-0.35 (-0.66, -0.12) *
Incidence	Russia	5	2	2002-2010	-1.26 (-1.39, -1.17) *
Incidence	Russia	5	3	2010-2015	0.88 (0.72, 1.16) *
Incidence	Russia	5	4	2015-2019	-0.32 (-0.70, -0.04) *
Incidence	Russia	5	5	2019-2021	14.11 (13.54, 14.72) *
Incidence	Iran	3	0	1990-2002	-0.43 (-0.70, -0.19) *
Incidence	Iran	3	1	2002-2014	1.39 (1.15, 2.17) *
Incidence	Iran	3	2	2014-2019	-0.36 (-1.88, 0.44)
Incidence	Iran	3	3	2019-2021	6.36 (3.58, 9.13) *
Incidence	Egypt	4	0	1990-1995	0.55 (-0.06, 2.12)
Incidence	Egypt	4	1	1995-1999	-1.40 (-2.19, -0.68) *
Incidence	Egypt	4	2	1999-2010	0.02 (-0.11, 0.15)
Incidence	Egypt	4	3	2010-2019	1.14 (0.89, 1.40) *
Incidence	Egypt	4	4	2019-2021	8.93 (6.08, 11.17) *

Incidence	Ethiopia	3	0	1990-2003	-0.03 (-0.13, 0.08)
Incidence	Ethiopia	3	1	2003-2015	-0.86 (-1.03, -0.76) *
Incidence	Ethiopia	3	2	2015-2019	0.43 (-0.05, 1.00)
Incidence	Ethiopia	3	3	2019-2021	5.96 (4.62, 7.11) *
Incidence	South Africa	2	0	1990-2005	-0.60 (-0.77, -0.46) *
Incidence	South Africa	2	1	2005-2019	0.85 (0.69, 1.01) *
Incidence	South Africa	2	2	2019-2021	13.45 (8.75, 16.08) *
Incidence	Saudi Arabia	1	0	1990-2019	0.28 (0.20, 0.35) *
Incidence	Saudi Arabia	1	1	2019-2021	8.01 (4.03, 12.76) *
Incidence	UAE	3	0	1990-2004	-0.36 (-0.46, -0.17) *
Incidence	UAE	3	1	2004-2010	-1.20 (-2.01, -0.85) *
Incidence	UAE	3	2	2010-2019	0.51 (0.30, 0.73) *
Incidence	UAE	3	3	2019-2021	10.78 (8.40, 13.05) *
<hr/>					
DALYs	High-income North America	2	0	1990-1999	2.68 (2.10, 3.58) *
DALYs	High-income North America	2	1	1999-2019	-0.26 (-0.46, -0.10) *
DALYs	High-income North America	2	2	2019-2021	14.79 (9.19, 18.79) *
DALYs	India	4	0	1990-1993	3.27 (1.40, 5.83) *
DALYs	India	4	1	1993-2006	0.11 (-0.23, 0.34)
DALYs	India	4	2	2006-2010	-5.57 (-7.25, -4.25) *
DALYs	India	4	3	2010-2019	0.15 (-0.23, 0.50)
DALYs	India	4	4	2019-2021	9.20 (5.90, 11.54) *
DALYs	China	4	0	1990-1994	1.75 (1.22, 2.27) *
DALYs	China	4	1	1994-2000	-1.55 (-2.09, -1.25) *
DALYs	China	4	2	2000-2006	-0.46 (-0.80, 0.30)
DALYs	China	4	3	2006-2009	-1.58 (-1.96, 0.01)
DALYs	China	4	4	2009-2021	0.11 (-0.02, 0.26)
DALYs	Brazil	5	0	1990-1995	0.04 (-0.94, 0.68)
DALYs	Brazil	5	1	1995-2000	3.25 (2.54, 4.89) *
DALYs	Brazil	5	2	2000-2006	-0.19 (-0.99, 0.52)
DALYs	Brazil	5	3	2006-2010	-4.80 (-6.08, -3.86) *
DALYs	Brazil	5	4	2010-2019	-0.62 (-0.87, -0.34) *
DALYs	Brazil	5	5	2019-2021	12.88 (11.12, 14.88) *
DALYs	Russia	5	0	1990-1995	0.38 (0.20, 0.71) *
DALYs	Russia	5	1	1995-2002	-0.30 (-0.48, -0.15) *
DALYs	Russia	5	2	2002-2010	-1.01 (-1.12, -0.93) *
DALYs	Russia	5	3	2010-2015	0.85 (0.71, 1.08) *
DALYs	Russia	5	4	2015-2019	-0.26 (-0.59, -0.03) *
DALYs	Russia	5	5	2019-2021	11.82 (11.37, 12.31) *
DALYs	Iran	3	0	1990-2002	-0.42 (-0.69, -0.19) *
DALYs	Iran	3	1	2002-2014	1.32 (1.10, 2.07) *
DALYs	Iran	3	2	2014-2019	-0.36 (-1.81, 0.38)
DALYs	Iran	3	3	2019-2021	5.62 (3.06, 8.12) *
DALYs	Egypt	2	0	1990-2009	-0.24 (-0.40, -0.11) *
DALYs	Egypt	2	1	2009-2019	1.02 (0.58, 1.48) *

DALYs	Egypt	2	2	2019-2021	7.66 (4.18, 9.80) *
DALYs	Ethiopia	3	0	1990-2003	-0.07 (-0.17, 0.05)
DALYs	Ethiopia	3	1	2003-2015	-0.69 (-0.92, -0.59) *
DALYs	Ethiopia	3	2	2015-2019	0.46 (-0.01, 0.95)
DALYs	Ethiopia	3	3	2019-2021	5.00 (3.56, 6.10) *
DALYs	South Africa	2	0	1990-2005	-0.59 (-0.76, -0.44) *
DALYs	South Africa	2	1	2005-2019	0.75 (0.60, 0.92) *
DALYs	South Africa	2	2	2019-2021	11.24 (7.42, 13.53) *
DALYs	Saudi Arabia	1	0	1990-2018	0.24 (0.14, 0.32) *
DALYs	Saudi Arabia	1	1	2018-2021	4.38 (2.16, 7.72) *
DALYs	UAE	3	0	1990-2004	-0.33 (-0.44, 0.02)
DALYs	UAE	3	1	2004-2010	-1.11 (-2.08, -0.68) *
DALYs	UAE	3	2	2010-2019	0.49 (0.26, 0.76) *
DALYs	UAE	3	3	2019-2021	9.15 (6.05, 11.12) *

**Note.** \*Presenting  $P < 0.05$ . BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.

**Table S11.** Average annual percentage change (AAPC, %) and 95% confidence intervals (CI) for depressive disorders across BRICS-Plus and high-income North America from 1990 and 2050

Measure	location	Joinpoint Model	Period	AAPC (95% CI)
Prevalence	High-income North America	2	1990-2021	1.25 (1.10, 1.45)
Prevalence	India	4	1990-2021	0.19 (0.06, 0.31)
Prevalence	China	6	1990-2021	-0.20 (-0.22, -0.18)
Prevalence	Brazil	5	1990-2021	0.40 (0.31, 0.49)
Prevalence	Russia	5	1990-2021	0.44 (0.42, 0.46)
Prevalence	Iran	3	1990-2021	0.56 (0.46, 0.68)
Prevalence	Egypt	4	1990-2021	0.59 (0.51, 0.69)
Prevalence	Ethiopia	3	1990-2021	0.03 (-0.01, 0.07)
Prevalence	South Africa	2	1990-2021	0.66 (0.58, 0.77)
Prevalence	Saudi Arabia	1	1990-2021	0.52 (0.39, 0.67)
Prevalence	UAE	3	1990-2021	0.29 (0.22, 0.38)
Incidence	High-income North America	2	1990-2021	1.83 (1.64, 2.08)
Incidence	India	4	1990-2021	0.24 (0.07, 0.41)
Incidence	China	5	1990-2021	-0.35 (-0.42, -0.28)
Incidence	Brazil	5	1990-2021	0.51 (0.38, 0.63)
Incidence	Russia	5	1990-2021	0.63 (0.60, 0.66)
Incidence	Iran	3	1990-2021	0.71 (0.60, 0.86)
Incidence	Egypt	4	1990-2021	0.80 (0.68, 0.94)
Incidence	Ethiopia	3	1990-2021	0.08 (0.03, 0.15)
Incidence	South Africa	2	1990-2021	0.91 (0.79, 1.06)
Incidence	Saudi Arabia	1	1990-2021	0.76 (0.56, 1.05)
Incidence	UAE	3	1990-2021	0.41 (0.31, 0.54)
DALYs	High-income North America	2	1990-2021	1.50 (1.33, 1.73)
DALYs	India	4	1990-2021	0.23 (0.08, 0.37)
DALYs	China	4	1990-2021	-0.28 (-0.32, -0.23)
DALYs	Brazil	5	1990-2021	0.46 (0.35, 0.57)
DALYs	Russia	5	1990-2021	0.56 (0.53, 0.58)
DALYs	Iran	3	1990-2021	0.64 (0.54, 0.78)
DALYs	Egypt	2	1990-2021	0.66 (0.50, 0.77)
DALYs	Ethiopia	3	1990-2021	0.08 (0.04, 0.14)
DALYs	South Africa	2	1990-2021	0.74 (0.65, 0.87)
DALYs	Saudi Arabia	1	1990-2021	0.63 (0.49, 0.82)
DALYs	UAE	3	1990-2021	0.34 (0.26, 0.46)
Prevalence	BRICS-Plus	1	2021-2050	3.03(2.81, 3.15)
Prevalence	High-income North America	1	2021-2050	5.85(5.68, 5.93)
Prevalence	India	2	2021-2050	4.65(4.00, 4.84)
Prevalence	China	1	2021-2050	-0.55(-0.80, -0.43)
Prevalence	Brazil	1	2021-2050	5.39(5.15, 5.51)
Prevalence	Russia	1	2021-2050	7.41(6.94, 7.65)
Prevalence	Iran	3	2021-2050	2.48(2.42, 2.52)

Prevalence	Egypt	1	2021-2050	3.65(3.45, 3.76)
Prevalence	Ethiopia	1	2021-2050	2.73(2.58, 2.81)
Prevalence	South Africa	1	2021-2050	4.50(4.30, 4.61)
Prevalence	Saudi Arabia	1	2021-2050	-5.90(-5.97, -5.86)
Prevalence	UAE	2	2021-2050	3.61(3.50, 3.71)
<hr/>				
Incidence	BRICS-Plus	1	2021-2050	3.43(3.16, 3.58)
Incidence	High-income North America	1	2021-2050	7.38(7.05, 7.53)
Incidence	India	1	2021-2050	6.08(5.92, 6.17)
Incidence	China	1	2021-2050	-1.66(-1.73, -1.62)
Incidence	Brazil	1	2021-2050	7.08(6.76, 7.23)
Incidence	Russia	1	2021-2050	10.29(9.55, 10.66)
Incidence	Iran	2	2021-2050	2.92(2.76, 3.04)
Incidence	Egypt	1	2021-2050	4.73(4.37, 4.92)
Incidence	Ethiopia	1	2021-2050	3.63(3.44, 3.72)
Incidence	South Africa	1	2021-2050	6.01(5.62, 6.21)
Incidence	Saudi Arabia	1	2021-2050	-7.09(-7.22, -7.01)
Incidence	UAE	1	2021-2050	3.88(3.76, 3.94)
<hr/>				
DALYs	BRICS-Plus	1	2021-2050	2.94(2.66, 3.09)
DALYs	High-income North America	1	2021-2050	6.54(6.31, 6.66)
DALYs	India	1	2021-2050	5.11(4.95, 5.20)
DALYs	China	1	2021-2050	-1.14(-1.36, -1.04)
DALYs	Brazil	1	2021-2050	5.90(5.61, 6.04)
DALYs	Russia	1	2021-2050	8.85(8.27, 9.15)
DALYs	Iran	2	2021-2050	2.67(2.57, 2.74)
DALYs	Egypt	1	2021-2050	3.34(3.17, 3.43)
DALYs	Ethiopia	1	2021-2050	3.25(3.11, 3.32)
DALYs	South Africa	1	2021-2050	4.53(4.31, 4.65)
DALYs	Saudi Arabia	1	2021-2050	-7.35(-7.39, -7.33)
DALYs	UAE	2	2021-2050	4.04(4.01, 4.07)

**Note.** BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.

**Table S12.** The prediction of depressive disorders burden in BRICS-Plus and high-income North America from 2021-2050

Year	Location	Age-standardized prevalence rate (per 100,000)			Age-standardized incidence rate (per 100,000)			Age-standardized DALYs rate (per 100,000)		
		Both	Male	Female	Both	Male	Female	Both	Male	Female
2022	BRICS-Plus	3868.2 (3746.8, 3989.5)	3116.2 (3025.6, 3206.7)	4579.0 (4429.2, 4728.8)	4010.3 (3826.2, 4194.5)	3174.6 (3044.4, 3304.8)	4733.6 (4500.4, 4966.9)	598.8 (576.3, 621.2)	516.4 (498.5, 534.3)	749.5 (719.5, 779.5)
2023	BRICS-Plus	3977.0 (3755.0, 4199.0)	3211.2 (3051.6, 3370.7)	4688.0 (4415.3, 4960.8)	4138.6 (3789.7, 4487.5)	3291.1 (3055.9, 3526.3)	4852.5 (4411.5, 5293.6)	614.9 (573.3, 656.5)	533.6 (501.3, 565.8)	766.4 (710.6, 822.2)
2024	BRICS-Plus	4090.6 (3736.5, 4444.8)	3310.4 (3059.6, 3561.2)	4802.1 (4368.5, 5235.6)	4272.9 (3707.4, 4838.3)	3413.5 (3038.4, 3788.6)	4976.8 (4266.4, 5687.2)	631.8 (565.2, 698.5)	551.6 (500.4, 602.8)	784.1 (694.8, 873.4)
2025	BRICS-Plus	4209.4 (3695.6, 4723.2)	3414.2 (3052.5, 3776.0)	4921.2 (4294.9, 5547.5)	4413.5 (3585.8, 5241.2)	3542.0 (2995.5, 4088.5)	5106.7 (4074.8, 6138.6)	649.6 (552.8, 746.3)	570.5 (496.1, 644.8)	802.7 (673.5, 932.0)
2026	BRICS-Plus	4331.6 (3631.9, 5031.2)	3521.2 (3029.5, 4012.9)	5043.3 (4194.3, 5892.4)	4558.7 (3424.3, 5693.1)	3675.2 (2926.4, 4424.0)	5240.0 (3836.8, 6643.3)	667.8 (536.1, 799.4)	590.0 (488.5, 691.5)	821.8 (646.5, 997.1)
2027	BRICS-Plus	4457.4 (3545.3, 5369.4)	3631.5 (2990.7, 4272.2)	5168.7 (4067.2, 6270.3)	4708.9 (3222.5, 6195.3)	3813.4 (2830.5, 4796.2)	5377.3 (3552.6, 7201.9)	686.5 (515.0, 858.0)	610.2 (477.4, 743.1)	841.4 (614.1, 1068.8)
2028	BRICS-Plus	4588.4 (3436.8, 5740.0)	3746.3 (2936.8, 4555.9)	5299.3 (3914.7, 6683.8)	4865.9 (2980.3, 6751.6)	3958.1 (2707.7, 5208.4)	5520.3 (3222.7, 7817.9)	706.0 (489.7, 922.4)	631.4 (462.9, 799.9)	861.9 (576.3, 1147.5)
2029	BRICS-Plus	4725.9 (3306.2, 6145.7)	3867.0 (2867.8, 4866.1)	5436.4 (3737.1, 7135.7)	5031.0 (2696.1, 7366.0)	4110.6 (2557.3, 5663.9)	5670.6 (2846.1, 8495.1)	726.6 (460.1, 993.1)	653.7 (445.0, 862.4)	883.5 (533.2, 1233.9)
2030	BRICS-Plus	4870.3 (3152.5, 6588.2)	3993.6 (2783.1, 5204.1)	5580.3 (3533.2, 7627.4)	5204.8 (2367.4, 8042.2)	4271.5 (2377.2, 6165.8)	5828.5 (2420.7, 9236.4)	748.3 (426.1, 1070.5)	677.2 (423.4, 931.0)	906.3 (484.4, 1328.1)
2040	BRICS-Plus	6698.6 (-59.0, 13456.2)	5594.4 (758.8, 10430.1)	7381.6 (-344.8, 15108.0)	7450.5 (-4180.6, 19081.6)	6374.6 (-1696.7, 14445.8)	7826.0 (-5236.8, 20888.7)	1021.9 (-236.0, 2279.8)	980.3 (-69.1, 2029.7)	1193.0 (-392.1, 2778.1)
2050	BRICS-Plus	9604.9 (-8267.0, 27476.8)	8115.5 (-4814.5, 21045.4)	10175.4 (-9451.7, 29802.5)	11130.8 (-20926.9, 43188.5)	9879.5 (-13184.2, 32943.2)	10973.5 (-22781.1, 44728.2)	1452.7 (-1844.7, 4750.1)	1469.9 (-1432.1, 4372.0)	1639.2 (-2375.0, 5653.4)
-----										
2022	High-income North America	5621.6 (5334.0, 5909.3)	3980.8 (3799.4, 4162.1)	7248.0 (6856.7, 7639.4)	6827.8 (6381.9, 7273.7)	4727.2 (4441.7, 5012.6)	8940.1 (8337.3, 9543.0)	1021.7 (963.5, 1079.9)	720.5 (683.0, 757.9)	1324.6 (1245.5, 1403.7)
2023	High-income North America	5946.9 (5485.2, 6408.5)	4193.3 (3892.3, 4494.2)	7680.4 (7061.6, 8299.3)	7326.5 (6587.4, 8065.5)	5052.5 (4572.5, 5532.5)	9612.0 (8617.0, 10606.9)	1087.7 (993.1, 1182.3)	764.2 (700.6, 827.9)	1412.9 (1285.8, 1540.1)
2024	High-income North America	6292.4 (5586.7, 6998.1)	4418.4 (3951.4, 4885.4)	8140.4 (7201.3, 9079.5)	7863.5 (6706.0, 9020.9)	5401.8 (4646.0, 6157.5)	10336.7 (8780.1, 11893.2)	1158.3 (1012.2, 1304.3)	811.0 (710.7, 911.2)	1507.6 (1312.3, 1702.9)
2025	High-income North America	6659.3 (5643.2, 7675.5)	4656.8 (3980.1, 5333.5)	8629.6 (7282.0, 9977.3)	8441.7 (6741.4, 10142.0)	5776.6 (4665.4, 6887.9)	11118.4 (8831.1, 13405.7)	1233.8 (1021.7, 1445.9)	860.8 (713.8, 1007.8)	1609.0 (1325.9, 1892.1)
2026	High-income North America	7046.7 (5652.4, 8441.1)	4907.4 (3976.8, 5837.9)	9147.0 (7300.4, 10993.7)	9061.5 (6686.2, 11436.9)	6176.8 (4626.1, 7727.4)	11957.9 (8759.3, 15156.5)	1314.1 (1020.8, 1607.4)	913.7 (709.6, 1117.7)	1717.1 (1325.7, 2108.5)
2027	High-income North America	7456.2 (5611.6, 9300.9)	5171.3 (3940.3, 6402.2)	9694.9 (7252.9, 12136.9)	9726.6 (6531.1, 12922.1)	6604.4 (4522.8, 8686.0)	12860.4 (8551.7, 17169.1)	1399.7 (1008.8, 1790.6)	969.7 (697.4, 1242.0)	1832.4 (1310.6, 2354.3)

	America										
2028	High-income North America	7890.8 (5517.7, 10264.0)	5450.3 (3868.7, 7032.0)	10277.1 (7135.0, 13419.3)	10442.5 (6264.8, 14620.2)	7063.0 (4348.8, 9777.2)	13833.6 (8192.0, 19475.2)	1491.1 (984.5, 1997.7)	1029.5 (676.7, 1382.3)	1955.9 (1279.1, 2632.8)	
2029	High-income North America	8353.2 (5365.9, 11340.4)	5746.3 (3759.3, 7733.3)	10897.4 (6940.1, 14854.7)	11214.9 (5872.9, 16556.9)	7556.0 (4095.9, 11016.2)	14885.2 (7659.6, 22110.8)	1589.0 (946.8, 2231.3)	1093.3 (646.5, 1540.1)	2088.4 (1229.3, 2947.5)	
2030	High-income North America	8845.0 (5149.7, 12540.3)	6060.1 (3608.2, 8512.0)	11558.0 (6659.0, 16457.1)	12048.2 (5337.0, 18759.3)	8085.9 (3752.9, 12418.8)	16021.7 (6928.8, 25114.5)	1693.9 (893.8, 2494.1)	1161.4 (605.8, 1717.1)	2230.5 (1158.8, 3302.2)	
2040	High-income North America	15747.4 (-2697.4, 34192.3)	10351.7 (-1465.5, 22169.0)	20904.1 (-3849.3, 45657.5)	24866.3 (-14125.9, 63858.5)	16028.3 (-8211.7, 40268.2)	33680.8 (-20087.0, 87448.6)	3228.7 (-1054.8, 7512.3)	2136.4 (-754.3, 5027.1)	4331.0 (-1500.4, 10162.4)	
2050	High-income North America	28335.0 (-32550.6, 89220.7)	17840.1 (-19588.3, 55268.5)	38127.7 (-44624.7, 120880.1)	52142.3 (-98019.6, 202304.1)	32215.4 (-57321.8, 121752.5)	71803.3 (-138685.5, 282292.1)	6221.5 (-8932.2, 21375.1)	3966.7 (-5905.0, 13838.5)	8490.2 (-12486.7, 29467.2)	
2022	India	4494.3 (4280.0, 4708.6)	3788.0 (3619.6, 3956.4)	5202.2 (4941.4, 5462.9)	5148.2 (4820.0, 5476.5)	4328.4 (4071.3, 4585.5)	5978.0 (5575.9, 6380.2)	772.6 (729.9, 815.3)	660.3 (625.9, 694.7)	888.1 (836.2, 940.0)	
2023	India	4681.0 (4288.3, 5073.7)	3936.3 (3631.2, 4241.3)	5424.9 (4944.4, 5905.4)	5442.5 (4832.3, 6052.6)	4562.8 (4089.7, 5035.9)	6332.6 (5583.5, 7081.6)	809.0 (729.3, 888.7)	690.6 (626.6, 754.5)	931.4 (834.4, 1028.4)	
2024	India	4877.9 (4245.9, 5509.9)	4092.2 (3604.4, 4579.9)	5660.5 (4884.9, 6436.1)	5757.0 (4760.8, 6753.2)	4812.5 (4044.5, 5580.4)	6712.7 (5487.0, 7938.4)	847.7 (718.2, 977.3)	722.6 (618.9, 826.4)	977.6 (819.6, 1135.6)	
2025	India	5085.8 (4158.4, 6013.2)	4256.3 (3543.8, 4968.8)	5909.8 (4769.4, 7050.3)	6093.5 (4609.9, 7577.0)	5078.5 (3940.0, 6217.0)	7120.7 (5291.4, 8949.9)	888.9 (697.3, 1080.6)	756.6 (603.6, 909.7)	1026.9 (792.9, 1260.9)	
2026	India	5304.0 (4024.9, 6583.0)	4428.0 (3448.9, 5407.2)	6172.2 (4596.3, 7748.2)	6451.8 (4375.0, 8528.7)	5360.9 (3773.3, 6948.5)	7556.5 (4989.8, 10123.2)	932.5 (666.3, 1198.6)	792.6 (580.4, 1004.8)	1079.2 (753.6, 1404.8)	
2027	India	5533.2 (3843.7, 7222.7)	4607.9 (3318.7, 5897.0)	6448.6 (4363.2, 8534.1)	6833.8 (4048.8, 9618.7)	5660.7 (3539.6, 7781.8)	8022.6 (4572.7, 11472.4)	978.5 (624.6, 1332.4)	830.5 (548.8, 1112.1)	1134.7 (700.9, 1568.5)	
2028	India	5774.9 (3612.3, 7937.4)	4796.9 (3151.9, 6441.9)	6740.8 (4066.8, 9414.8)	7242.1 (3623.1, 10861.1)	5979.9 (3233.4, 8726.5)	8522.3 (4028.5, 13016.2)	1027.5 (571.5, 1483.4)	870.7 (508.5, 1232.9)	1193.9 (633.9, 1753.8)	
2029	India	6030.4 (3327.7, 8733.2)	4996.3 (2946.4, 7046.1)	7050.5 (3702.6, 10398.5)	7679.6 (3087.2, 12272.0)	6320.7 (2847.7, 9793.8)	9059.6 (3342.7, 14776.4)	1079.6 (506.0, 1653.2)	913.4 (458.6, 1368.3)	1257.1 (551.2, 1963.0)	
2030	India	6300.9 (2985.4, 9616.3)	5206.6 (2699.4, 7713.9)	7379.1 (3264.8, 11493.4)	8148.7 (2428.2, 13869.2)	6684.8 (2373.7, 10995.9)	9637.4 (2498.0, 16776.8)	1135.2 (427.0, 1843.4)	958.9 (398.3, 1519.6)	1324.7 (451.1, 2198.2)	
2040	India	9987.5 (-5042.5, 25017.6)	8022.8 (-3012.8, 19058.3)	11919.3 (-7097.5, 30936.1)	15116.6 (-15218.4, 45451.6)	11965.9 (-10073.1, 34004.8)	18390.9 (-20556.5, 57338.3)	1926.8 (-1514.5, 5368.1)	1599.5 (-1076.0, 4275.1)	2306.0 (-2047.5, 6659.5)	
2050	India	16485.5 (-29269.4, 62240.4)	12829.9 (-19706.7, 45366.6)	20067.3 (-38992.2, 79126.8)	29268.6 (-79039.2, 137576.4)	22274.3 (-53355.4, 97904.0)	36732.6 (-106723.2, 180188.4)	3421.0 (-7851.6, 14693.7)	2786.4 (-5811.2, 11383.9)	4213.8 (-10464.3, 18891.9)	
2022	China	2752.6 (2661.7, 2843.4)	2128.0 (2060.9, 2195.1)	3394.5 (3272.8, 3516.2)	2281.9 (2174.9, 2388.9)	1703.8 (1627.5, 1780.1)	2871.7 (2728.0, 3015.4)	413.3 (397.1, 429.4)	317.3 (305.3, 329.4)	513.4 (491.9, 534.8)	
2023	China	2736.6 (2617.6, 2855.5)	2123.6 (2028.6, 2218.6)	3369.8 (3216.4, 3523.1)	2243.1 (2092.5, 2393.6)	1683.1 (1569.6, 1796.6)	2817.8 (2622.7, 3013.0)	408.5 (386.7, 430.3)	315.3 (297.7, 333.0)	506.7 (479.0, 534.5)	

2024	China	2721.0 (2565.2, 2876.8)	2119.4 (1988.0, 2250.7)	3345.6 (3150.5, 3540.8)	2204.9 (1998.9, 2411.0)	1662.7 (1502.1, 1823.2)	2764.9 (2503.7, 3026.2)	403.8 (374.7, 433.0)	313.4 (288.5, 338.2)	500.2 (464.2, 536.2)
2025	China	2705.8 (2506.5, 2905.1)	2115.3 (1941.5, 2289.2)	3322.1 (3077.5, 3566.6)	2167.4 (1897.9, 2436.9)	1642.6 (1428.2, 1857.0)	2713.0 (2376.0, 3050.0)	399.2 (361.5, 436.9)	311.4 (278.3, 344.5)	493.8 (448.1, 539.4)
2026	China	2690.7 (2442.9, 2938.6)	2111.4 (1890.0, 2332.8)	3298.7 (2998.7, 3598.6)	2130.4 (1791.9, 2469.0)	1622.7 (1349.3, 1896.2)	2661.7 (2242.2, 3081.1)	394.6 (347.5, 441.7)	309.5 (267.2, 351.8)	487.4 (431.1, 543.7)
2027	China	2675.8 (2375.0, 2976.5)	2107.4 (1834.2, 2380.7)	3275.5 (2915.2, 3635.8)	2094.0 (1682.2, 2505.8)	1603.1 (1266.4, 1939.8)	2611.3 (2104.7, 3117.9)	390.1 (332.9, 447.3)	307.5 (255.3, 359.8)	481.0 (413.3, 548.7)
2028	China	2661.2 (2303.9, 3018.5)	2103.6 (1774.7, 2432.5)	3253.0 (2828.3, 3677.6)	2058.4 (1570.1, 2546.7)	1583.9 (1180.5, 1987.3)	2562.1 (1964.9, 3159.3)	385.6 (317.8, 453.5)	305.6 (242.7, 368.5)	474.8 (395.0, 554.6)
2029	China	2647.2 (2230.2, 3064.3)	2100.1 (1712.1, 2488.2)	3231.2 (2738.6, 3723.8)	2023.6 (1456.2, 2590.9)	1565.1 (1092.0, 2038.2)	2514.0 (1823.6, 3204.5)	381.3 (302.2, 460.3)	303.7 (229.7, 377.7)	468.7 (376.4, 561.0)
2030	China	2633.9 (2154.1, 3113.6)	2097.0 (1646.5, 2547.6)	3210.3 (2646.6, 3774.0)	1989.6 (1341.2, 2638.1)	1546.8 (1001.4, 2092.1)	2467.2 (1681.5, 3252.8)	377.0 (286.4, 467.6)	301.9 (216.1, 387.6)	462.7 (357.5, 568.0)
2040	China	2533.6 (1295.2, 3772.1)	2086.9 (855.8, 3318.1)	3044.0 (1632.4, 4455.7)	1696.6 (181.0, 3212.2)	1391.1 (26.0, 2756.2)	2062.8 (284.8, 3840.8)	339.7 (118.3, 561.1)	285.6 (60.9, 510.2)	409.9 (161.2, 658.6)
2050	China	2516.3 (289.6, 4743.0)	2134.9 (-159.8, 4429.7)	2976.1 (489.0, 5463.2)	1490.6 (-933.5, 3914.7)	1292.3 (-1028.0, 3612.7)	1774.4 (-998.5, 4547.2)	313.6 (-57.5, 684.6)	275.0 (-120.3, 670.4)	370.9 (-35.7, 777.5)
2022	Brazil	4465.7 (4147.9, 4783.4)	3035.9 (2833.7, 3238.0)	5809.8 (5377.5, 6242.0)	5502.0 (5031.2, 5972.8)	3484.3 (3186.4, 3782.2)	7390.8 (6752.8, 8028.9)	400.6 (369.7, 431.5)	532.0 (492.3, 571.8)	1057.9 (974.8, 1141.1)
2023	Brazil	4702.4 (4215.1, 5189.7)	3183.3 (2875.1, 3491.6)	6130.2 (5463.0, 6797.3)	5881.9 (5141.2, 6622.7)	3719.4 (3254.1, 4184.7)	7898.3 (6892.3, 8904.3)	424.1 (376.4, 471.8)	563.6 (501.0, 626.2)	1121.5 (992.1, 1250.8)
2024	Brazil	4951.7 (4228.5, 5674.8)	3337.9 (2883.0, 3792.8)	6468.5 (5473.8, 7463.2)	6288.6 (5165.8, 7411.4)	3970.5 (3269.0, 4672.1)	8441.8 (6915.3, 9968.4)	449.0 (377.8, 520.2)	597.0 (502.6, 691.3)	1188.8 (994.8, 1382.9)
2025	Brazil	5214.8 (4193.9, 6235.6)	3500.2 (2861.4, 4139.0)	6826.5 (5417.3, 8235.6)	6724.8 (5109.9, 8339.7)	4239.1 (3234.2, 5244.0)	9025.4 (6828.7, 11222.1)	475.4 (374.3, 576.5)	632.3 (497.7, 767.0)	1260.4 (984.0, 1536.7)
2026	Brazil	5492.1 (4111.7, 6872.5)	3670.4 (2810.9, 4530.0)	7204.7 (5293.4, 9116.0)	7192.3 (4970.1, 9414.5)	4526.2 (3147.9, 5904.5)	9651.0 (6627.3, 12674.7)	503.4 (366.0, 640.7)	669.7 (486.1, 853.4)	1336.2 (959.6, 1712.9)
2027	Brazil	5784.5 (3979.6, 7589.4)	3849.1 (2730.7, 4967.6)	7604.3 (5098.4, 10110.1)	7693.5 (4738.7, 10648.4)	4833.3 (3005.8, 6660.7)	10321.7 (6300.4, 14343.0)	532.9 (352.4, 713.5)	709.4 (467.4, 951.3)	1416.6 (920.6, 1912.7)
2028	Brazil	6093.4 (3794.7, 8392.2)	4036.9 (2619.1, 5454.6)	8027.5 (4827.6, 11227.3)	8232.0 (4405.8, 12058.2)	5162.1 (2802.1, 7522.1)	11042.7 (5834.7, 16250.6)	564.3 (333.2, 795.4)	751.3 (441.1, 1061.6)	1502.0 (865.8, 2138.2)
2029	Brazil	6420.5 (3552.6, 9288.3)	4234.4 (2474.1, 5994.7)	8477.0 (4474.7, 12479.2)	8811.5 (3958.9, 13664.0)	5514.5 (2529.4, 8499.7)	11819.8 (5213.5, 18426.1)	597.7 (307.9, 887.4)	795.9 (406.3, 1185.4)	1592.9 (793.7, 2392.1)
2030	Brazil	6767.3 (3248.3, 10286.3)	4442.5 (2292.9, 6592.1)	8955.2 (4031.6, 13878.9)	9436.1 (3383.0, 15489.2)	5892.7 (2179.0, 9606.4)	12659.0 (4416.0, 20902.0)	633.2 (275.9, 990.5)	843.1 (362.3, 1323.9)	1689.9 (702.6, 2677.3)
2040	Brazil	11642.8 (-5060.7, 28346.2)	7251.6 (-2420.3, 16923.5)	15789.7 (-8196.8, 39776.3)	19156.2 (-14827.6, 53139.9)	11605.8 (-8571.9, 31783.4)	25794.8 (-20703.2, 72292.7)	1139.3 (-633.5, 2912.0)	1507.2 (-872.7, 3887.1)	3081.1 (-1894.0, 8056.2)
2050	Brazil	20827.4 (-33685.0, 75339.8)	12132.8 (-17375.3, 41640.9)	29072.7 (-51562.7, 109708.0)	40887.9 (-91551.7, 173327.5)	23593.3 (-51221.6, 98408.2)	55657.0 (-127673.6, 238987.6)	2101.6 (-3865.1, 8068.3)	2724.9 (-5132.7, 10582.5)	5756.5 (-11221.3, 22734.3)
2022	Russia	4051.2 (3903.5, 4198.8)	3611.5 (3493.2, 3729.9)	4447.3 (4265.1, 4629.4)	4541.1 (4317.8, 4764.5)	4024.6 (3845.0, 4204.2)	4978.6 (4701.2, 5255.9)	349.0 (334.3, 363.8)	634.3 (609.8, 658.7)	760.4 (723.8, 797.0)
2023	Russia	4341.1 (4056.9, 4625.4)	3873.2 (3633.6, 4112.7)	4763.4 (4429.4, 5097.4)	4995.3 (4549.3, 5441.3)	4424.0 (4051.1, 4796.8)	5469.4 (4946.7, 5992.1)	378.9 (349.7, 408.0)	692.7 (640.4, 744.9)	823.4 (755.7, 891.1)
2024	Russia	4653.8 (4179.9, 5127.7)	4155.8 (3748.7, 4562.8)	5103.9 (4558.3, 5649.5)	5497.3 (4731.0, 6263.6)	4865.7 (4216.1, 5515.4)	6011.1 (5134.8, 6887.3)	411.5 (362.1, 460.9)	756.9 (665.3, 848.4)	892.0 (780.3, 1003.7)

2025	Russia	4991.1 (4273.4, 5708.8)	4461.4 (3838.8, 5084.0)	5470.9 (4654.0, 6287.7)	6052.7 (4858.9, 7246.5)	5355.0 (4335.9, 6374.0)	6609.2 (5262.9, 7955.6)	447.1 (371.2, 523.1)	827.6 (684.1, 971.1)	966.8 (797.9, 1135.7)
2026	Russia	5353.7 (4333.5, 6373.9)	4790.2 (3899.5, 5680.9)	5865.2 (4712.5, 7017.8)	6665.6 (4921.1, 8410.2)	5895.0 (4400.0, 7390.1)	7268.5 (5319.3, 9217.7)	486.0 (376.5, 595.5)	905.2 (695.4, 1114.9)	1048.1 (807.3, 1288.9)
2027	Russia	5743.1 (4355.2, 7130.9)	5143.4 (3926.2, 6360.5)	6288.5 (4728.8, 7848.2)	7341.8 (4903.1, 9780.4)	6490.6 (4395.3, 8585.9)	7995.0 (5288.7, 10701.2)	528.3 (377.2, 679.3)	990.1 (697.4, 1282.8)	1136.5 (807.2, 1465.8)
2028	Russia	6163.1 (4334.4, 7991.7)	5524.9 (3915.4, 7134.3)	6744.6 (4698.0, 8791.2)	8089.9 (4788.7, 11391.1)	7150.1 (4308.6, 9991.7)	8797.3 (5153.6, 12440.9)	574.5 (372.7, 776.3)	1083.5 (688.6, 1478.4)	1232.7 (795.9, 1669.5)
2029	Russia	6617.5 (4265.5, 8969.5)	5938.5 (3862.2, 8014.9)	7237.1 (4613.6, 9860.6)	8919.4 (4557.4, 13281.4)	7882.6 (4122.4, 11642.8)	9684.8 (4892.4, 14477.3)	625.2 (362.0, 888.3)	1186.7 (667.0, 1706.4)	1337.8 (771.7, 1903.8)
2030	Russia	7109.5 (4140.7, 10078.3)	6387.6 (3759.6, 9015.5)	7769.2 (4467.3, 11071.1)	9840.0 (4184.2, 15495.9)	8696.9 (3815.0, 13578.8)	10667.3 (4478.4, 16856.3)	680.7 (344.0, 1017.5)	1300.6 (629.8, 1971.5)	1452.5 (732.2, 2172.8)
2040	Russia	14864.2 (-2949.9, 32678.2)	13517.1 (-2547.0, 29581.1)	16065.7 (-3347.0, 35478.4)	26884.9 (-17529.3, 71299.0)	23887.9 (-14855.1, 62631.0)	28576.8 (-18573.7, 75727.2)	1631.1 (-687.6, 3949.7)	3332.5 (-1652.2, 8317.3)	3367.6 (-1373.7, 8108.8)
2050	Russia	32429.1 (-39352.4, 104210.5)	29863.6 (-35825.1, 95552.4)	34367.9 (-42101.8, 110837.5)	76790.9 (-157592.6, 311174.4)	69099.0 (-138330.3, 276528.2)	79318.0 (-161670.6, 320306.5)	4076.7 (-6631.7, 14785.2)	8933.8 (-15831.1, 33698.7)	8069.9 (-12844.0, 28983.8)
2022	Iran	5714.6 (5506.2, 5923.0)	4233.9 (4077.7, 4390.1)	7244.2 (6970.1, 7518.4)	6923.2 (6624.2, 7222.2)	5057.6 (4829.9, 5285.4)	8846.2 (8456.9, 9235.5)	1033.7 (991.5, 1075.8)	769.3 (735.8, 802.8)	1305.8 (1250.8, 1360.7)
2023	Iran	5832.9 (5464.0, 6201.8)	4285.7 (3994.7, 4576.8)	7430.9 (6962.8, 7899.1)	7092.7 (6557.0, 7628.4)	5126.7 (4698.5, 5554.9)	9117.9 (8446.3, 9789.5)	1056.2 (980.5, 1131.9)	777.4 (713.0, 841.8)	1341.2 (1246.2, 1436.2)
2024	Iran	5955.9 (5376.5, 6535.3)	4339.5 (3877.1, 4801.9)	7625.5 (6899.5, 8351.5)	7269.3 (6421.9, 8116.6)	5198.5 (4515.3, 5881.7)	9402.0 (8352.4, 10451.5)	1079.7 (960.3, 1199.2)	785.9 (682.9, 888.9)	1378.3 (1230.2, 1526.3)
2025	Iran	6083.7 (5254.0, 6913.3)	4395.3 (3732.9, 5057.6)	7828.2 (6791.8, 8864.6)	7453.0 (6233.8, 8672.2)	5273.2 (4291.8, 6254.7)	9698.8 (8191.9, 11205.8)	1104.3 (932.9, 1275.7)	794.8 (647.1, 942.5)	1417.1 (1205.1, 1629.0)
2026	Iran	6213.8 (5097.6, 7329.9)	4451.3 (3563.2, 5339.4)	8036.5 (6640.9, 9432.0)	7641.1 (5994.3, 9288.0)	5348.7 (4029.5, 6667.8)	10005.6 (7966.1, 12045.1)	1129.4 (898.6, 1360.3)	803.8 (605.7, 1001.8)	1457.1 (1171.3, 1742.9)
2027	Iran	6347.4 (4908.9, 7785.9)	4508.6 (3369.7, 5647.5)	8251.7 (6448.3, 10055.1)	7835.0 (5704.6, 9965.4)	5426.0 (3730.7, 7121.3)	10324.0 (7675.7, 12972.3)	1155.4 (857.6, 1453.2)	812.9 (559.1, 1066.7)	1498.6 (1128.7, 1868.5)
2028	Iran	6486.5 (4689.3, 8283.7)	4568.4 (3153.8, 5982.9)	8476.0 (6214.8, 10737.3)	8037.2 (5365.7, 10708.6)	5506.9 (3397.0, 7616.8)	10656.8 (7320.4, 13993.1)	1182.5 (810.0, 1555.0)	822.5 (507.6, 1137.4)	1542.0 (1077.6, 2006.5)
2029	Iran	6632.3 (4438.8, 8825.8)	4631.4 (2916.2, 6346.7)	8711.1 (5940.0, 11482.2)	8249.2 (4976.7, 11521.6)	5592.2 (3028.7, 8155.7)	11006.1 (6898.1, 15114.0)	1211.0 (755.8, 1666.2)	832.6 (451.2, 1214.1)	1587.7 (1017.6, 2157.8)
2030	Iran	6784.8 (4156.2, 9413.4)	4697.6 (2656.3, 6738.8)	8957.0 (5621.8, 12292.2)	8471.2 (4535.2, 12407.2)	5682.0 (2625.1, 8738.8)	11372.4 (6404.7, 16340.0)	1241.0 (694.7, 1787.2)	843.3 (389.9, 1296.7)	1635.7 (948.4, 2322.9)
2040	Iran	8661.8 (-829.0, 18152.7)	5508.1 (-1309.7, 12325.8)	12037.1 (-607.9, 24682.0)	11253.2 (-3518.9, 26025.3)	6796.0 (-3630.5, 17222.5)	16055.8 (-3707.9, 35819.5)	1618.9 (-392.9, 3630.7)	974.7 (-519.6, 2469.0)	2248.6 (-413.4, 4910.7)
2050	Iran	11492.2 (-11649.6, 34634.1)	6732.0 (-8616.6, 22080.6)	16764.7 (-15585.3, 49114.7)	15580.6 (-21985.2, 53146.3)	8516.4 (-15558.0, 32590.8)	23493.4 (-29593.9, 76580.7)	2209.3 (-2833.3, 7251.9)	1172.0 (-2138.4, 4482.3)	3219.1 (-3778.2, 10216.3)
2022	Egypt	4678.8 (4506.4, 4851.2)	3529.4 (3397.9, 3660.8)	5970.5 (5710.4, 6230.5)	5433.5 (5184.5, 5682.4)	3946.3 (3759.9, 4132.6)	7130.9 (6749.5, 7512.4)	830.8 (788.1, 873.6)	621.7 (587.8, 655.6)	1063.7 (1004.3, 1123.0)
2023	Egypt	4841.3 (4523.9, 5158.7)	3640.0 (3393.6, 3886.3)	6163.1 (5642.2, 6683.9)	5681.4 (5234.4, 6128.5)	4117.7 (3783.9, 4451.5)	7429.1 (6662.8, 8195.4)	856.8 (769.3, 944.2)	637.6 (567.4, 707.8)	1096.4 (972.5, 1220.2)

2024	Egypt	5011.3 (4502.0, 5520.6)	3755.3 (3358.5, 4152.1)	6364.0 (5508.0, 7220.0)	5942.7 (5227.6, 6657.9)	4298.0 (3765.4, 4830.6)	7742.1 (6473.4, 9010.7)	883.9 (739.2, 1028.6)	654.1 (537.9, 770.3)	1130.5 (924.5, 1336.4)
2025	Egypt	5189.0 (4446.4, 5931.7)	3875.6 (3297.2, 4454.0)	6573.7 (5314.3, 7833.0)	6218.2 (5170.7, 7265.6)	4487.5 (3709.4, 5265.6)	8070.8 (6188.7, 9952.9)	912.2 (698.7, 1125.8)	671.2 (500.1, 842.3)	1166.0 (861.3, 1470.8)
2026	Egypt	5372.9 (4356.4, 6389.3)	3999.6 (3209.3, 4789.9)	6790.1 (5059.5, 8520.6)	6506.4 (5062.3, 7950.5)	4685.4 (3615.0, 5755.8)	8413.4 (5804.6, 11022.2)	941.5 (647.6, 1235.3)	688.8 (454.1, 923.5)	1202.8 (782.8, 1622.8)
2027	Egypt	5563.7 (4231.9, 6895.4)	4127.9 (3094.8, 5161.0)	7014.3 (4742.8, 9285.7)	6808.6 (4900.2, 8717.0)	4892.6 (3481.2, 6304.0)	8771.3 (5316.9, 12225.8)	971.8 (585.9, 1357.7)	706.9 (399.9, 1013.9)	1240.9 (688.7, 1793.0)
2028	Egypt	5763.2 (4072.7, 7453.7)	4261.8 (2953.8, 5569.7)	7248.2 (4363.2, 10133.1)	7127.2 (4682.3, 9572.2)	5110.4 (3306.2, 6914.7)	9147.2 (4720.6, 13573.8)	1003.4 (513.2, 1493.7)	725.7 (337.5, 1114.0)	1280.6 (578.7, 1982.4)
2029	Egypt	5972.7 (3877.4, 8068.0)	4402.0 (2785.4, 6018.6)	7493.2 (3918.2, 11068.2)	7464.2 (4404.6, 10523.8)	5340.2 (3087.4, 7593.0)	9543.2 (4008.7, 15077.6)	1036.6 (429.1, 1644.2)	745.4 (266.5, 1224.2)	1322.2 (452.2, 2192.2)
2030	Egypt	6192.6 (3643.7, 8741.5)	4548.8 (2588.0, 6509.6)	7749.8 (3403.9, 12095.7)	7820.4 (4061.8, 11579.0)	5582.4 (2821.1, 8343.7)	9960.1 (3172.0, 16748.3)	1071.5 (332.9, 1810.0)	765.9 (186.7, 1345.0)	1365.7 (308.1, 2423.4)
2040	Egypt	9015.0 (-1562.0, 19592.0)	6402.0 (-1476.8, 14280.8)	10996.5 (-6712.2, 28705.1)	12645.8 (-4634.0, 29925.5)	8806.4 (-3579.1, 21191.8)	15465.3 (-14778.2, 45708.8)	1514.0 (-1489.8, 4517.8)	1017.3 (-1205.7, 3240.2)	1916.2 (-2369.0, 6201.4)
2050	Egypt	13550.5 (-15742.0, 42843.1)	9299.0 (-11796.9, 30394.8)	16070.8 (-31716.0, 63857.6)	21095.8 (-31975.9, 74167.5)	14274.7 (-22688.6, 51238.1)	24668.8 (-64379.4, 113717.1)	2211.7 (-5896.5, 10319.9)	1390.7 (-4232.2, 7013.6)	2771.5 (-8693.4, 14236.4)
2022	Ethiopia	5350.8 (5204.7, 5496.9)	4864.2 (4745.8, 4982.5)	5863.0 (5680.4, 6045.6)	6187.3 (5976.1, 6398.6)	5862.1 (5690.0, 6034.3)	6544.2 (6281.6, 6806.8)	938.0 (908.4, 967.7)	882.9 (858.5, 907.3)	1002.2 (965.5, 1039.0)
2023	Ethiopia	5490.3 (5265.2, 5715.5)	5002.0 (4806.9, 5197.2)	6010.1 (5741.7, 6278.6)	6404.2 (6075.5, 6732.8)	6072.5 (5786.7, 6358.2)	6773.3 (6382.9, 7163.6)	967.2 (921.5, 1012.9)	913.7 (872.5, 955.0)	1031.9 (978.1, 1085.6)
2024	Ethiopia	5635.0 (5304.6, 5965.4)	5145.2 (4848.6, 5441.8)	6162.5 (5779.1, 6545.9)	6630.3 (6143.4, 7117.1)	6292.0 (5854.7, 6729.4)	7012.1 (6448.5, 7575.7)	997.6 (930.3, 1064.8)	945.9 (882.3, 1009.5)	1062.7 (986.1, 1139.2)
2025	Ethiopia	5785.0 (5327.0, 6243.0)	5293.9 (4874.5, 5713.4)	6320.5 (5797.5, 6843.6)	6866.1 (6185.2, 7547.1)	6521.4 (5898.3, 7144.5)	7261.2 (6484.3, 8038.0)	1029.1 (935.8, 1122.5)	979.5 (888.6, 1070.3)	1094.7 (990.3, 1199.0)
2026	Ethiopia	5939.2 (5332.8, 6545.6)	5447.0 (4884.4, 6009.7)	6483.1 (5797.7, 7168.5)	7110.8 (6201.3, 8020.4)	6759.5 (5917.5, 7601.4)	7519.8 (6491.7, 8547.8)	1061.8 (937.8, 1185.8)	1014.2 (891.4, 1137.1)	1127.8 (990.9, 1264.7)
2027	Ethiopia	6097.9 (5322.7, 6873.1)	5604.7 (4878.5, 6331.0)	6650.4 (5780.7, 7520.2)	7364.8 (6191.9, 8537.6)	7006.6 (5911.9, 8101.3)	7788.3 (6471.1, 9105.6)	1095.6 (936.5, 1254.7)	1050.3 (890.5, 1210.1)	1162.0 (987.9, 1336.0)
2028	Ethiopia	6262.2 (5297.6, 7226.7)	5768.2 (4857.6, 6678.8)	6823.6 (5747.5, 7899.7)	7629.5 (6157.5, 9101.5)	7264.4 (5881.8, 8647.0)	8068.2 (6422.7, 9713.6)	1130.7 (932.0, 1329.5)	1087.9 (886.1, 1289.7)	1197.5 (981.7, 1413.4)
2029	Ethiopia	6433.0 (5257.9, 7608.1)	5938.5 (4822.1, 7054.9)	7003.5 (5698.6, 8308.5)	7906.2 (6097.3, 9715.1)	7534.4 (5826.7, 9242.0)	8360.6 (6346.1, 10375.1)	1167.3 (924.3, 1410.4)	1127.1 (878.0, 1376.3)	1234.6 (972.1, 1497.1)
2030	Ethiopia	6610.7 (5203.1, 8018.3)	6115.9 (4771.3, 7460.5)	7190.4 (5633.2, 8747.7)	8195.5 (6009.9, 10381.1)	7817.1 (5745.2, 9889.0)	8666.2 (6239.5, 11092.8)	1205.6 (913.1, 1498.0)	1168.2 (866.1, 1470.4)	1273.2 (959.0, 1587.3)
2040	Ethiopia	8774.1 (3589.2, 13958.9)	8292.9 (3161.2, 13424.6)	9461.5 (3848.2, 15074.8)	11875.3 (3091.8, 20658.9)	11431.1 (2905.1, 19957.0)	12551.6 (2933.4, 22169.8)	1683.0 (553.8, 2812.1)	1687.0 (456.6, 2917.4)	1752.6 (575.5, 2929.7)
2050	Ethiopia	11922.7 (-957.9, 24803.4)	11510.0 (-1569.3, 24589.2)	12741.6 (-1023.0, 26506.3)	17654.6 (-6204.8, 41513.9)	17163.7 (-6337.6, 40664.9)	18638.9 (-7344.2, 44621.9)	2407.8 (-542.8, 5358.4)	2488.0 (-846.2, 5822.2)	2472.2 (-544.8, 5489.3)
2022	South Africa	5451.7 (5189.0, 5714.4)	4377.9 (4181.7, 4574.1)	6445.8 (6115.1, 6776.6)	6354.9 (5957.4, 6752.4)	5014.0 (4722.9, 5305.1)	7590.2 (7092.1, 8088.4)	945.0 (885.4, 1004.6)	765.9 (717.4, 814.3)	1115.8 (1041.5, 1190.0)
2023	South Africa	5687.6 (5133.2, 6241.9)	4585.1 (4186.2, 4983.9)	6716.0 (6005.5, 7426.4)	6725.7 (5879.8, 7571.6)	5337.0 (4745.5, 5928.6)	8025.2 (6949.9, 9100.6)	985.8 (856.0, 1115.6)	801.3 (696.7, 905.9)	1162.9 (998.9, 1326.8)

2024	South Africa	5935.7 (4999.7, 6871.7)	4803.6 (4136.4, 5470.8)	6999.9 (5794.0, 8205.8)	7120.5 (5674.7, 8566.3)	5682.7 (4682.1, 6683.2)	8488.1 (6642.3, 10333.9)	1028.8 (807.4, 1250.3)	838.7 (660.6, 1016.9)	1212.4 (931.5, 1493.4)
2025	South Africa	6196.7 (4791.8, 7601.6)	5034.0 (4035.5, 6032.5)	7298.4 (5483.9, 9112.8)	7541.0 (5342.0, 9739.9)	6052.5 (4534.0, 7571.0)	8980.8 (6168.1, 11793.6)	1074.1 (739.7, 1408.5)	878.2 (609.3, 1147.2)	1264.6 (839.6, 1689.7)
2026	South Africa	6468.7 (4505.4, 8432.1)	5275.1 (3880.2, 6670.0)	7609.2 (5070.5, 10147.9)	7986.0 (4871.1, 11100.9)	6446.2 (4293.3, 8599.2)	9502.1 (5513.6, 13490.5)	1121.4 (652.3, 1590.5)	919.5 (541.9, 1297.2)	1319.1 (722.2, 1916.1)
2027	South Africa	6752.8 (4137.1, 9368.5)	5527.9 (3667.8, 7387.9)	7933.3 (4549.4, 11317.2)	8457.5 (4250.0, 12664.9)	6865.9 (3950.5, 9781.2)	10053.9 (4664.0, 15443.7)	1170.8 (544.1, 1797.6)	962.9 (457.5, 1468.2)	1376.0 (578.2, 2173.9)
2028	South Africa	7051.5 (3683.1, 10419.8)	5794.4 (3395.1, 8193.6)	8273.8 (3916.0, 12631.6)	8959.6 (3465.5, 14453.7)	7314.9 (3495.3, 11134.5)	10641.0 (3602.2, 17679.9)	1222.9 (414.0, 2031.8)	1008.6 (355.2, 1662.0)	1435.8 (406.1, 2465.5)
2029	South Africa	7366.9 (3137.8, 11595.9)	6076.3 (3057.6, 9094.9)	8633.0 (3163.1, 14103.0)	9495.8 (2500.7, 16490.9)	7796.5 (2914.6, 12678.4)	11267.6 (2306.7, 20228.6)	1277.9 (260.5, 2295.3)	1057.0 (233.5, 1880.4)	1499.0 (204.2, 2793.8)
2030	South Africa	7699.8 (2493.7, 12906.0)	6374.3 (2649.4, 10099.3)	9012.0 (2281.3, 15742.8)	10068.3 (1335.4, 18801.3)	8313.0 (2192.7, 14433.3)	11936.4 (751.9, 23120.8)	1336.1 (81.7, 2590.4)	1108.1 (90.8, 2125.4)	1565.7 (-30.0, 3161.4)
2040	South Africa	12128.6 (-11639.7, 35896.8)	10393.9 (-7108.7, 27896.6)	14023.1 (-16441.8, 44487.9)	18294.7 (-27630.2, 64219.5)	15950.6 (-17828.5, 49729.8)	21501.7 (-36974.8, 79978.3)	2113.8 (-3668.4, 7896.0)	1795.3 (-2992.8, 6583.4)	2451.7 (-4847.2, 9750.7)
2050	South Africa	19671.2 (-51721.1, 91063.4)	17334.7 (-36624.1, 71293.5)	22483.4 (-68084.8, 113051.6)	34139.9 (-124499.1, 192778.8)	31243.7 (-90991.0, 153478.3)	39828.1 (-160872.1, 240528.3)	3445.1 (-14039.5, 20929.7)	2967.7 (-11702.3, 17637.7)	3951.5 (-17892.8, 25795.8)
2022	Saudi Arabia	4371.5 (4010.4, 4732.6)	3725.0 (3439.7, 4010.3)	5317.1 (4809.5, 5824.7)	4939.1 (4423.6, 5454.6)	4080.6 (3672.3, 4488.8)	6175.5 (5442.8, 6908.3)	761.2 (682.0, 840.3)	644.2 (581.8, 706.5)	933.9 (825.6, 1042.2)
2023	Saudi Arabia	4108.9 (3360.5, 4857.2)	3524.7 (2931.1, 4118.2)	4939.3 (3894.8, 5983.8)	4582.5 (3528.8, 5636.2)	3806.6 (2969.3, 4644.0)	5653.1 (4168.3, 7138.0)	704.3 (542.2, 866.4)	600.9 (472.7, 729.0)	855.6 (635.7, 1075.5)
2024	Saudi Arabia	3863.2 (2691.1, 5035.4)	3335.9 (2401.0, 4270.8)	4589.7 (2970.6, 6208.7)	4253.2 (2624.5, 5881.9)	3552.2 (2251.8, 4852.6)	5177.0 (2909.5, 7444.5)	651.8 (401.7, 902.0)	560.6 (361.6, 759.6)	784.1 (447.9, 1120.3)
2025	Saudi Arabia	3633.1 (2023.2, 5243.0)	3157.9 (1866.0, 4449.9)	4265.8 (2066.8, 6464.9)	3948.6 (1740.8, 6156.5)	3315.5 (1543.8, 5087.2)	4742.5 (1707.8, 7777.2)	603.5 (265.1, 941.9)	523.1 (252.0, 794.3)	718.8 (268.5, 1169.1)
2026	Saudi Arabia	3416.1 (1369.6, 5462.7)	2989.1 (1336.2, 4641.9)	3964.5 (1200.6, 6728.3)	3665.5 (895.2, 6435.9)	3094.3 (859.7, 5328.9)	4344.2 (585.5, 8102.8)	558.7 (135.1, 982.3)	488.2 (146.2, 830.2)	658.9 (100.8, 1217.1)
2027	Saudi Arabia	3212.3 (739.6, 5685.1)	2829.3 (819.4, 4839.2)	3684.7 (383.3, 6986.2)	3403.0 (98.8, 6707.2)	2888.0 (208.9, 5567.1)	3979.9 (-444.6, 8404.4)	517.3 (13.3, 1021.2)	455.6 (45.6, 865.6)	604.2 (-53.4, 1261.8)
2028	Saudi Arabia	3021.6 (139.0, 5904.3)	2678.8 (320.6, 5036.9)	3425.8 (-378.7, 7230.3)	3160.3 (-642.0, 6962.7)	2696.2 (-402.9, 5795.3)	3647.5 (-1377.6, 8672.6)	479.1 (-99.3, 1057.5)	425.2 (-49.0, 899.5)	554.1 (-193.4, 1301.6)
2029	Saudi Arabia	2843.3 (-428.9, 6115.5)	2537.0 (-156.9, 5231.0)	3186.2 (-1082.6, 7454.9)	2936.2 (-1324.8, 7197.2)	2518.1 (-972.8, 6008.9)	3344.3 (-2213.2, 8901.9)	443.9 (-202.6, 1090.3)	397.1 (-137.0, 931.1)	508.4 (-318.8, 1335.7)
2030	Saudi Arabia	2676.3 (-962.1, 6314.6)	2403.4 (-611.2, 5418.0)	2964.0 (-1727.4, 7655.4)	2728.8 (-1948.6, 7406.2)	2352.3 (-1499.4, 6203.9)	3067.3 (-2953.5, 9088.1)	411.3 (-296.4, 1119.0)	370.8 (-218.3, 960.0)	466.6 (-430.2, 1363.4)
2040	Saudi Arabia	1469.4 (-4395.9, 7334.7)	1405.9 (-3770.5, 6582.4)	1446.9 (-5277.7, 8171.6)	1321.3 (-5323.6, 7966.3)	1198.1 (-4556.7, 6952.8)	1302.2 (-6196.4, 8800.7)	193.6 (-784.0, 1171.3)	188.3 (-689.3, 1065.9)	199.2 (-924.2, 1322.5)
2050	Saudi Arabia	818.0 (-5255.7, 6891.8)	832.4 (-4867.6, 6532.4)	713.8 (-5457.7, 6885.4)	649.7 (-5427.3, 6726.7)	618.7 (-4908.6, 6146.1)	560.4 (-5442.2, 6562.9)	92.3 (-775.1, 959.8)	96.6 (-741.1, 934.3)	85.9 (-815.7, 987.6)
2022	UAE	4475.3 (4252.8, 4697.7)	4034.1 (3840.4, 4227.9)	5527.0 (5209.3, 5844.8)	5216.7 (4865.2, 5568.2)	4703.2 (4397.2, 5009.3)	6451.7 (5942.7, 6960.7)	802.6 (755.5, 849.7)	732.7 (694.4, 770.9)	993.3 (935.6, 1050.9)


2023	UAE	4622.4 (4143.2, 5101.6)	4163.4 (3742.9, 4583.8)	5651.4 (4949.8, 6353.1)	5408.6 (4635.6, 6181.6)	4885.8 (4211.9, 5559.7)	6601.1 (5459.0, 7743.3)	832.6 (729.6, 935.5)	765.0 (682.8, 847.1)	1037.4 (914.3, 1160.6)
2024	UAE	4776.2 (3967.9, 5584.5)	4298.3 (3587.6, 5009.1)	5780.4 (4593.7, 6967.1)	5609.7 (4291.8, 6927.6)	5077.2 (3926.7, 6227.7)	6756.2 (4812.6, 8699.7)	863.9 (689.0, 1038.9)	799.0 (659.8, 938.2)	1084.0 (875.9, 1292.0)
2025	UAE	4937.2 (3730.0, 6144.5)	4439.5 (3377.2, 5501.8)	5914.4 (4147.9, 7680.9)	5820.5 (3837.4, 7803.7)	5278.1 (3544.1, 7012.2)	6917.2 (4014.0, 9820.3)	896.9 (634.1, 1159.7)	834.9 (625.6, 1044.2)	1133.0 (820.8, 1445.3)
2026	UAE	5103.7 (3428.0, 6779.4)	4585.6 (3110.7, 6060.5)	6052.2 (3614.0, 8490.4)	6039.5 (3269.4, 8809.5)	5487.4 (3061.1, 7913.8)	7082.6 (3066.3, 11098.8)	931.1 (564.4, 1297.9)	872.6 (579.7, 1165.5)	1184.5 (748.0, 1620.9)
2027	UAE	5276.3 (3060.7, 7492.0)	4737.3 (2787.2, 6687.5)	6194.3 (2992.9, 9395.7)	6267.4 (2584.5, 9950.2)	5705.9 (2474.0, 8937.7)	7253.0 (1970.5, 12535.5)	966.8 (479.5, 1454.2)	912.2 (521.3, 1303.1)	1238.5 (656.6, 1820.5)
2028	UAE	5456.7 (2626.5, 8287.0)	4895.6 (2405.0, 7386.3)	6341.6 (2284.1, 10399.1)	6506.2 (1777.9, 11234.4)	5934.8 (1778.0, 10091.7)	7429.7 (725.5, 14133.8)	1004.2 (378.8, 1629.7)	953.9 (449.7, 1458.1)	1295.5 (545.4, 2045.6)
2029	UAE	5646.0 (2122.5, 9169.6)	5061.3 (1961.8, 8160.8)	6494.8 (1486.1, 11503.5)	6757.3 (842.8, 12671.7)	6175.4 (966.4, 11384.3)	7613.4 (-672.1, 15899.0)	1043.5 (261.2, 1825.8)	997.9 (364.0, 1631.9)	1355.5 (412.8, 2298.2)
2030	UAE	5844.9 (1544.5, 10145.3)	5234.8 (1454.1, 9015.4)	6654.2 (595.9, 12712.5)	7021.3 (-229.6, 14272.1)	6428.1 (31.3, 12825.0)	7804.7 (-2227.3, 17836.7)	1084.8 (125.7, 2043.9)	1044.5 (262.9, 1826.0)	1418.9 (257.3, 2580.5)
2040	UAE	8362.7 (-9548.5, 26273.9)	7432.9 (-8217.0, 23082.9)	8588.2 (-14309.8, 31486.2)	10427.6 (-21023.0, 41878.3)	9727.3 (-18535.9, 37990.6)	10117.2 (-28036.3, 48270.7)	1618.0 (-2551.4, 5787.4)	1675.4 (-1959.4, 5310.3)	2271.0 (-3105.2, 7647.1)
2050	UAE	12269.4 (-36474.4, 61013.2)	10843.2 (-31523.7, 53210.1)	11338.7 (-44842.6, 67520.1)	15866.5 (-72993.1, 104726.1)	15104.2 (-66376.2, 96584.5)	13373.5 (-80415.2, 107162.3)	2466.0 (-9326.3, 14258.2)	2770.9 (-8366.1, 13907.9)	3714.5 (-12560.0, 19989.0)

*Note.* BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.


**Table S13.** Percentage change (%) of the burden due to depressive disorders burden in BRICS-Plus and high-income North America from 2021 to 2050

Location	ASPR (per 100,000)			ASIR (per 100,000)			ASDR (per 100,000)		
	Both	Male	Female	Both	Male	Female	Both	Male	Female
BRICS-Plus	150.00	162.34	122.46	179.50	213.73	131.91	142.85	186.33	117.68
High-income North America	423.94	362.97	447.47	693.42	605.49	736.16	533.10	470.31	568.00
India	277.78	246.24	298.44	491.52	432.34	541.28	356.28	333.05	390.72
China	-12.52	-3.97	-16.03	-36.45	-26.82	-39.55	-27.20	-16.83	-30.44
Brazil	377.20	312.42	409.67	666.08	605.84	670.67	437.11	432.76	454.29
Russia	724.61	761.79	689.96	1653.06	1697.06	1530.92	1108.97	1398.55	984.39
Iran	104.86	60.84	136.85	128.85	69.78	171.35	117.32	53.55	151.84
Egypt	194.05	167.01	175.19	292.75	264.96	254.01	170.49	126.48	166.22
Ethiopia	124.59	140.19	118.64	189.15	198.21	188.39	160.27	188.82	149.42
South Africa	270.23	308.45	257.52	451.73	543.66	438.41	273.71	300.05	263.37
Saudi Arabia	-82.51	-78.94	-87.57	-87.93	-85.98	-91.76	-88.81	-86.04	-91.58
UAE	181.94	176.83	109.84	212.38	231.62	111.79	218.19	294.76	291.12

*Note.* BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years; ASPR = Age-standardized prevalence rate; ASIR = Age-standardized incidence rate; ASDR = Age-standardized DALYs rate.




**Figure S1.** Age-standardized incidence rates (A), total incidence (B) of depressive disorders, and relative proportions of all incidences of depressive disorders due to mental disorders (C) in BRICS-Plus and high-income North America between 1990 and 2021. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates).




**Figure S2.** Age-standardized DALYs rates (A), total DALYs (B) of depressive disorders, and relative proportions of all DALYs of depressive disorders due to mental disorders (C) in BRICS-Plus and high-income North America between 1990 and 2021. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.

A




B




**Figure S3.** Net drift (A) with local drift values (B) for prevalence, incidence, and DALYs due to depressive disorders in males in BRICS-Plus and high-income North America from 1992 and 2021. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.


A




B




**Figure S4.** Net drift (A) with local drift values (B) for prevalence, incidence, and DALYs due to depressive disorders in females in BRICS-Plus and high-income North America from 1992 and 2021. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.




**Figure S5.** Parameter estimates of age, period, and cohort effects on incidence rates of depressive disorders and sex difference in BRICS-Plus and high-income North America from 1992 to 2021. Age distribution of deaths shows the relative proportion of incidence from each age group (10-74 years) during 1992–2021. Local drifts indicate the annual percentage change of incidence (% per year) across five-year age groups (from 10-14 to 70–74 years). Age effects are represented by the fitted longitudinal age curves of incidence rate (per 100,000 person-years) adjusted for period deviations. Period effects are represented by the relative risk of incidence (incidence rate ratio) and computed as the ratio of age-specific rates in each period compared to the referent 2012–2016 period. Cohort effects are represented by the relative risk of incidence (incidence rate ratio) and computed as the ratio of age-specific rates in each cohort compared to referent 1987 cohort. The shaded areas indicate the corresponding 95% CIs of each point estimate. Panel A shows results of BRICS-Plus and high-income North American. Panel B shows results for countries that have experienced an increased burden of depressive disorders over the past 30 years. Panel C shows results for countries that have experienced a decreased burden of depressive disorders over the past 30 years. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates).




**Figure S6.** Parameter estimates of age, period, and cohort effects on DALYs rates of depressive disorders and sex difference in BRICS-Plus and high-income North America from 1992 to 2021. Age distribution of deaths shows the relative proportion of DALYs from each age group (10–74 years) during 1992–2021. Local drifts indicate the annual percentage change of DALYs (% per year) across five-year age groups (from 10-14 to 70–74 years). Age effects are represented by the fitted longitudinal age curves of DALYs rate (per 100,000 person-years) adjusted for period deviations. Period effects are represented by the relative risk of DALYs (DALYs rate ratio) and computed as the ratio of age-specific rates in each period compared to the referent 2012–2016 period. Cohort effects are represented by the relative risk of DALYs (DALYs rate ratio) and computed as the ratio of age-specific rates in each cohort compared to referent 1987 cohort. The shaded areas indicate the corresponding 95% CIs of each point estimate. Panel A shows results of BRICS-Plus and high-income North American. Panel B shows results for countries that have experienced an increased burden of depressive disorders over the past 30 years. Panel C shows results for countries that have experienced a decreased burden of depressive disorders over the past 30 years. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.




**Figure S7.** The Jointpoint regression analysis of the age-standardized prevalence rate for depressive disorders in BRICS-Plus and high-income North America from 1990 to 2021. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates).




**Figure S8.** The Joinpoint regression analysis of the age-standardized incidence rate for depressive disorders in BRICS-Plus and high-income North America from 1990 to 2021. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.



**Figure S9.** The Joinpoint regression analysis of the age-standardized DALYs rate for depressive disorders in BRICS-Plus and high-income North America from 1990 to 2021. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.



**Figure S10.** The trend of depressive disorders incidence in BIRCS-plus and high income-North America from 1990 to 2050. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates).



**Figure S11.** The trend of depressive disorders DALYs in BIRCS-plus and high income-North America from 1990 to 2050. BRICS-Plus = India, China, Brazil, Russia, Iran, Egypt, Ethiopia, South Africa, Saudi Arabia, and the UAE (United Arab Emirates); DALYs = disability-adjusted life years.