

News & Analysis

National Data of Class A, B, and C Communicable Diseases in August 2013 in China

Disease	Case number				Death number			
	Aug.	Last Aug.	Cum 2013	Cum 2012	Aug.	Last Aug.	Cum 2013	Cum 2012
Total	619 396	562 204	4 570 850	5 014 253	1497	1337	10 636	10 825
Plague	0	0	0	0	0	0	0	0
Cholera	10	18	35	45	0	0	1	0
SARS	0	0	0	0	0	0	0	0
AIDS	3 878	4 068	27 412	24 569	1102	886	7 244	6 970
Viral hepatitis	123 503	129 419	960 272	1 049 676	74	58	535	498
Type A	2 121	2 382	14 322	16 830	1	0	2	3
Type B	97 430	103 596	750 300	840 424	59	45	401	387
Type C	18 473	17 793	149 638	144 343	12	11	107	73
Type E	1 999	1 952	20 691	19 767	1	2	14	19
Unspecified	3 480	3 696	25 321	28 312	1	0	11	16
Poliomyelitis	0	0	0	1	0	0	0	0
HPAI	0	0	2	1	0	0	2	1
Influenza A(H1N1)	214	6	10 992	391	0	0	40	1
Measles	2 164	584	24 823	3 858	0	0	27	6
EHF	592	422	8 223	6 247	2	3	59	37
Rabies	108	139	733	884	104	116	686	809
Epidemic encephalitis B	734	906	1 136	1 364	16	16	38	42
Dengue fever	674	32	915	78	0	0	0	0
Anthrax	22	52	121	165	0	0	1	0
Pulmonary anthrax	0	0	0	0	0	0	0	0
Cutaneous	19	52	117	164	0	0	1	0
Unspecified	3	0	4	1	0	0	0	0
Dysentery	27 689	29 957	131 999	144 384	1	1	7	9
Bacillary	27 529	29 807	131 027	143 410	1	1	7	9
Amebic	160	150	972	974	0	0	0	0
Lung Tuberculosis	107 051	85 266	693 512	695 276	161	203	1 630	1 826
Bacteria(+)	29 798	32 115	229 609	262 919	88	117	833	984
Bacteria(-)	50 127	46 667	380 114	378 820	60	67	638	665
Not tested	26 770	6 280	81 976	52 007	12	16	152	169
Only Culture(+)	356	204	1 813	1 530	1	3	7	8
Typhoid and paratyphoid	1 676	1 344	9 398	7 995	1	0	4	2
Typhoid	1 263	996	7 200	5 878	1	0	4	2
Paratyphoid	413	348	2 198	2 117	0	0	0	0
ECM	7	6	157	157	0	2	18	21
Pertussis	255	277	1 229	1 837	0	0	0	1
Diphtheria	0	0	0	0	0	0	0	0
Neonatal tetanus	52	61	354	434	7	6	39	39
Scarlet fever	1 168	1 400	21 736	32 906	0	0	0	2
Brucellosis	4 561	4 190	34 506	32 293	1	0	1	0
Gonorrhoea	9 354	8 431	64 187	59 332	1	0	1	1
Syphilis	39 384	39 004	284 695	282 066	7	4	49	59
First phase	9 349	10 012	71 950	73 306	2	0	5	5
Secondary phase	6 797	7 046	45 820	45 362	0	0	1	3
Third phase	312	300	2 373	2 245	0	2	3	4
Congenital	821	1 069	6 093	7 411	0	0	4	8
Covert	22 105	20 577	158 459	153 742	5	2	36	39
Leptospirosis	55	55	133	125	1	0	2	2
Schistosomiasis	492	422	3 867	3 558	0	0	1	4
Malaria	288	224	3 174	1 727	0	1	20	10
Benign tertian	98	99	700	773	0	0	0	0
Malignant	167	119	2 356	896	0	1	20	9
Unspecified	23	6	118	58	0	0	0	1
Influenza	6 098	6 722	73 283	87 228	0	0	8	4
Epidemic parotitis	19 596	28 260	265 054	369 203	0	0	0	1
Rubella	746	1 095	15 137	36 107	0	0	0	0
AHC	3 960	3 629	25 215	21 497	0	0	0	0
Lepra	74	73	873	697	0	0	2	1
Typhus fever	236	264	1 245	1 332	0	0	0	0
Kala-azar	13	21	130	164	0	0	1	0
Echinococcosis	365	308	2 671	2 230	0	0	1	1
Filariasis	0	0	0	0	0	0	0	0
Other infectious diarrhoea	106 514	98 635	582 559	531 399	4	3	11	12
Hand,foot and mouth disease	157 863	116 914	1 321 072	1 615 027	15	38	208	466

Note. HPAI: Highly pathogenic avian influenza; EHF: Epidemic hemorrhagic fever; ECM: Epidemic cerebrospinal meningitis; AHC: Acute hemorrhagic conjunctivitis. The data in this table includes the cases of laboratory confirmed and clinical diagnosis, except cases from Chinese Taiwan, Hong Kong, and Macao, as well as the foreign cases in China.